

Table 10 (continued): Woody vegetation change by land cover by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settle-ment	Total		
Goneaway Tablelands	52	5384	2.155	0.000	0.000	0.000	0.018	0.000	2.173	23.11	0.41
Great Sandy	53	357	0.225	0.000	1.554	0.000	0.002	0.008	1.789	89.46	0.34
Gympie Block	54	859	1.233	0.000	0.353	0.003	0.016	0.021	1.625	56.34	0.31
Herbert	55	230	0.294	0.053	0.000	0.000	0.022	0.000	0.369	55.03	0.07
Herberton-Wairuna	56	751	0.455	0.014	0.000	0.015	0.030	0.003	0.517	95.31	0.10
Hodgkinson Basin	57	1700	0.128	0.026	0.000	0.004	0.148	0.000	0.306	92.40	0.06
Holroyd Plain-Red Plateau	58	2208	0.033	0.000	0.000	0.002	0.269	0.000	0.304	86.45	0.06
Inglewood Sandstones	59	1233	4.721	0.004	0.000	0.004	0.058	0.000	4.786	61.86	0.91
Innisfail	60	202	0.075	0.010	0.000	0.000	0.004	0.007	0.096	46.26	0.02
Isaac-Comet Downs	61	2701	7.563	0.004	0.000	0.559	0.153	0.000	8.279	36.03	1.57
Jardine-Pascoe Sandstones	62	1426	0.000	0.000	0.000	0.000	0.000	0.000	0.000	95.30	0.00
Karumba Plain	63	1072	0.000	0.000	0.000	0.000	0.000	0.000	0.000	25.30	0.00
Kidston	64	2991	0.185	0.000	0.000	0.012	0.214	0.000	0.411	86.82	0.08
Kirrama-Hinchinbrook	65	268	0.006	0.000	0.000	0.000	0.000	0.001	0.007	98.46	0.00
Kynuna Plateau	66	2336	0.301	0.000	0.000	0.000	0.006	0.000	0.307	17.08	0.06
Lake Pure	67	985	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.21	0.00
Langlo Plains	68	1277	20.359	0.000	0.000	0.000	0.000	0.000	20.359	68.65	3.86
Laura Lowlands	69	1641	0.178	0.000	0.000	0.000	0.010	0.000	0.188	96.69	0.04
Macalister	70	116	0.065	0.009	0.010	0.000	0.007	0.004	0.095	88.51	0.02
Macintyre-Weir Fan, Castlereagh-Barwon	71	307	0.731	0.000	0.000	0.000	0.000	0.000	0.731	24.64	0.14
Manifold	72	71	0.001	0.000	0.029	0.000	0.000	0.000	0.029	80.36	0.01
Marlborough Plains	73	1152	2.308	0.015	0.000	0.000	0.039	0.021	2.383	53.24	0.45
McArthur-South Nicholson Basins, Gulf Fall and Uplands P1	74	591	0.000	0.000	0.000	0.000	0.000	0.000	0.000	84.47	0.00

Table 10 (continued): Woody vegetation change by land cover by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settle-ment	Total		
Mitchell-Gilbert Fans	75	5202	0.122	0.002	0.000	0.000	0.056	0.000	0.180	74.14	0.03
Moonie-Barwon Interfluve, Collarenebri Interfluve	76	649	13.165	0.003	0.000	0.000	0.000	0.000	13.168	25.48	2.49
Moonie R.-Commonon Ck Floodout	77	803	4.272	0.000	0.000	0.001	0.000	0.000	4.273	22.92	0.81
Moreton Basin	78	785	1.342	0.011	0.396	0.027	0.132	1.117	3.026	41.81	0.57
Mount Isa Inlier	79	4492	0.069	0.000	0.000	0.000	0.007	0.000	0.075	51.55	0.01
Mount Morgan Ranges	80	1294	1.979	0.000	0.000	0.166	0.170	0.003	2.318	45.66	0.44
Nandewar, Northern complex	81	629	2.491	0.006	0.000	0.001	0.000	0.000	2.498	38.02	0.47
Narran-Lightning Ridge	82	6	0.026	0.000	0.000	0.000	0.000	0.000	0.026	25.39	0.00
Nebine Plains, Block Range	83	1226	27.917	0.000	0.000	0.000	0.018	0.000	27.936	61.31	5.29
Nebo-Connors Ranges	84	532	1.742	0.004	0.000	0.000	0.052	0.001	1.799	60.23	0.34
Noccundra Slopes	85	2507	0.027	0.000	0.000	0.000	0.001	0.000	0.028	7.64	0.01
North Eastern Plains	86	670	9.990	0.000	0.000	0.000	0.020	0.000	10.011	52.09	1.90
Northern Bowen Basin	87	1338	2.680	0.000	0.000	0.524	0.266	0.000	3.469	56.49	0.66
Northern Downs	88	3534	0.970	0.000	0.000	0.000	0.001	0.000	0.970	5.97	0.18
Northern Uplands	89	1248	4.277	0.000	0.000	0.000	0.001	0.000	4.278	67.28	0.81
Paluma-Seaview	90	247	0.032	0.000	0.000	0.000	0.001	0.000	0.033	99.24	0.01
Paroo Sand Sheets, Cuttaburra-Paroo	91	663	3.892	0.000	0.000	0.000	0.000	0.000	3.892	72.13	0.74
Prairie-Torrens Creek Alluvials	92	1580	5.414	0.000	0.000	0.000	0.000	0.000	5.414	63.05	1.03
Proserpine-Sarina Lowlands	93	470	0.449	0.165	0.000	0.000	0.017	0.003	0.634	47.13	0.12
Scenic Rim	94	230	0.141	0.000	0.000	0.000	0.000	0.000	0.141	78.39	0.03
Simpson Desert, Simpson - Strzelecki Dunefields (northwest), Simpson-Strzelecki	95	2296	0.000	0.000	0.000	0.000	0.000	0.000	0.000	3.05	0.00
South Burnett	96	564	1.094	0.000	0.191	0.068	0.019	0.058	1.429	41.44	0.27

Table 10 (continued): Woody vegetation change by land cover by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settle-ment	Total		
South Drummond Basin	97	1019	9.121	0.000	0.000	0.000	0.091	0.000	9.212	54.99	1.74
Southeast Hills and Ranges	98	534	0.633	0.001	0.148	0.003	0.018	0.765	1.568	64.31	0.30
Southern Coastal Lowlands	99	348	1.035	0.004	1.332	0.128	0.064	0.465	3.028	55.81	0.57
Southern Downs	100	4262	41.295	0.081	0.000	0.002	0.030	0.000	41.408	40.29	7.84
Southern Wooded Downs	101	4091	16.572	0.000	0.000	0.000	0.001	0.000	16.573	26.62	3.14
Southwestern Downs	102	3765	0.048	0.000	0.000	0.000	0.000	0.000	0.048	3.85	0.01
Sthwestern Plateaus & Floodout	103	1410	0.180	0.000	0.000	0.000	0.003	0.000	0.183	37.02	0.03
Stanthorpe Plateau	104	138	0.381	0.000	0.000	0.000	0.000	0.000	0.381	62.09	0.07
Starke Coastal Lowlands	105	423	0.151	0.000	0.000	0.000	0.008	0.000	0.160	90.55	0.03
Strzelecki Desert, Strzelecki (SSD southwest), Western Dunefields	106	1158	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.86	0.00
Sturt Stony Desert	107	4703	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.14	0.00
Tara Downs	108	449	2.353	0.000	0.000	0.000	0.000	0.000	2.353	12.16	0.45
Taroom Downs	109	644	1.148	0.000	0.000	0.000	0.000	0.000	1.148	13.03	0.22
Tenterfield Plateau	110	7	0.007	0.000	0.000	0.000	0.000	0.000	0.007	54.80	0.00
Thorntonia	111	740	0.037	0.000	0.000	0.000	0.000	0.000	0.037	46.51	0.01
Tibooburra Downs, Central Downs, Fringing Tablelands and Downs	112	414	0.000	0.000	0.000	0.000	0.000	0.000	0.000	1.53	0.00
Toko Plains, Channel Country P1 Toko Range	113	495	0.031	0.000	0.000	0.000	0.000	0.000	0.031	17.09	0.01
Townsville Plains	114	719	0.220	0.000	0.000	0.001	0.018	0.000	0.240	56.78	0.05
Tully	115	147	0.076	0.114	0.095	0.000	0.002	0.000	0.287	53.62	0.05
Undara-Toomba Basalts	116	2255	0.255	0.000	0.000	0.000	0.172	0.000	0.427	78.88	0.08
Upper Belyando Floodout	117	470	2.909	0.000	0.000	0.000	0.101	0.000	3.010	30.34	0.57
Urisino Sandplains	118	842	9.380	0.000	0.000	0.000	0.062	0.000	9.441	35.08	1.79

Table 10 (continued): Woody vegetation change by land cover by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settle-ment	Total		
Warrambool-Moonie	119	574	2.214	0.011	0.000	0.000	0.000	0.000	2.225	22.76	0.42
Warrego River Plains, Warrego Plains	120	2168	15.758	0.000	0.000	0.000	0.002	0.000	15.760	59.84	2.98
Weipa Plateau	121	2755	0.118	0.000	0.000	0.000	0.006	0.001	0.125	95.45	0.02
Wellesley Islands	122	124	0.000	0.000	0.000	0.000	0.006	0.000	0.006	79.06	0.00
Weribone High	123	994	22.870	0.002	0.000	0.000	0.005	0.000	22.877	41.30	4.33
West Balonne Plains	124	2066	59.833	0.000	0.000	0.000	0.020	0.000	59.854	37.61	11.33
West Bulloo Plains	125	2884	3.697	0.000	0.000	0.000	0.021	0.000	3.718	24.88	0.70
West Warego Tablelands and Downs	126	4143	26.131	0.000	0.000	0.000	0.068	0.000	26.199	55.28	4.96
Whitsunday	127	89	0.002	0.002	0.000	0.000	0.010	0.000	0.014	94.54	0.00
Woondoola Plain	128	2358	0.000	0.000	0.000	0.000	0.004	0.000	0.004	11.15	0.00
Woorabinda	129	764	5.969	0.000	0.000	0.000	0.047	0.000	6.016	76.41	1.14
Wyarra Hills	130	376	0.370	0.000	0.000	0.000	0.095	0.000	0.466	83.52	0.09

Table 11: Woody vegetation change by tenure by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)					% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Freehold	Leasehold	Other	Reserves	Total		
(Northern) Holroyd Plain	1	2575	0.000	0.016	0.000	0.000	0.016	86.96	0.00
Alice Tableland	2	2864	0.137	7.799	0.000	0.003	7.940	84.18	1.50
Anakie Inlier	3	355	0.135	2.156	0.000	0.017	2.309	75.41	0.44
Arcadia	4	708	0.306	0.866	0.000	0.021	1.193	54.16	0.23
Armraynald Plain	5	1589	0.000	0.004	0.000	0.000	0.004	20.99	0.00
Atherton	6	168	0.069	0.007	0.000	0.008	0.084	56.72	0.02
Balonne-Culgoa Fan, Culgoa-Bokhara	7	368	0.952	0.038	0.000	0.001	0.991	37.11	0.19
Banana-Auburn Ranges	8	1535	7.244	1.775	0.001	0.035	9.055	45.77	1.71
Barakula	9	1296	5.140	0.230	0.000	0.074	5.443	60.88	1.03
Barkly Tableland, Mitchell Grass Downs P2 Barkly	10	1662	0.000	0.000	0.000	0.000	0.000	3.64	0.00
Basalt Downs	11	1239	0.883	0.533	0.000	0.010	1.426	26.25	0.27
Battle Camp Sandstones	12	573	0.000	0.031	0.000	0.001	0.032	97.06	0.01
Bellenden Ker-Lamb	13	255	0.030	0.000	0.002	0.026	0.059	93.80	0.01
Belyando Downs	14	1786	4.040	14.811	0.000	0.000	18.851	39.30	3.57
Beucazon Hills	15	102	0.000	0.080	0.000	0.000	0.080	72.60	0.02
Bogie River Hills	16	1042	0.067	0.026	0.000	0.001	0.093	73.34	0.02
Boomer Range	17	211	0.284	0.069	0.000	0.011	0.363	61.76	0.07
Brisbane-Barambah Volcanics	18	807	0.723	0.025	0.000	0.057	0.805	42.55	0.15
Broken River	19	3276	0.040	0.486	0.022	0.001	0.549	84.71	0.10
Buckland Basalts	20	290	0.041	1.194	0.000	0.003	1.238	94.01	0.23
Bulloo Dunefields	21	325	0.000	0.002	0.000	0.000	0.002	10.22	0.00
Bulloo, Bulloo Overflow	22	618	0.000	0.014	0.000	0.000	0.014	5.74	0.00
Burnett-Curtis Coastal Lowlands	23	700	1.373	0.103	0.001	1.013	2.490	60.58	0.47
Burnett-Curtis Hills and Ranges	24	991	1.468	0.118	0.022	0.111	1.719	70.06	0.33

Table 11 (continued): Woody vegetation change by tenure by Biogeographic Sub-region 2001–2003.

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)					% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Freehold	Leasehold	Other	Reserves	Total		
Byfield	25	120	0.147	0.005	0.000	0.228	0.380	93.18	0.07
Callide Creek Downs	26	298	0.664	0.031	0.000	0.000	0.695	17.40	0.13
Cape River Hills	27	743	0.005	1.188	0.000	0.000	1.193	80.17	0.23
Cape York-Torres Strait	28	68	0.000	0.000	0.000	0.000	0.000	47.82	0.00
Cape Campaspe Plains	29	1006	0.114	6.581	0.000	0.000	6.695	73.51	1.27
Carnarvon Ranges	30	2293	2.094	5.025	0.000	0.264	7.384	85.61	1.40
Central Downs	31	6887	1.466	3.113	0.000	0.000	4.579	7.56	0.87
Claraville Plains	32	3790	0.051	0.676	0.000	0.000	0.727	79.73	0.14
Clarke-Connors Ranges	33	629	0.218	0.119	0.000	0.004	0.341	92.96	0.06
Claude River Downs	34	1044	0.839	7.698	0.000	0.036	8.573	56.49	1.62
Coastal Plains	35	262	0.000	0.000	0.000	0.000	0.000	63.20	0.00
Coen-Yamba Inlier (North & South)	36	2395	0.000	0.107	0.000	0.000	0.107	95.96	0.02
Cooper Plains	37	1844	0.000	0.000	0.000	0.000	0.000	3.16	0.00
Daintree-Bloomfield	38	360	0.032	0.007	0.000	0.000	0.039	95.28	0.01
Dawson River Downs	39	988	1.716	0.183	0.000	0.000	1.899	20.83	0.36
Debella	40	80	0.211	0.013	0.000	0.000	0.225	66.79	0.04
DEU4 (new subregion)	41	1434	5.367	15.486	0.000	0.000	20.854	61.39	3.95
Diamantina-Eyre, Diamantina Plains	42	2443	0.000	0.000	0.000	0.000	0.000	5.15	0.00
Dieri	43	13	0.000	0.000	0.000	0.000	0.000	0.29	0.00
Donors Plateau	44	2450	0.001	0.589	0.000	0.000	0.590	30.55	0.11
Doomadgee Plains, Gulf Plains	45	1684	0.000	0.234	0.000	0.000	0.234	89.55	0.04
Dulacca Downs	46	162	0.743	0.088	0.000	0.000	0.831	23.40	0.16
Eastern Darling Downs	47	1646	1.514	0.041	0.000	0.012	1.567	16.28	0.30
Eastern Mulga Plains	48	1559	37.494	21.411	0.000	0.009	58.914	57.69	11.16
Georgetown-Croydon	49	914	0.013	0.015	0.000	0.000	0.028	77.89	0.01
Georgina Limestone	50	2043	0.000	0.000	0.000	0.000	0.000	14.89	0.00

Table 11 (continued): Woody vegetation change by tenure by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)					% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Freehold	Leasehold	Other	Reserves	Total		
Gilberton Plateau	51	1316	0.000	0.285	0.000	0.000	0.285	92.45	0.05
Goneaway Tablelands	52	5384	0.863	1.295	0.000	0.015	2.173	23.11	0.41
Great Sandy	53	357	0.225	0.009	0.000	1.555	1.789	89.46	0.34
Gympie Block	54	859	1.245	0.020	0.000	0.360	1.625	56.34	0.31
Herbert	55	230	0.195	0.165	0.000	0.009	0.369	55.03	0.07
Herberton-Wairuna	56	751	0.130	0.385	0.000	0.001	0.517	95.31	0.10
Hodgkinson Basin	57	1700	0.151	0.152	0.003	0.000	0.306	92.40	0.06
Holroyd Plain-Red Plateau	58	2208	0.030	0.274	0.000	0.000	0.304	86.45	0.06
Inglewood Sandstones	59	1233	4.341	0.244	0.000	0.201	4.786	61.86	0.91
Innisfail	60	202	0.088	0.006	0.000	0.002	0.096	46.26	0.02
Isaac-Comet Downs	61	2701	6.104	2.150	0.000	0.024	8.279	36.03	1.57
Jardine-Pascoe Sandstones	62	1426	0.000	0.000	0.000	0.000	0.000	95.30	0.00
Karumba Plain	63	1072	0.000	0.000	0.000	0.000	0.000	25.30	0.00
Kidston	64	2991	0.003	0.407	0.000	0.000	0.411	86.82	0.08
Kirrama-Hinchinbrook	65	268	0.006	0.001	0.000	0.000	0.007	98.46	0.00
Kynuna Plateau	66	2336	0.000	0.307	0.000	0.000	0.307	17.08	0.06
Lake Pure	67	985	0.000	0.000	0.000	0.000	0.000	1.21	0.00
Langlo Plains	68	1277	7.933	12.426	0.000	0.000	20.359	68.65	3.86
Laura Lowlands	69	1641	0.001	0.171	0.000	0.016	0.188	96.69	0.04
Macalister	70	116	0.078	0.006	0.000	0.011	0.095	88.51	0.02
Macintyre-Weir Fan, Castlereagh-Barwon	71	307	0.705	0.026	0.000	0.000	0.731	24.64	0.14
Manifold	72	71	0.002	0.001	0.000	0.026	0.029	80.36	0.01
Marlborough Plains	73	1152	2.266	0.111	0.001	0.004	2.383	53.24	0.45
McArthur-South Nicholson Basins, Gulf Fall and Uplands P1	74	591	0.000	0.000	0.000	0.000	0.000	84.47	0.00

Table 11 (continued): Woody vegetation change by tenure by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)					% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Freehold	Leasehold	Other	Reserves	Total		
Mitchell-Gilbert Fans	75	5202	0.002	0.179	0.000	0.000	0.180	74.14	0.03
Moonie-Barwon Interfluve, Collarenebri Interfluve	76	649	12.904	0.263	0.000	0.001	13.168	25.48	2.49
Moonie R.-Commorron Ck Floodout	77	803	3.315	0.946	0.000	0.012	4.273	22.92	0.81
Moreton Basin	78	785	2.838	0.079	0.026	0.083	3.026	41.81	0.57
Mount Isa Inlier	79	4492	0.005	0.070	0.000	0.000	0.075	51.55	0.01
Mount Morgan Ranges	80	1294	1.835	0.321	0.002	0.160	2.318	45.66	0.44
Nandewar, Northern complex	81	629	2.466	0.024	0.000	0.005	2.498	38.02	0.47
Narran-Lightning Ridge	82	6	0.026	0.000	0.000	0.000	0.026	25.39	0.00
Nebine Plains, Block Range	83	1226	16.524	11.412	0.000	0.000	27.936	61.31	5.29
Nebo-Connors Ranges	84	532	1.407	0.390	0.000	0.001	1.799	60.23	0.34
Noccundra Slopes	85	2507	0.000	0.028	0.000	0.000	0.028	7.64	0.01
North Eastern Plains	86	670	2.608	7.402	0.000	0.000	10.011	52.09	1.90
Northern Bowen Basin	87	1338	1.191	2.274	0.005	0.000	3.469	56.49	0.66
Northern Downs	88	3534	0.800	0.170	0.000	0.000	0.970	5.97	0.18
Northern Uplands	89	1248	0.009	4.264	0.000	0.005	4.278	67.28	0.81
Paluma-Seaview	90	247	0.019	0.013	0.000	0.001	0.033	99.24	0.01
Paroo Sand Sheets, Cuttaburra-Paroo	91	663	1.546	2.346	0.000	0.000	3.892	72.13	0.74
Prairie-Torrens Creek Alluvials	92	1580	1.341	4.074	0.000	0.000	5.414	63.05	1.03
Proserpine-Sarina Lowlands	93	470	0.513	0.119	0.001	0.000	0.634	47.13	0.12
Scenic Rim	94	230	0.139	0.001	0.000	0.001	0.141	78.39	0.03
Simpson Desert, Simpson-Strzelecki Dunefields (northwest), Simpson-Strzelecki	95	2296	0.000	0.000	0.000	0.000	0.000	3.05	0.00
South Burnett	96	564	1.211	0.016	0.000	0.203	1.429	41.44	0.27

Table 11 (continued): Woody vegetation change by tenure by Biogeographic Sub-region (2001–2003).


Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)					% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Freehold	Leasehold	Other	Reserves	Total		
South Drummond Basin	97	1019	0.782	8.422	0.000	0.007	9.212	54.99	1.74
Southeast Hills and Ranges	98	534	1.455	0.042	0.005	0.067	1.568	64.31	0.30
Southern Coastal Lowlands	99	348	1.799	0.255	0.043	0.931	3.028	55.81	0.57
Southern Downs	100	4262	19.492	21.600	0.001	0.315	41.408	40.29	7.84
Southern Wooded Downs	101	4091	8.463	8.111	0.000	0.000	16.573	26.62	3.14
Southwestern Downs	102	3765	0.000	0.048	0.000	0.000	0.048	3.85	0.01
Sthwestern Plateaus & Floodout	103	1410	0.000	0.183	0.000	0.000	0.183	37.02	0.03
Stanthorpe Plateau	104	138	0.304	0.007	0.000	0.067	0.381	62.09	0.07
Starke Coastal Lowlands	105	423	0.135	0.024	0.000	0.000	0.160	90.55	0.03
Strzelecki Desert, Strzelecki (SSD southwest), Western Dunefields	106	1158	0.000	0.000	0.000	0.000	0.000	0.86	0.00
Sturt Stony Desert	107	4703	0.000	0.000	0.000	0.000	0.000	1.14	0.00
Tara Downs	108	449	2.228	0.125	0.000	0.000	2.353	12.16	0.45
Taroom Downs	109	644	0.754	0.394	0.000	0.000	1.148	13.03	0.22
Tenterfield Plateau	110	7	0.006	0.001	0.000	0.000	0.007	54.80	0.00
Thorntonia	111	740	0.000	0.037	0.000	0.000	0.037	46.51	0.01
Tibooburra Downs, Central Downs, Fringing Tablelands and Downs	112	414	0.000	0.000	0.000	0.000	0.000	1.53	0.00
Toko Plains, Channel Country P1 Toko Range	113	495	0.000	0.031	0.000	0.000	0.031	17.09	0.01
Townsville Plains	114	719	0.147	0.092	0.000	0.000	0.240	56.78	0.05
Tully	115	147	0.176	0.006	0.000	0.106	0.287	53.62	0.05
Undara-Toomba Basalts	116	2255	0.004	0.422	0.000	0.001	0.427	78.88	0.08
Upper Belyando Floodout	117	470	0.380	2.624	0.007	0.000	3.010	30.34	0.57
Urisino Sandplains	118	842	0.000	9.440	0.000	0.001	9.441	35.08	1.79

Table 11 (continued): Woody vegetation change by tenure by Biogeographic Sub-region (2001–2003).

Biogeographic Sub-region			Rate of woody vegetation clearing (,000ha/yr)					% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Freehold	Leasehold	Other	Reserves	Total		
Warrambool-Moonie	119	574	2.169	0.056	0.000	0.000	2.225	22.76	0.42
Warrego River Plains, Warrego Plains	120	2168	10.581	5.179	0.000	0.000	15.760	59.84	2.98
Weipa Plateau	121	2755	0.000	0.019	0.105	0.000	0.125	95.45	0.02
Wellesley Islands	122	124	0.000	0.006	0.000	0.000	0.006	79.06	0.00
Weribone High	123	994	20.651	2.226	0.000	0.000	22.877	41.30	4.33
West Balonne Plains	124	2066	57.472	2.381	0.000	0.001	59.854	37.61	11.33
West Bulloo Plains	125	2884	0.099	3.619	0.000	0.000	3.718	24.88	0.70
West Warego Tablelands and Downs	126	4143	5.233	20.963	0.000	0.000	26.199	55.28	4.96
Whitsunday	127	89	0.012	0.001	0.000	0.000	0.014	94.54	0.00
Woondoola Plain	128	2358	0.000	0.004	0.000	0.000	0.004	11.15	0.00
Woorabinda	129	764	4.383	1.623	0.000	0.010	6.016	76.41	1.14
Wyarra Hills	130	376	0.002	0.464	0.000	0.000	0.466	83.52	0.09

This page has been left blank intentionally.

5.2 Woody Vegetation Change by Catchments




© The State of Queensland (Department of Natural Resources and Mines) 2004.

Figure 20: Average annual clearing rate as a percentage of 2001 wooded area by Catchment (2001–2003).

QUEENSLAND PERCENTAGE OF AREA WOODED BY CATCHMENT

2001



CATCHMENT

© The State of Queensland (Department of Natural Resources and Mines) 2004.

Figure 21: Percentage of area wooded by Catchment (2001).

Table 12: Woody vegetation change by land cover by major Catchment (2001–2003).

Major Catchment		Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settle-ment	Total		
Bulloo	5186	16.743	0.000	0.000	0.000	0.129	0.000	16.873	34.02	3.20
Gulf Rivers	45142	2.704	0.032	0.000	0.003	1.889	0.001	4.629	65.40	0.88
Island	440	0.142	0.000	0.011	0.128	0.012	0.003	0.296	83.60	0.06
Lake Eyre	51027	45.164	0.000	0.000	0.000	0.053	0.000	45.217	17.45	8.56
Murray-Darling	26248	324.556	0.107	0.002	0.006	0.198	0.013	324.882	47.89	61.53
North East Coast	44753	122.594	0.545	5.671	1.472	3.160	2.700	136.142	62.58	25.78

Table 13: Woody vegetation change by land cover by Catchment (2001–2003).

Catchment			Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settle-ment	Total		
Albert	1	78	0.160	0.000	0.124	0.000	0.000	0.042	0.326	57.89	0.06
Alice	2	1294	0.031	0.000	0.000	0.000	0.000	0.000	0.031	83.35	0.01
Archer	3	1061	0.000	0.000	0.000	0.000	0.002	0.000	0.002	94.02	0.00
Baffle Creek	4	400	0.944	0.000	0.071	0.000	0.040	0.021	1.076	71.68	0.20
Balonne	5	3827	45.401	0.081	0.000	0.000	0.027	0.000	45.509	35.81	8.62
Barambah	6	595	0.945	0.000	0.059	0.067	0.015	0.030	1.116	42.30	0.21
Barcoo	7	5323	27.399	0.000	0.000	0.000	0.008	0.000	27.407	41.01	5.19
Barratta	8	183	0.000	0.000	0.000	0.000	0.001	0.000	0.001	38.41	0.00
Barron	9	219	0.158	0.017	0.036	0.000	0.002	0.006	0.220	74.18	0.04
Belyando	10	2673	24.967	0.000	0.000	0.000	0.372	0.000	25.339	59.31	4.80

Table 13 (continued): Woody vegetation change by land cover by Catchment (2001–2003).

Catchment			Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settlement	Total		
Black river	11	106	0.088	0.000	0.000	0.000	0.023	0.000	0.111	86.22	0.02
Bohle	12	37	0.006	0.000	0.000	0.001	0.004	0.000	0.011	53.13	0.00
Bowen	13	945	0.104	0.000	0.000	0.041	0.110	0.000	0.255	73.02	0.05
Boyne (Gladstone)	14	259	0.137	0.000	0.031	0.000	0.390	0.011	0.569	67.33	0.11
Boyne/Boondooma	15	1301	5.752	0.004	0.000	0.001	0.022	0.007	5.786	53.33	1.10
Bremer	16	203	0.294	0.004	0.000	0.011	0.020	0.056	0.385	35.74	0.07
Bribie	17	15	0.121	0.000	0.011	0.000	0.002	0.002	0.136	76.77	0.03
Brisbane	18	697	1.045	0.000	0.320	0.003	0.102	0.614	2.084	49.00	0.39
Bulloo	19	5186	16.743	0.000	0.000	0.000	0.129	0.000	16.873	34.02	3.20
Burrum	20	121	0.116	0.000	0.012	0.000	0.007	0.067	0.202	78.91	0.04
Caboolture	21	47	0.365	0.000	0.005	0.000	0.013	0.089	0.473	44.21	0.09
Calliope	22	224	0.269	0.000	0.000	0.008	0.085	0.067	0.428	44.75	0.08
Cliffdale	23	621	0.000	0.000	0.000	0.000	0.015	0.000	0.015	89.01	0.00
Cloncurry	24	4734	0.564	0.000	0.000	0.000	0.082	0.000	0.647	23.78	0.12
Coen	25	321	0.000	0.000	0.000	0.000	0.000	0.000	0.000	98.04	0.00
Coleman	26	534	0.064	0.000	0.000	0.000	0.000	0.000	0.064	93.41	0.01
Comet	27	1775	4.204	0.000	0.000	0.000	0.009	0.000	4.213	46.83	0.80
Condamine	28	3043	7.941	0.006	0.002	0.004	0.060	0.013	8.027	27.95	1.52
Coomera	29	130	0.235	0.004	0.000	0.001	0.005	0.629	0.874	59.59	0.17
Coopers	30	9580	1.999	0.000	0.000	0.000	0.015	0.000	2.014	7.15	0.38
Curtis Island	31	58	0.000	0.000	0.000	0.000	0.005	0.000	0.005	80.00	0.00
Daintree	32	211	0.021	0.000	0.000	0.000	0.000	0.000	0.021	95.78	0.00
Diamantina	33	11917	0.572	0.000	0.000	0.000	0.011	0.000	0.583	9.50	0.11
Don	34	370	0.007	0.011	0.000	0.000	0.029	0.000	0.047	62.76	0.01
Ducie Dulhunty	35	358	0.000	0.000	0.000	0.000	0.000	0.000	0.000	95.47	0.00
Edward	36	752	0.000	0.000	0.000	0.000	0.000	0.000	0.000	85.22	0.00

Table 13 (continued): Woody vegetation change by land cover by Catchment (2001–2003).

Catchment			Rate of woody vegetation clearing (,000ha/yr)							% Wooded vegetation cover 2001	% Total clearing in QLD
Name	Map Ref. No.	Total area (,000ha)	Pasture	Crops	Forest	Mining	Infra-structure	Settle-ment	Total		
Eight Mile	37	164	0.000	0.000	0.000	0.000	0.000	0.000	0.000	91.78	0.00
Einasleigh	38	2437	0.079	0.000	0.000	0.002	0.255	0.000	0.336	84.92	0.06
Elliott	39	71	0.093	0.016	0.000	0.000	0.011	0.007	0.128	49.93	0.02
Embley	40	192	0.000	0.000	0.000	0.000	0.000	0.000	0.000	93.55	0.00
Endeavour	41	218	0.103	0.000	0.000	0.000	0.015	0.000	0.118	94.37	0.02
Eyre	42	7182	0.099	0.000	0.000	0.000	0.000	0.000	0.099	4.49	0.02
Fitzroy	43	1099	2.874	0.001	0.000	0.007	0.041	0.010	2.932	48.67	0.56
Flinders	44	5189	1.101	0.000	0.000	0.000	0.316	0.000	1.417	32.77	0.27
Georgina	45	7222	0.189	0.000	0.000	0.000	0.002	0.000	0.191	16.91	0.04
Gregory	46	91	0.316	0.000	0.000	0.000	0.001	0.001	0.318	64.57	0.06
Haughton	47	222	0.089	0.000	0.000	0.000	0.000	0.000	0.089	73.52	0.02
Hay	48	280	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.61	0.00
Herbert	49	984	0.673	0.056	0.000	0.015	0.018	0.004	0.767	86.77	0.15
Hinchinbrook Island	51	40	0.000	0.000	0.000	0.000	0.000	0.000	0.000	19.74	0.00
Holroyd	52	544	0.019	0.000	0.000	0.000	0.000	0.000	0.019	94.49	0.00
Isaacs	53	2237	4.541	0.005	0.000	0.660	0.220	0.001	5.426	56.66	1.03
Isis	54	53	0.065	0.000	0.000	0.000	0.002	0.000	0.068	78.72	0.01
Jackson	55	272	0.000	0.000	0.000	0.000	0.000	0.000	0.000	92.38	0.00
Jacky Jacky Creek	56	296	0.000	0.000	0.000	0.000	0.000	0.000	0.000	94.53	0.00
Jardine	57	328	0.000	0.000	0.000	0.000	0.000	0.000	0.000	94.40	0.00
Jeannie	58	364	0.056	0.000	0.000	0.000	0.000	0.000	0.056	91.14	0.01
Kendall	59	485	0.000	0.000	0.000	0.000	0.000	0.000	0.000	94.38	0.00
Kolan	60	290	0.373	0.062	0.002	0.000	0.003	0.004	0.443	58.26	0.08
L Creek	61	195	0.000	0.000	0.000	0.000	0.000	0.000	0.000	15.66	0.00
Lagoon Creek	62	286	0.000	0.000	0.000	0.000	0.000	0.000	0.000	91.49	0.00