

Regional
Vegetation Management Code
for
Ongoing Clearing Purposes

Southern Highlands
(Brigalow Belt Bioregion)

25 June 2004



Table of Contents

| | |
|--|-----------|
| 1. DESCRIPTION OF REGION | 3 |
| 2. REGULATORY BACKGROUND..... | 3 |
| 3. PURPOSE OF THE CODE | 4 |
| 4. AMENDMENTS OF THIS CODE..... | 5 |
| 5. SCOPE OF APPLICATIONS ASSESSED BY THIS CODE..... | 5 |
| 6. HOW TO USE THIS CODE..... | 6 |
| 7. ASSESSMENT CODES | 8 |
| <i>Part A: Mandatory Requirements for All Clearing</i> | <i>8</i> |
| <i>Part S: Requirements for Clearing for Significant Projects.....</i> | <i>12</i> |
| <i>Part W: Requirements for Clearing Vegetation for Weed or Pest Management.....</i> | <i>17</i> |
| <i>Part M: Requirements for Clearing for Management Activities</i> | <i>20</i> |
| <i>Part F: Requirements for Fodder Harvesting</i> | <i>25</i> |
| <i>Part T: Requirements for Thinning.....</i> | <i>28</i> |
| <i>Part E: Requirements for Clearing Encroachment</i> | <i>31</i> |
| <i>Part X: Requirements for Clearing for an Extractive Industry</i> | <i>34</i> |
| <i>Part R: Requirements for Clearing Regrowth on Leasehold Land.....</i> | <i>38</i> |
| 8. DICTIONARY | 41 |

Table of Figures

| | |
|--|----|
| FIGURE 1: LOCATION OF SOUTHERN HIGHLANDS (BRIGALOW BELT BIOREGION) | 47 |
| FIGURE 2: DIAGRAMMATIC VIEW OF STREAM ORDERING | 48 |

1. Description of region

This regional vegetation management code applies to the Southern Highlands, Brigalow Belt Bioregion. The boundary of the Southern Highlands, Brigalow Belt Bioregion is defined in digital form held by the Department of Natural Resources, Mines and Energy, and is illustrated in Figure 1.

The Southern Highlands code area covers approximately 5.3 million hectares of the Brigalow Belt Bioregion. It includes the localities of Emerald, Springsure, Rolleston, Comet, Capella, and Alpha. The western boundary of the region consists primarily of the Desert Uplands, split into northern and southern code regions. To the north lies the Northern Highlands code area, and to the east and south lie the Capricorn-Dawson and South-west Qld areas respectively. Part or all of the shires of Bauhinia, Blackall, Emerald, Jericho, and Peak Downs are enclosed within the code area boundary.

The Comet and Nogoa Rivers and the Theresa Creek system are the predominant drainage systems of the region. The Fairbairn Dam is located on the Nogoa River just south of Emerald. Other significant drainage catchments of the region, in descending order of size, include the Belyando, Barcoo, Mackenzie, Isaac, Dawson, Warrego, and Maranoa systems.

The predominant land uses of the region are agriculture and breeding and fattening of beef cattle. The Fairbairn dam services part of the agricultural area and a range of irrigated crops are grown. Coal mining is also an important land use of the region.

Approximately 28% of land in the code area is held under freehold tenures, while 62% is held under leasehold tenure. 3% are reserved as State Forests and Tree Reserves, and 5% as National Parks and Reserves. Around 2% is held in other tenures such as water, road, and rail reserves.

Protected areas within the area of greater than 1000ha include Carnarvon National Park (232961ha), Nuga Nuga National Park (2936ha), Minerva Hills National Park (2780ha), Snake Range National Park (2685ha), and Expedition National Park (1374ha).

2. Regulatory background

This is a regional vegetation management code to be used for the assessment of development applications for clearing vegetation under the *Integrated Planning Act 1997* (IPA). It is prepared in accordance with provisions set out in the *Vegetation Management Act 1999* (VMA) and is to be applied in the circumstances where the VMA allows that an application for assessable clearing be accepted.

The Chief Executive of the Department that administers the *Vegetation Management Act 1999* is responsible for assessing clearing applications made under that Act.

This code provides the basis, consistent with the purposes of the *Vegetation Management Act 1999*, for making decisions about vegetation.

Purpose of the *Vegetation Management Act 1999*

The *Vegetation Management Act 1999* states:

- ‘(1) The purpose of this Act is to regulate the clearing of vegetation in a way that—
 - (a) conserves the following:
 - (i) Remnant endangered regional ecosystems
 - (ii) Remnant of concern regional ecosystems
 - (iii) Remnant not of concern regional ecosystems
 - (b) conserves vegetation in declared areas; and
 - (c) ensures the clearing does not cause land degradation; and
 - (d) prevents the loss of biodiversity; and
 - (e) maintains ecological processes; and
 - (f) manages the environmental effects of the clearing to achieve the matters mentioned in paragraphs (a) to (e); and
 - (g) reduces greenhouse gas emissions.
- (2) The purpose is achieved mainly by providing for—
 - (a) codes for the Planning Act relating to the clearing of vegetation that are applicable codes for the assessment of vegetation clearing applications under IDAS; and
 - (b) the enforcement of vegetation clearing provisions; and
 - (c) declared areas; and
 - (d) a framework for decision making that, in achieving this Act’s purpose in relation to subsection (1) (a) to (e), applies the precautionary principle that lack of full scientific certainty should not be used as a reason for postponing a measure to prevent degradation of the environment if there are threats of serious or irreversible environmental damage; and
 - (e) the phasing out of broadscale clearing of remnant vegetation by 31 December 2006.
- (3) In this section—
“environment” includes—
 - (a) ecosystems and their constituent parts including people and communities; and
 - (b) all natural and physical resources; and
 - (c) those qualities and characteristics of locations, places and areas, however large or small, that contribute to their biological diversity and integrity, intrinsic or attributed scientific value or interest, amenity, harmony and sense of community; and
 - (d) the social, economic, aesthetic and cultural conditions affecting the matters in paragraphs (a) to (c) or affected by those matters.’

3. Purpose of the code

The purpose of the Code is to provide performance requirements and, where appropriate, acceptable solutions that achieve the purpose of the *Vegetation Management Act 1999*.

4. Amendments of this code

Section 15 of the *Vegetation Management Act 1999* (VMA) states that the Minister may amend a regional vegetation management code without undertaking the required consultation if:

- ‘(a) the amendment is only to correct a minor error in the code, or make another change that is not a change of substance; or
- (b) the code states that an amendment of a stated type may be made to the code by amendment under this section and the amendment is of the stated type.’.

The type of amendment that can be made to this code under Section 15 (b) of the VMA is:

- Protection of vegetation associated with rivers identified under legislation regulating wild rivers.

5. Scope of applications assessed by this code

A vegetation clearing application will be assessed under this code if the applicant has satisfied the chief executive that the development applied for is for a relevant purpose listed in S.22A of the *Vegetation Management Act 1999*. The relevant purposes are:

- a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26;
- necessary to control non-native plants or declared pests;
- to ensure public safety;
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure;
- a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003;
- for fodder harvesting;
- for thinning;
- for clearing of encroachment;
- for an extractive industry;
- for clearing regrowth on leases issued under the *Land Act 1994* for agriculture or grazing purposes.

6. How to use this Code

The code is comprised of nine parts shown in Table 1.

Part A of the code contains performance requirements that must be met by all applications; no acceptable solutions are given.

Parts S, W, M, F, T, E, X and R of the code contain performance requirements that must be met by applications for particular purposes as shown in Table 1. The parts also contain acceptable solutions for meeting those requirements. The stated acceptable solution represents one way in which the relevant performance requirement may be met.

Applicants who do not adopt the acceptable solution must show how they will meet the performance requirement. An applicant must meet each Performance Requirement by either:

- a) complying with the acceptable solution; or
- b) satisfying the assessment manager that the performance requirement is met through another solution proposed by the applicant.

Table 1 shows which parts of the code are used for each application purpose. Where the application is for multiple purposes over the same area, the applicant must meet all performance requirements for all of the purposes of the clearing. However, an application that is for clearing in regrowth on leasehold land for one or more of the purposes S, W, M, F, T, E, or X will be assessed under the code for the relevant purpose, and not under the part of the code for regrowth on leasehold land.

In determining whether an application meets the acceptable solution, or whether another solution provided by the applicant meets a performance requirement, the precautionary principle will be applied.

Properly made Development Applications for clearing vegetation made under the *Integrated Planning Act 1997* (IPA) are assessed using:

- Matters mentioned in Section 3.5.4(2) and (3) of IPA, which include:
 - The appropriate part of the code which relates to the purpose of the application; and
 - The laws that are administered by, and the relevant policies that are applied by, the Assessment Manager;
 - The common material as defined in IPA;
- The Property Vegetation Management Plan provided by the applicant;
- If there is a Property Map of Assessable Vegetation over the area which is the subject of the application, that Property Map of Assessable Vegetation;
- Regional Ecosystem or Remnant maps that apply to the area of land that is the subject of the application;
- Any further relevant information supplied by the applicant.

Table 1: Parts of the code

| Purpose of application | Part of Code | Part |
|--|---|-------------|
| All applications | Mandatory Requirements for All Clearing | A |
| A project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i> , section 26 | Requirements for Clearing for Significant Projects | S |
| Necessary to control non-native plants or declared pests | Requirements for Clearing for Weed or Pest Management | W |
| For establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure. | Requirements for Clearing for Management Activities | M |
| Clearing that is a natural and ordinary consequence of other assessable development for which a development approval as defined under the <i>Integrated Planning Act 1997</i> was given, or a development application as defined under the <i>Integrated Planning Act 1997</i> was made, before 16 May 2003. | Requirements for Clearing for Management Activities | M |
| To ensure public safety. | Requirements for Clearing for Management Activities | M |
| For fodder harvesting | Requirements for Fodder Harvesting | F |
| For thinning | Requirements for Thinning | T |
| For clearing of encroachment | Requirements for Clearing Encroachment | E |
| For an extractive industry | Requirements for Clearing for an Extractive Industry | X |
| For clearing regrowth on leases issued under the <i>Land Act 1994</i> for agriculture or grazing purposes other than clearing for any other purpose. | Requirements for Clearing Regrowth | R |

7. Assessment codes

The performance requirements in Part A of this code must be met. No other solutions comply with this part of the code.

Part A: Mandatory Requirements for All Clearing

| Performance Requirement |
|--|
| <p>PR A.1</p> <p>To conserve remnant endangered regional ecosystems, clearing does not occur in any “category 1 area” on a Property Map of Assessable Vegetation (PMAV), or where there is no PMAV, in any endangered regional ecosystem except where the Chief Executive is satisfied that the clearing is:</p> <ul style="list-style-type: none">• for a project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i>, section 26; or• necessary to control non-native plants or declared pests; or• to ensure public safety; or• for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or• for thinning; or• to remove encroachment; or• for an extractive industry. |

Performance Requirement

PR A.2

To conserve remnant of concern regional ecosystems, clearing does not occur in any area shown as a “category 2 area” on a Property Map of Assessable Vegetation, or where there is no PMAV, in any of concern regional ecosystem except where the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003; or
- for thinning; or
- to remove encroachment; or
- for an extractive industry.

PR A.3

To prevent loss of biodiversity, clearing does not occur to the extent that:

- the remnant extent of a not of concern regional ecosystem falls below 30% of its pre-clearing extent or 10 000 hectares in the bioregion; and
- the remnant extent of an of concern regional ecosystem falls below 10% of its pre-clearing extent; and
- the remnant extent of an of concern regional ecosystem falls below 30% of its pre-clearing extent where its remnant extent is less than 10 000 hectares,

except where the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for an extractive industry.

Performance Requirement

PR A.4

To prevent the loss of biodiversity, clearing does not reduce the total extent of remnant vegetation in the Southern Highlands Brigalow Belt Bioregion to less than 30% of the pre-clearing extent of remnant vegetation of the area to which the code applies, except where the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for an extractive industry.

PR A.5

To prevent loss of biodiversity, clearing does not occur in an area which is identified on a map¹ prepared by the chief executive of the agency which administers the *Nature Conservation Act 1992* and certified for use for the purposes of this code by the chief executive of the Department of Natural Resources, Mines & Energy, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act, except where the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for thinning; or
- to remove encroachment.

¹ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

Performance Requirement

PR A.6

To ensure clearing does not cause land degradation and to maintain ecological processes, clearing does not occur in Drainage Basin Sub Areas that have less than 30% of the area covered with remnant vegetation, unless the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for thinning; or
- for an extractive industry; or
- for clearing regrowth on leases issued under the *Land Act 1994* for agriculture or grazing purposes.

Part S: Requirements for Clearing for Significant Projects²

| Performance Requirement | Acceptable Solution |
|---|--|
| <p>PR S.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS S.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.3.27; or c) within: <ul style="list-style-type: none"> i) 200 metres from the static high water mark of bioregionally significant natural wetlands, lakes, and springs; and ii) 100 metres from the static high water mark of regionally significant natural wetlands, lakes, and springs; and iii) a minimum buffer to the distinct change in vegetation plus 20 metres for ecotone change of locally significant natural wetlands, lakes, and springs. |
| <p>PR S.2</p> <p>To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p> | <p>AS S.2</p> <p>S2..1 Clearing does not isolate endangered or of concern regional ecosystems, or natural wetlands. These areas must be linked to other clumps by corridors that are at least 200 metres wide.</p> <p>AND</p> <p>S.2.2 Clearing does not occur in an area which is identified on a map³ prepared by the chief executive of the agency which administers the <i>Nature Conservation Act 1992</i> and certified for use for the purposes of this code by the chief executive of NRM&E, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act.</p> <p>AND</p> <p>S2..3 Clearing does not reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent on the property. The retained remnant vegetation must consist of:</p> |

² Significant projects are those declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26.

³ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

| Performance Requirement | Acceptable Solution |
|--|--|
| | <p>a) Clumps with areas of at least 20 hectares with a perimeter (metre) to area (hectare) ratio of less than 200:1; and</p> <p>b) Corridors between clumps at least 200 metres wide.</p> <p>AND</p> <p>S 2.4 At least 50% of the retained remnant vegetation is to be contained within 1 or 2 clumps.</p> |
| <p>PR S.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <p>a) maintain bank stability by protecting against erosion and slumping; and</p> <p>b) maintain water quality by filtering sediments, nutrients and other pollutants; and</p> <p>c) maintain aquatic habitat; and</p> <p>d) provide food for aquatic ecosystems; and</p> <p>e) maintain wildlife habitat.</p> | <p>AS S.3</p> <p>S.3.1 Clearing does not occur in or within:</p> <p>a) 200 metres from each high bank of each stream order 5 or above;</p> <p>b) 100 metres from each high bank of each stream order 3 or 4;</p> <p>c) 50 metres from each high bank of each stream order 1 or 2; and</p> <p>d) regional ecosystems: 11.3.25 and 11.3.37.</p> |
| <p>PR S.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p> | <p>AS S.4</p> <p>S.4.1 Clearing is not undertaken in a manner that allows negative environmental effects from soil erosion to occur outside the permit area;</p> <p>AND</p> <p>S.4.2 Clearing does not occur in regional ecosystems: 11.3.19, 11.3.39, 11.7.2, 11.7.4, 11.7.5, 11.8.2, 11.10.1, 11.10.4, 11.10.6, 11.10.13, 11.11.1, 11.11.3, 11.11.5, 11.11.6, 11.12.1, 11.12.4, and 11.12.7;</p> <p>AND</p> <p>S.4.3 Selective clearing does not exceed a maximum of 70% of the pre-clearing extent of the property in regional ecosystems: 11.5.20;</p> <p>S.4.4 Clearing does not exceed a maximum of 50% of the pre-clearing extent of a property in regional ecosystem: 11.5.9;</p> <p>S.4.5 Clearing does not exceed a maximum of 70% of the pre-clearing extent of the property in regional</p> |

| Performance Requirement | Acceptable Solution |
|-------------------------|---|
| | <p>ecosystems: 11.3.6, 11.3.7, 11.5.2, 11.7.1, 11.8.4, 11.8.5, 11.8.6, 11.9.2, 11.9.9, 11.10.3, 11.10.7, 11.10.9, 11.10.11, 11.10.12, 11.11.2, 11.11.15, and 11.12.2;</p> <p>S.4.6 Clearing does not occur where basal area is less than 4 metres² in regional ecosystems: 11.3.6, 11.3.7, 11.5.2, 11.8.4, 11.8.5, 11.9.2, 11.9.9, 11.10.7, 11.10.11, 11.10.12, and 11.11.15;</p> <p>S.4.7 Clearing by the method indicated below does not occur on slopes greater than those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) non-mechanical clearing only: <ul style="list-style-type: none"> i) 8% in regional ecosystem: 11.5.20; b) Mechanical only: <ul style="list-style-type: none"> i) 10% in regional ecosystem: 11.11.2; ii) 15% in regional ecosystem: 11.10.3; a) 2% for clearing in regional ecosystems: 11.3.6 and 11.3.7; b) 4% for clearing in regional ecosystem: 11.5.2; c) 4% for mechanical clearing and 6% for clearing in regional ecosystem: 11.5.9; d) 5% for mechanical clearing and 8% for clearing in regional ecosystems: 11.10.9 and 11.10.11; e) 8% for mechanical clearing and 12% for clearing in regional ecosystem: 11.12.2; f) 10% for mechanical clearing and 12% for clearing in regional ecosystems: 11.9.2 and 11.10.12; g) 10% for mechanical clearing and 15% for clearing in regional ecosystem: 11.11.15; h) 12% for mechanical clearing and 15% for clearing in regional ecosystems: 11.7.1 and 11.9.9; i) 15% for mechanical clearing and 20% for clearing in regional ecosystem: 11.8.4, 11.8.5, and 11.10.7; and j) 20% for clearing in regional ecosystem: 11.8.6. <p>AND</p> <p>S.4.8 Clearing does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45cm; and b) On dispersible soils where the soil A horizon is less than 30cm. |

| Performance Requirement | Acceptable Solution |
|--|---|
| <p>PR S.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p> | <p>AS S.5</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in the <i>Eucalyptus thozetiana</i> component of regional ecosystem 11.7.1; b) to an extent that reduces the extent of regional ecosystem 11.5.9 to less than 50% of the pre-clearing extent of the regional ecosystem on a property; c) in existing or identified potential recharge areas; d) within 500 metres of a discharge area in areas where basal area is greater than 4 metres² per hectare; and within 1000 metres of a discharge area in areas where basal area is less than 4 metres² per hectare; and e) in at least 30% of the pre-clearing extent of remnant vegetation at a catchment level. f) To an extent that reduces the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation in contributing catchments; g) In areas subject to waterlogging or areas at risk of waterlogging as a result of clearing. |
| <p>PR S.6</p> <p>To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems is and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p> | <p>AS S.6</p> <p>S.6.1 Clearing does not occur in remnant endangered regional ecosystems or remnant of concern regional ecosystems or in category 1 and category 2 areas shown on a Property Map of Assessable Vegetation;</p> <p>OR</p> <p>S.6.2 Where clearing occurs in areas listed in S.6.1, the clearing is offset by protecting another area of non-remnant vegetation⁴ (other than a category 1, category 2, category 3 or category 4 area on a PMAV) that achieves the following:</p> <ul style="list-style-type: none"> a) the regional ecosystem to be restored is the same regional ecosystem as the regional ecosystem to be cleared; and b) the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and c) there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation. |

⁴ Other than vegetation that would be required to be retained under the conditions of a development approval.

| Performance Requirement | Acceptable Solution |
|---|---|
| <p>PR S.7</p> <p>To prevent the loss of biodiversity, adequate representation of regional ecosystems is maintained across the area to which this code applies.</p> | <p>AS S.7</p> <p>S.7.1 Clearing does not occur in regional ecosystems: 11.3.5; 11.3.10; 11.3.18; 11.3.2,; 11.3.33; 11.5.1; 11.5.3; 11.5.5; 11.5.12; 11.5.20; 11.8.1; 11.8.3; 11.9.13; 11.11.9; 11.11.11; and 11.11.19;</p> <p>S.7.2 Clearing does not reduce the extent of any of the following Regional Ecosystems to less than the associated percentage of the pre-clearing extent of that Regional Ecosystem on the property:</p> <p>30%: 11.3.6; 11.3.7; 11.5.2; 11.7.1; 11.8.4; 11.8.5; 11.8.6; 11.9.2; 11.9.9; 11.10.3; 11.10.7; 11.10.9; 11.10.11; 11.10.12; 11.11.2; 11.11.15; and 11.12.2;</p> <p>50%: 11.5.9</p> <p>OR</p> <p>S.7.3 Where clearing occurs in areas listed in S.6.1, the clearing is offset by protecting another area of non-remnant vegetation⁵ (other than a category 1, category 2, category 3 or category 4 area on a PMAV) that achieves the following:</p> <p>a) the regional ecosystem to be restored is the same regional ecosystem as the regional ecosystem to be cleared; and</p> <p>b) the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and</p> <p>c) there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation.</p> |
| <p>PR S.8</p> <p>Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and manage the environmental effects of clearing.</p> | <p>AS S.8</p> <p>S.8.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit on the property.</p> <p>AND</p> <p>S.7.2 Clearing is limited to the extent that is reasonably necessary for the construction and operation of the significant project.</p> |

⁵ Other than vegetation that would be required to be retained under the conditions of a development approval.

Part W: Requirements for Clearing Vegetation for Weed or Pest Management⁶

| Performance Requirement | Acceptable Solution |
|--|---|
| <p>PR W.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS W.1 Mechanical clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) natural wetlands, lakes, and springs b) regional ecosystem: 11.3.27 c) 200 metres from the static high water mark of bioregionally significant natural wetlands, lakes, and springs d) 100 metres from the static high water mark of regionally significant natural wetlands, lakes, and springs e) 20 metres of the static high water mark of other significant wetlands, lakes, and springs. |
| <p>PR W.2 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. | <p>AS W.2 Mechanical clearing does not occur in, or within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of, each stream order 1 and 2; and b) 100 metres from the high bank of, each stream order 3 and 4; and c) 200 metres from the high bank of, each stream order 5 and 6; and d) regional ecosystems: 11.3.25 and 11.3.37. |
| <p>PR W.3 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p> | <p>AS W.3 W.3.1 Mechanical clearing does not occur on slopes greater than those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) 2% in regional ecosystems: 11.3.6 and 11.3.7; b) 4% in regional ecosystems: 11.5.2 and 11.5.9; c) 5% in regional ecosystems: 11.10.9 and 11.10.11; d) 8% in regional ecosystem: 11.12.2; e) 10% in regional ecosystems: 11.11.2; 11.9.2, |

⁶ Weed or pest management means clearing to control non-native plants or pests declared under the *Land Protection (Pest and Stock Route Management) Act 2002*.

| Performance Requirement | Acceptable Solution |
|--|--|
| | <p>11.11.15 and 11.10.12; f) 12% in regional ecosystems: 11.7.1 and 11.9.9; g) 15% in regional ecosystem: 11.8.4, 11.8.5, 11.10.3; and 11.10.7; and h) 20% in regional ecosystem: 11.8.6.</p> <p>AND W.3.2 Mechanical clearing does not occur: a) On soils with a depth less than 45cm; and b) On dispersible soils where the soil A horizon is less than 30cm.</p> |
| <p>PR W.4 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p> | <p>AS W.4 Mechanical clearing or the aerial application of herbicide does not occur:</p> <ul style="list-style-type: none"> a) in existing or identified potential recharge areas; b) occur within 500 metres of a discharge area in areas where basal area is greater than 4 metres² per hectare; and c) occur within 1000 metres of a discharge area in areas where basal area is less than 4 metres² per hectare; and d) in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing. |
| <p>PR W.5 To prevent the loss of biodiversity, the natural floristic composition and range of densities of the regional ecosystem at that locality are restored or maintained.</p> | <p>AS W.5 Clearing in all remnant regional ecosystems:</p> <ul style="list-style-type: none"> a) is limited to the extent reasonably necessary for the removal of non-native plants or declared pests; and b) maintains viable populations of each native species present and listed in the regional ecosystem description. |

| Performance Requirement | Acceptable Solution |
|--|---|
| <p>PR W.6 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, the environmental effects of clearing for control of non-native plants and pests are minimised.</p> | <p>AS W.6</p> <p>W 6.1 Mechanical clearing only occurs where:</p> <ul style="list-style-type: none"> a) the infested area to be cleared is greater than 250 metres square; and b) clearing is required to provide immediate access to the area of the non-native plants or declared pest if no alternative route exists; and c) greater than 60% of the total foliage cover (including shrub and canopy layers) is composed of a non-native plant or declared pest; or d) the area contains a rabbit warren complex and the clearing is limited to a perimeter of 3 metres around each hole. <p>W. 6.2 Clearing using aerial application of herbicide only occurs where:</p> <ul style="list-style-type: none"> a) greater than 60% of the total foliage cover (including shrub and canopy layers) is composed of a non-native plant or declared pest; and b) the area to be cleared is greater than 1 hectare. <p>W .6.3 Clearing by other means is limited to:</p> <ul style="list-style-type: none"> a) the area infested by the pest and a 1 metre buffer around the extent of the pest infestation; and b) the extent necessary to provide access to the area of the non-native plants or declared pest, of no alternative route exists. <p>AND</p> <p>W.6.4 For a declared animal pest, clearing occurs only where there is no suitable alternative method of control.</p> |

Part M: Requirements for Clearing for Management Activities⁷

| Performance Requirement | Acceptable Solution |
|---|---|
| <p>PR M.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS M.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.3.27; or c) within: <ul style="list-style-type: none"> i) 200 metres from the static high water mark of bioregionally significant natural wetlands, lakes, and springs. ii) 100 metres from the static high water mark of regionally significant natural wetlands, lakes, and springs iii) a minimum buffer to the distinct change in vegetation plus 20 metres for ecotone change of locally significant natural wetlands, lakes, and springs. |
| <p>PR M.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p> | <p>AS M.2</p> <p>M.2.1 Clearing does not isolate endangered or of concern regional ecosystems, or natural wetlands. These areas must be linked to other clumps by corridors that are at least 200 metres wide.</p> <p>M.2.2 Clearing does not occur in an area which is identified on a map⁸ prepared by the chief executive of the agency which administers the <i>Nature Conservation Act 1992</i> and certified for use for the purposes of this code by the chief executive of NRM&E, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act.</p> <p>M.2.3 Clearing does not reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation on the property. The</p> |

⁷ Management Activities include clearing that is:

- a) For establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- b) a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* (IPA) was given, or a development application as defined under IPA was made, before 16 May 2003; or
- c) to ensure public safety.

⁸ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

| Performance Requirement | Acceptable Solution |
|--|---|
| | <p>retained remnant vegetation must consist of:</p> <ul style="list-style-type: none"> a) Clumps with areas of at least 20 hectares with a perimeter (metre) to area (hectare) ratio of less than 200:1; and b) Corridors between clumps at least 200 metres wide. <p>AND</p> <p>M.2.4 At least 50% of the retained vegetation is to be contained within 1 or 2 clumps.</p> |
| <p>PR M.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. | <p>AS M.3</p> <p>M.3.1 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream of order 1 and 2 watercourses; b) 100 metres from the high bank of each stream of order 3 and 4 watercourses; and c) 200 metres from the high bank of each stream of order 5 and 6 watercourses d) regional ecosystems: 11.3.25 and 11.3.37. |
| <p>PR M.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p> | <p>AS M.4</p> <p>M.4.1 Clearing does not occur in regional ecosystems: 11.3.19, 11.3.39, 11.5.20, 11.7.2, 11.7.4, 11.7.5, 11.8.2, 11.10.1, 11.10.4, 11.10.6, 11.10.13, 11.11.1, 11.11.3, 11.11.5, 11.11.6, 11.12.1, 11.12.4, and 11.12.7;</p> <p>AND</p> <p>M.4.2 Clearing does not occur where basal area is less than 4 metres² in regional ecosystems: 11.3.6, 11.3.7, 11.5.2, 11.8.4, 11.8.5, 11.9.2, 11.9.9, 11.10.7, 11.10.11, 11.10.12, and 11.11.15;</p> <p>AND</p> <p>M.4.3 Clearing by the method indicated below does not occur on slopes greater than those specified for the</p> |

| Performance Requirement | Acceptable Solution |
|--|---|
| | <p>regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) non-mechanical clearing only: 8% in regional ecosystem: 11.5.20; b) Mechanical only: <ul style="list-style-type: none"> i) 10% in regional ecosystem: 11.11.2; ii) 15% in regional ecosystem: 11.10.3; c) 2% for clearing in regional ecosystems: 11.3.6 and 11.3.7; d) 4% for clearing in regional ecosystem: 11.5.2; e) 4% for mechanical clearing and 6% for clearing in regional ecosystem: 11.5.9; f) 5% for mechanical clearing and 8% for clearing in regional ecosystems: 11.10.9 and 11.10.11; g) 8% for mechanical clearing and 12% for clearing in regional ecosystem: 11.12.2; h) 10% for mechanical clearing and 12% for clearing in regional ecosystems: 11.9.2 and 11.10.12; i) 10% for mechanical clearing and 15% for clearing in regional ecosystem: 11.11.15; j) 12% for mechanical clearing and 15% for clearing in regional ecosystems: 11.7.1 and 11.9.9; k) 15% for mechanical clearing and 20% for clearing in regional ecosystem: 11.8.4, 11.8.5, and 11.10.7; and l) 20% for clearing in regional ecosystem: 11.8.6. <p>AND</p> <p>M.4.4 Clearing does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45cm; and b) On dispersible soils where the soil A horizon is less than 30 centimetres. |
| <p>PR M.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p> | <p>AS M5</p> <p>M.5.1 Clearing does not:</p> <ul style="list-style-type: none"> a) reduce the extent of regional ecosystem 11.5.9 to less than 50% of pre-clearing extent of the regional ecosystem on the property. b) occur in existing or potential recharge areas; c) occur within 500 metres of a discharge area in areas where basal area is greater than 4 metres² per hectare; and d) occur within 1000 metres of a discharge area in areas where basal area is less than 4 metres² per hectare; and |

| Performance Requirement | Acceptable Solution |
|--|--|
| | <p>e) reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation in the contributing catchment;</p> <p>AND</p> <p>M.5.2 Clearing does not occur in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.</p> |
| <p>PR M.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p> | <p>AS M.6 M.6.1 Clearing does not occur in remnant endangered regional ecosystems or remnant of concern regional ecosystems or areas shown as ‘category 1’ or ‘category 2’ areas on a Property Map of Assessable Vegetation.</p> |
| <p>PR M.7 To prevent the loss of biodiversity, adequate representation of regional ecosystems is maintained across the area to which this code applies.</p> | <p>AS M7 M.7.1 Clearing does not occur in regional ecosystems: 11.3.5, 11.3.10, 11.3.18, 11.3.26, 11.3.33, 11.5.1, 11.5.3, 11.5.5, 11.5.12, 11.8.1, 11.8.3, 11.9.13, 11.11.9, 11.11.11, and 11.11.19;</p> <p>AND</p> <p>M.7.2 Clearing does not reduce the extent of the following regional ecosystems to less than 30% of the pre-clearing extent of the property: 11.3.6, 11.3.7, 11.5.2, 11.5.20, 11.7.1, 11.8.4, 11.8.5, 11.8.6, 11.9.2, 11.9.9, 11.10.3, 11.10.7, 11.10.9, 11.10.11, 11.10.12, 11.11.2, 11.11.15, and 11.12.2^a;</p> <p>AND</p> <p>M.7.3 Clearing does not reduce the extent of regional ecosystem 11.12.2 to less than 50% of the pre-clearing extent of the regional ecosystem in the area to which the code applies;</p> <p>AND</p> <p>M.7.4 Clearing does not reduce the extent of regional ecosystem 11.5.9 to less than 50% of the pre-clearing extent of the regional ecosystem on the property .</p> |

| Performance Requirement | Acceptable Solution |
|--|---|
| <p>PR M.8 Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and to manage the environmental effects of clearing.</p> | <p>AS M.8 M.8.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit on the property.</p> <p>AND M.8.2 Clearing is limited to the extent that is reasonably necessary for the construction of the fence, road, firebreak or built infrastructure, or for public safety.</p> |

Part F: Requirements for Fodder Harvesting⁹

| Performance Requirement PR F.1 |
|--|
| To ensure clearing does not cause land degradation, to maintain ecological processes and to prevent the loss of biodiversity, clearing for fodder harvesting does not occur unless the property or area in which the property is located is drought declared on or after 25 June 2004. |

| Performance Requirement | Acceptable Solution |
|---|--|
| <p>PR F.2</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS F.2</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.3.27; or c) within: <ul style="list-style-type: none"> i) 200 metres from the static high water mark of bioregionally significant natural wetlands, lakes, and springs. ii) 100 metres from the static high water mark of regionally significant natural wetlands, lakes, and springs iii) a minimum buffer to the distinct change in vegetation plus 20 metres for ecotone change of locally significant natural wetlands, lakes, and springs. |
| <p>PR F.3</p> <p>To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p> | <p>AS F.3</p> <p>Clearing does not reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent on the property. The retained remnant vegetation must consist of:</p> <ul style="list-style-type: none"> a) Clumps with areas of at least 20 hectares with a perimeter (metre) to area (hectare) ratio of less than 200:1; and b) Corridors between clumps at least 200 metres wide. |

⁹ Fodder harvesting is the clearing of woody native plants suitable for browse fodder. Lopping for fodder harvesting does not require approval. Lopping means cutting or pruning branches, but not removing a trunk, or cutting or pruning so severely that the tree is likely to die.

| Performance Requirement | Acceptable Solution |
|--|--|
| <p>PR F.4</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. | <p>AS F.4</p> <p>Clearing does not occur within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream order 1 and 2 watercourses; b) 100 metres from the high bank of each stream order 3 and 4 watercourses; c) 200 metres from the high bank of each stream order 5 and 6 watercourses; and d) regional ecosystems: 11.3.25 and 11.3.37. |
| <p>PR F.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p> | <p>AS F.5</p> <p>F.5.1 Clearing does not occur in regional ecosystems: 11.3.19, 11.3.39, 11.5.20; 11.7.2, 11.7.4, 11.7.5, 11.8.2, 11.10.1, 11.10.4, 11.10.6, 11.10.13, 11.11.1, 11.11.3, 11.11.5, 11.11.6, 11.12.1, 11.12.4, and 11.12.7;</p> <p>F.5.2 Clearing does not occur where basal area is less than 4 metres² in regional ecosystems: 11.3.6, 11.3.7, 11.5.2, 11.8.4, 11.8.5, 11.9.2, 11.9.9, 11.10.7, 11.10.11, 11.10.12, and 11.11.15;</p> <p>F.5.3 Clearing does not occur on slopes greater than those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) 2% in regional ecosystems: 11.3.6 and 11.3.7; b) 4% in regional ecosystem: 11.5.2 and 11.5.9; c) 5% in regional ecosystems: 11.10.9 and 11.10.11; d) 8% in regional ecosystem: 11.12.2; e) 10% in regional ecosystems: 11.11.2; 11.11.15; 11.9.2 and 11.10.12; f) 12% in regional ecosystems: 11.7.1 and 11.9.9; g) 15% in regional ecosystem: 11.8.4, 11.8.5, 11.10.3 and 11.10.7; and h) 20% in regional ecosystem: 11.8.6. <p>AND</p> <p>F.5.4 Clearing does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45 centimetres; and b) On dispersible soils where the soil A horizon is less than 30 centimetres. |

| Performance Requirement | Acceptable Solution |
|--|--|
| <p>PR F.6</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes increased salinity and waterlogging and the salinisation of ground and surface water is prevented.</p> | <p>AS F.6</p> <p>Fodder harvesting does not occur:</p> <ul style="list-style-type: none"> a) in the <i>Eucalyptus thozetiana</i> component of regional ecosystem 11.7.1; b) to an extent that reduces the extent of regional ecosystem 11.5.9 to less than 50% of the pre-clearing extent of the regional ecosystem on a property; c) in existing or identified potential recharge areas; d) within 500 metres of a discharge area in areas where basal area is greater than 4 metres² per hectare; and within 1000 metres of a discharge area in areas where basal area is less than 4 metres² per hectare; and e) in at least 30% of the pre-clearing extent of remnant vegetation at a catchment level. f) To an extent that reduces the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation in contributing catchments; g) In areas subject to waterlogging or areas at risk of waterlogging as a result of clearing. |
| <p>PR F.7</p> <p>To conserve remnant not of concern regional ecosystems and to prevent the loss of biodiversity, the natural floristic composition and the structural integrity of the regional ecosystem are maintained.</p> | <p>AS F.7</p> <p>Clearing:</p> <ul style="list-style-type: none"> a) maintains the floristic composition and size classes of the regional ecosystem typical at that locality; and b) maintains viable populations of each species listed in the regional ecosystem description. |
| <p>PR F.8</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, the environmental effects of fodder harvesting are minimised.</p> | <p>AS F.7</p> <p>Fodder harvesting:</p> <ul style="list-style-type: none"> a) occurs by selective felling, cutting or breaking¹⁰; and b) is limited to suitable fodder species only; and c) does not destroy plants that are not suitable fodder species; and d) does not reduce the total canopy cover to less than 50% of the undisturbed predominant canopy of the regional ecosystem or a minimum of 50 living mature fodder trees per hectare, (which ever is the greater) within the harvested area. |

¹⁰ Selective felling, cutting or breaking involves the harvesting of individual trees only.

Part T: Requirements for Thinning¹¹

| Performance Requirement | Acceptable Solution |
|---|---|
| <p>PR T.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS T.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in wetlands, lakes, and springs; or b) in regional ecosystem: 11.3.27. |
| <p>PR T.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p> | <p>AS T.2</p> <p>T.2.1 Clearing:</p> <ul style="list-style-type: none"> a) does not clear mature trees; and b) does not alter floristic composition or densities typical of the regional ecosystem surrounding that locality; and c) does not occur in pre-existing thick patches of remnant vegetation; and d) maintains viable populations of each species present and listed in the regional ecosystem description¹². <p>AND</p> <p>T.2.2 Clearing achieves a mosaic pattern that includes the protection of patches and strips of remnant vegetation representative of a range of densities of the regional ecosystem</p> |
| <p>PR T.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and | <p>AS T.3</p> <p>T3.1 Mechanical clearing does not occur in, or within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of, each stream order 1 and 2 watercourses; b) 100 metres from the high bank of, each stream order 3 and 4 watercourses; and c) 200 metres from the high bank of, each stream order 5 or greater watercourses d) regional ecosystems: 11.3.25 and 11.3.37. |

¹¹ Thinning means the selective clearing of vegetation at a locality to restore a regional ecosystem to the floristic composition and range of densities typical of the regional ecosystem surrounding that locality. The term does not include using a chain or cable linked between 2 tractors, bulldozers or other traction engines.

¹² The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

| Performance Requirement | Acceptable Solution |
|--|--|
| e) maintain wildlife habitat. | |
| <p>PR T.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p> | <p>AS T.4</p> <p>T.4.1 Mechanical clearing does not occur on slopes greater than 5% except for those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) 2% in regional ecosystems: 11.3.6 and 11.3.7; b) 4% in regional ecosystems: 11.5.2 and 11.5.9; c) 5% in regional ecosystems: 11.10.9 and 11.10.11; d) 8% in regional ecosystem: 11.12.2; e) 10% in regional ecosystems: 11.11.2; 11.9.2, 11.11.15 and 11.10.12; f) 12% in regional ecosystems: 11.7.1 and 11.9.9; g) 15% in regional ecosystem: 11.8.4, 11.8.5, 11.10.3; and 11.10.7; and h) 20% in regional ecosystem: 11.8.6. <p>AND</p> <p>T.4.4 Clearing does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45 centimetres; and b) On dispersible soils where the soil A horizon is less than 30 centimetres. |
| <p>PR T.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p> | <p>AS T.5</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in the <i>Eucalyptus thozetiana</i> component of regional ecosystem 11.7.1; b) in existing or potential recharge areas; c) occur within 500 metres of a discharge area in areas where basal area is greater than 4 metres² per hectare; and d) occur within 1000 metres of a discharge area in areas where basal area is less than 4 metres² per hectare. |
| <p>PR T.6</p> <p>To prevent the loss of biodiversity, thinning only occurs in areas where demonstrated thickening has occurred.</p> | <p>AS T.6</p> <p>T.6.1 Clearing only occurs in areas where it is demonstrated that the density of the vegetation has thickened.</p> <p>AND</p> <p>T.6.2 Clearing only occurs in areas of thickening which is demonstrated by:</p> <ul style="list-style-type: none"> a) comparing the density of remnant vegetation in the earliest available aerial photography that includes the subject area with the most recent available aerial |

| Performance Requirement | Acceptable Solution |
|--|---|
| | <p>photography that shows the same area; and</p> <p>b) finding that there is an increase in the density or extent of vegetation that is inconsistent with of the range of densities of the regional ecosystem surrounding that locality or</p> <p>c) finding that the species is not listed in the description of the regional ecosystem</p> |
| <p>PR T.7</p> <p>To prevent the loss of biodiversity, the floristic composition and range of densities of the regional ecosystem at that locality are restored or maintained.</p> | <p>AS T.7</p> <p>Clearing:</p> <p>a) does not remove mature trees; and</p> <p>b) attains the floristic composition, size classes and densities typical of the regional ecosystem surrounding that locality; and</p> <p>c) maintains viable populations of each species present and listed in the regional ecosystem description¹³; and</p> <p>d) does not remove pre-existing thick patches of remnant vegetation; and</p> <p>e) achieves a mosaic pattern of the range of densities of the regional ecosystem surrounding that locality.</p> |

¹³ The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

Part E: Requirements for Clearing Encroachment

| Performance Requirement | Acceptable Solution |
|---|--|
| <p>PR E.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS E.1</p> <p>Mechanical clearing does not occur in:</p> <ul style="list-style-type: none"> a) 200 metres from the static high water mark of bioregionally significant wetlands, lakes, and springs. b) 100 metres from the static high water mark of regionally significant wetlands, lakes, and springs c) 20 metres from the static high water mark of locally significant wetlands, lakes, and springs. |
| <p>PR E.2</p> <p>To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p> | <p>AS E.2</p> <p>Clearing:</p> <ul style="list-style-type: none"> a) does not alter floristic composition or densities typical of the regional ecosystem; and e) maintains viable populations of each species present and listed in the regional ecosystem description. |
| <p>PR E.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. | <p>AS E.3</p> <p>Mechanical clearing does not occur in, or within:</p> <ul style="list-style-type: none"> a) 200 metres from each high bank of each stream order 5 or greater; and b) 100 metres width from each bank of, each stream order 3 to 4; and c) 50 metres from each bank of, each stream order 1 to 2 |
| <p>PR E.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, adverse effects on the environment from soil erosion do not occur.</p> | <p>AS E.4</p> <p>E.4.1 Clearing of encroaching species does not cause adverse environmental effects from soil erosion outside the permit area.</p> <p>E.4.2 Clearing does not occur on slopes greater than 5% or according to slope limits specified below::</p> |

| Performance Requirement | Acceptable Solution |
|--|---|
| | <p>a) 3% for mechanical clearing and 5% for clearing in regional ecosystems: 11.8.11;</p> <p>b) 4% for mechanical clearing and 6% for clearing in regional ecosystem: 11.9.3;</p> <p>AND</p> <p>E.4.3 Clearing of encroaching species does not occur:</p> <p>a) On soils with a depth less than 45 centimetres; and</p> <p>b) On dispersible soils where the soil A horizon is less than 30 centimetres.</p> |
| <p>PR E.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p> | <p>AS E.5</p> <p>Clearing does not occur:</p> <p>a) in existing or identified potential recharge areas;</p> <p>a) within 500 metres of an existing or potential discharge area in areas where basal area is greater than 4 metres² per hectare, and within 1000 metres of an existing or potential discharge area in areas where basal area is less than 4 metres² per hectare.</p> |
| <p>PR E.6</p> <p>To prevent the loss of biodiversity, clearing for encroachment only occurs in areas where demonstrated encroachment has occurred.</p> | <p>AS E.6</p> <p>E.6.1 Clearing for encroachment only occurs in a regional ecosystem for which an application for clearing of encroachment may be accepted under the <i>Vegetation Management Act 1999</i> section 22A(2);</p> <p>AND</p> <p>E.6.2 Clearing only occurs in areas of encroachment which is demonstrated by:</p> <p>a) comparing the density of woody remnant vegetation in the earliest available aerial photography that includes the subject area with the most recent available aerial photography that shows the same area; and</p> <p>b) finding that there is an increase in the density or extent of woody vegetation that is inconsistent with the description of the regional ecosystem, or</p> <p>c) finding that the woody species is not listed in the description of the regional ecosystem.</p> |
| <p>PR E.7</p> <p>To prevent the loss of biodiversity, the floristic composition and range of densities of the regional ecosystem at that locality are</p> | <p>AS E.7</p> <p>Clearing:</p> <p>a) attains the floristic composition, size classes and densities typical of the regional ecosystem surrounding that locality; and</p> <p>b) maintains viable populations of each species</p> |

| Performance Requirement | Acceptable Solution |
|--------------------------------|---|
| restored or maintained. | present and listed in the regional ecosystem description; and c) does not remove pre-existing thick patches of woody vegetation; and d) removes only the encroaching species. |

Part X: Requirements for Clearing for an Extractive Industry¹⁴

An application that is for clearing for extractive industry and is also for the purpose of clearing for a significant project declared under the *State Development and Public Works Organisation Act 1971*, section 26 will be assessed under this part of the code, and not under Part S.

An application that is for clearing for extractive industry and is also for the purpose of clearing for establishing a necessary fence, firebreak, road or other built infrastructure, or for clearing that is a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003, will be assessed under this part of the code, and not under Part M.

| Performance Requirement | Acceptable Solution |
|---|---|
| <p>PR X.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS X.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or b) in regional ecosystems: 11.3.27; or c) within: <ul style="list-style-type: none"> i) 200 metres from the static high water mark of bioregionally significant natural wetlands, lakes, and springs. ii) 100 metres from the static high water mark of regionally significant natural wetlands, lakes, and springs iii) a minimum buffer to the distinct change in vegetation plus 20 metres for ecotone change of locally significant natural wetlands, lakes, and springs. |
| <p>PR X.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p> | <p>AS X.2</p> <p>X.2.1 Vegetation is retained in corridors with a 5:1 length to width ratio, which provide connectivity between:</p> <ul style="list-style-type: none"> a) clumps of retained vegetation on the property or on adjoining properties; and b) wetlands; and c) endangered or of concern regional ecosystems. |

¹⁴ Extractive industry means one or more of the following:

- (a) dredging material from the bed of any waters;
- (b) extracting rock, sand, clay, gravel, loam or other material, from a pit or quarry;
- (c) screening, washing, grinding, milling, sizing or separating material extracted from a pit or quarry.

| Performance Requirement | Acceptable Solution |
|---|--|
| | <p>OR</p> <p>X.2.2 Viable networks of wildlife habitat are maintained by offsetting areas of vegetation immediately adjacent to the area of vegetation affected by the application, in a manner that meets the requirements of X.2.1.</p> |
| <p>PR X.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <p>f) maintain bank stability by protecting against erosion and slumping; and</p> <p>g) maintain water quality by filtering sediments, nutrients and other pollutants; and</p> <p>h) maintain aquatic habitat; and</p> <p>i) provide food for aquatic ecosystems; and</p> <p>j) maintain wildlife habitat.</p> | <p>AS X.3</p> <p>Clearing does not occur in or within:</p> <p>a) 50 metres from the high bank of each stream of order 1 and 2 watercourses;</p> <p>b) 100 metres from the high bank of each stream of order 3 and 4 watercourses; and</p> <p>c) 200 metres from the high bank of each stream of order 5 and 6 watercourses</p> <p>d) regional ecosystems: 11.3.25 and 11.3.37.</p> |
| <p>PR X.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p> | <p>AS X.4</p> <p>X.4.1 Clearing must not be undertaken in a manner that allows adverse environmental effects from soil erosion resulting from the clearing to occur outside the operational area.</p> <p>AND</p> <p>X 4.2 Clearing is:</p> <p>a) staged in line with operational needs to restrict clearing to the operational area; and</p> <p>b) limited to the area from which material will be extracted within the term of the permit.</p> |
| <p>PR X.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p> | <p>AS X.5</p> <p>X.5.1 Clearing does not:</p> <p>a) reduce the extent of regional ecosystem 11.5.9 to less than 50% of pre-clearing extent of the regional ecosystem on the property.</p> <p>b) occur in existing or potential recharge areas;</p> <p>c) occur within 500 metres of a discharge area in areas</p> |

| Performance Requirement | Acceptable Solution |
|--|--|
| | <p>where basal area is greater than 4 metres² per hectare; and</p> <p>d) occur within 1000 metres of a discharge area in areas where basal area is less than 4 metres² per hectare; and</p> <p>e) reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation in the contributing catchment;</p> <p>AND</p> <p>X.5.2 Clearing does not occur in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.</p> |
| <p>PR X.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p> | <p>AS X.6 Clearing does not occur in an endangered or of concern regional ecosystem or an area shown as ‘category 1’ or ‘category 2’ on a Property Map of Assessable Vegetation, unless the clearing:</p> <p>a) is in a resource/processing area or transport route of a Key Resource Area identified in a State Planning Policy on Protection of Extractive Resources, or if no State Planning Policy is made, is in a resource/processing area or transport route for an area that in the opinion of the chief executive is an extractive resource of State significance;</p> <p>AND</p> <p>b) the clearing is offset by protecting an area of non-remnant (other than a category 1, category 2, category 3 or category 4 area on a PMAV), or remnant vegetation that may otherwise be approved to be cleared under this code that achieves the following:</p> <ol style="list-style-type: none"> i. the regional ecosystem to be restored is or will be the same regional ecosystem as the regional ecosystem to be cleared; and ii. the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and iii. there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation. |

| Performance Requirement | Acceptable Solution |
|---|---|
| <p>PR X.7</p> <p>To prevent the loss of biodiversity, adequate representation of regional ecosystems is maintained across the area to which this code applies.</p> | <p>AS X.7</p> <p>X.7.1 Clearing does not occur in regional ecosystems: 11.3.5, 11.3.10, 11.3.18, 11.3.26, 11.3.33, 11.5.1, 11.5.3, 11.5.5, 11.5.12, 11.8.1, 11.8.3, 11.9.13, 11.11.9, 11.11.11 and 11.11.19;</p> <p>AND</p> <p>X.7.2 Clearing does not reduce the extent of the following regional ecosystems to less than 30% of the pre-clearing extent of the property: 11.3.6, 11.3.7, 11.5.2, 11.5.20, 11.7.1, 11.8.4, 11.8.5, 11.8.6, 11.9.2, 11.9.9, 11.10.3, 11.10.7, 11.10.9, 11.10.11, 11.10.12, 11.11.2, 11.11.15, and 11.12.2^a;</p> <p>AND</p> <p>X.7.3 Clearing does not reduce the extent of regional ecosystem 11.12.2 to less than 50% of the pre-clearing extent of the regional ecosystem in the area to which the code applies;</p> <p>AND</p> <p>X.7.4 Clearing does not reduce the extent of regional ecosystem 11.5.9 to less than 50% of the pre-clearing extent of the regional ecosystem on the property .</p> |
| <p>PR X.8</p> <p>Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and manage the environmental effects of clearing.</p> | <p>AS X.8</p> <p>X.8.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit for clearing on the property;</p> <p>AND</p> <p>X.8.2 Clearing for the construction of infrastructure associated with an extractive industry operation is limited to the extent that is reasonably necessary for the construction and operation of the infrastructure;</p> <p>AND</p> <p>X.8.3 Clearing is:</p> <ul style="list-style-type: none"> a) staged in line with operational needs to restrict clearing to the area required for active extractive activity at any one time; and b) limited to the area from which material will be extracted within the term of the permit. |

Part R: Requirements for Clearing Regrowth on Leasehold Land¹⁵

Where this part of the code refers to a regional ecosystem in the acceptable solutions, the pre-clearing extent map will be used to determine the location and extent of the regional ecosystem.

| Performance Requirements | Acceptable Solution |
|---|--|
| <p>PR R.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p> | <p>AS R.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.3.27; or c) within: <ul style="list-style-type: none"> i) 200 metres from the static high water mark of bioregionally significant natural wetlands, lakes, and springs. ii) 100 metres from the static high water mark of regionally significant natural wetlands, lakes, and springs iii) 20 metres of the static high water mark of other wetlands, lakes or springs. |
| <p>PR R.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p> | <p>AS R.2</p> <p>R.2.1 Clearing does not isolate endangered and of concern regional ecosystems, or natural wetlands. These areas must be linked to clumps with corridors that are at least 200 metres wide;</p> <p>R.2.2 Vegetation is retained in clumps greater than 50 hectares with a perimeter (metres) to area (hectare) ratio of less than 200:1; and clumps are connected by corridors of vegetation at least 200 metres wide;</p> <p>R.2.3 At least 50% of retained vegetation is to be contained within 1 or 2 clumps.</p> |

¹⁵ For the purposes of this code, regrowth is vegetation that is not remnant and that has emerged following clearing undertaken on or before 31 December 1989, and is on a lease issued under the *Land Act 1994* for agriculture or grazing purposes.

| Performance Requirements | Acceptable Solution |
|---|--|
| <p>PR R.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <p>a) maintain bank stability by protecting against erosion and slumping; and</p> <p>a. maintain water quality by filtering sediments, nutrients and other pollutants; and</p> <p>b. maintain aquatic habitat; and</p> <p>c. provide food for aquatic ecosystems; and</p> <p>d. maintain wildlife habitat.</p> | <p>AS R.3</p> <p>R.3.1 Clearing does not occur in or within:</p> <p>a) 25 metres from the high bank of each stream order 1 and 2 watercourses;</p> <p>b) 50 metres from the high bank of each stream order 3 and 4 watercourses; and</p> <p>c) 100 metres from the high bank of each stream order 5 and 6 watercourses.</p> |
| <p>PR R.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p> | <p>AS R.4</p> <p>R.4.1 Clearing does not occur in regional ecosystems: 11.5.10, 11.7.5, 11.8.7, 11.11.6, and 11.12.7;</p> <p>R.4.2 Clearing does not occur on slopes greater than 5% except for those specified for the regional ecosystems listed below:</p> <p>a) non-mechanical clearing only: 8% in regional ecosystem: 11.5.20;</p> <p>b) Mechanical only:</p> <p>i) 10% in regional ecosystem: 11.11.2;</p> <p>ii) 15% in regional ecosystem: 11.10.3;</p> <p>c) 2% for clearing in regional ecosystems: 11.3.6 and 11.3.7;</p> <p>d) 4% for clearing in regional ecosystem: 11.5.2;</p> <p>e) 4% for mechanical clearing and 6% for clearing in regional ecosystem: 11.5.9;</p> <p>f) 5% for mechanical clearing and 8% for clearing in regional ecosystems: 11.10.9 and 11.10.11;</p> <p>g) 8% for mechanical clearing and 12% for clearing in regional ecosystem: 11.12.2;</p> <p>h) 10% for mechanical clearing and 12% for clearing in regional ecosystems: 11.9.2 and</p> |

| Performance Requirements | Acceptable Solution |
|--|--|
| | <p>11.10.12;</p> <ul style="list-style-type: none"> i) 10% for mechanical clearing and 15% for clearing in regional ecosystem: 11.11.15; j) 12% for mechanical clearing and 15% for clearing in regional ecosystems: 11.7.1 and 11.9.9; k) 15% for mechanical clearing and 20% for clearing in regional ecosystem: 11.8.4, 11.8.5, and 11.10.7; and l) 20% for clearing in regional ecosystem: 11.8.6. <p>R.4.5 Clearing does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45cm; and b) On dispersible soils where the soil A horizon is less than 30cm. |
| <p>PR R.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p> | <p>AS R.5</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in the <i>Eucalyptus thozetiana</i> component of regional ecosystem 11.7.1; b) in existing or potential discharge areas; and c) within 500 metres of an existing or potential discharge area in areas where basal area is greater than 4 metres² per hectare; and d) within 1000 metres of an existing or potential discharge area in areas where basal area is less than 4 metres² per hectare; and e) in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing; and f) in priority recharge areas. |

8. Dictionary

A horizon: Horizons either consisting of one or more surface mineral horizons with some organic accumulation and usually darker in colour than the underlying horizons, or consisting of surface and subsurface horizons that are lighter in colour but have a lower content of silicate clay and/or sesquioxides than the underlying horizons.

Aerial Photography: Vertical aerial photographs, identified by film number, run number and frame number, captured as part of a coordinated aerial photography program or project on which the date of photography, flying height, lens focal length and project name are specified.

Basal area: Basal area is a measure of the number of square metres in each hectare covered by trees. The cross-section of each tree is measured at 1.3 metres above ground level.

Contributing Catchment means, for:

- a) a local ground water flow system, the area of the surface catchment measured above a point 5 km downstream from an existing or potential discharge area;
- b) an intermediate groundwater flow system, the area encompassed by a 15km radius from an existing or potential discharge area;
- c) a regional groundwater flow system, the area with the relevant drainage basin sub area at a higher elevation than an existing or potential discharge area.

Corridors: are continuous strips of vegetation; that link larger tracts of native vegetation; that are used or capable of being used by wildlife for movement; and are capable of being habitat in their own right.

Demonstrated, for a proposed offset, includes demonstrated by reference to published literature, the written opinion of a recognised expert in the field of revegetation; or by comparison to revegetation projects in similar regional ecosystems and similar conditions.

Demonstrated encroachment: means the increase in density of woody vegetation in grassland regional ecosystems listed in the *Vegetation Management Regulation 2000* which can be proven by reference to the earliest available aerial photography that includes the subject area when compared with the most recent available aerial photography that shows the same area.

Demonstrated thickening: means the increase in the density of woody vegetation which can be proven by reference to the earliest available aerial photograph that includes the subject property when compared with the most recent available aerial photograph that shows the same area.

Discharge area is:

- a) that part of the land surface where groundwater discharge produces a net movement of water out of the groundwater; and
- b) identified by an assessment process that is consistent with the document: *Salinity Management Handbook, Queensland* Department of Natural Resources, 1997; or
- c) identified by an approved salinity hazard map.

Dispersible soils: are soils in which clay material disintegrates into particles less than 2 microns when submerged in distilled water for 12 hours.

Encroachment: means a woody species that has invaded an area of a grassland regional ecosystem to the extent the area is no longer consistent with the description of the regional ecosystem.

Floristic composition: is determined by the Queensland Herbarium's complete description of the regional ecosystem.

Fodder harvesting: is the clearing of fodder species for the purpose of being eaten by stock.

Fodder species: are species where the proponent can establish with published literature, to the satisfaction of the Chief Executive, that:

- a) in the local conditions, the species is suitable for browse fodder (that it is palatable, non-toxic and contributes to stock nutrition); and
- b) the species will regenerate successfully after harvesting.

Such information may be located in current scientific literature, such as Everist, SL (1985) *Use of Fodder Trees and Shrubs*, Qld Department of Primary Industries Information Series QI85015

Fodder species do NOT include Brigalow (*Acacia harpophylla*), Gidgee (*Acacia cambagei*) and all species of the genera Eucalyptus and Corymbia.

Foliage cover is the percentage of the sample site occupied by the vertical projection of the foliage and woody branches.

Grassland regional ecosystem: means a grassland regional ecosystem prescribed under a regulation as a grassland regional ecosystem.

Groundwater flow system: is a zone with hydrogeological characteristics that influence the occurrence of dryland salinity. The hydrogeological characteristics relate to the movement of groundwater from a recharge area, through a transmission zone, to a discharge area or a potential discharge area.

High bank: is the terrace or bank or, if no bank is present, the point on the active floodplain which confines the average annual peak flow, and which is either permanent or intermittent.

Intermediate groundwater flow system: is a ground water flow system where the distance between a discharge area and the closest recharge area is between 5km and 15km

Key resource area: is an area identified in a State Planning Policy for Protection of Extractive Industries as a Key Resource Area.

Lake: is a lagoon, billabong, or other natural area of open water, whether permanent or intermittent.

Local ground water flow system: is a ground water flow system where the distance between a discharge area and the closest recharge area is less than 5km.

Mature trees: are trees that:

- a) are present in the predominant canopy as dominants or co-dominants; and
- b) have a trunk diameter, measured 1.3m above the ground, more than half of that of the largest trees of the same species in the regional ecosystem typical at that locality, **or**
- c) have more than one hollow more than 10cm in diameter and more than 2 metres above the ground.

Mechanical clearing: means to clear vegetation using machinery, which disturbs the soil surface or uproots woody vegetation.

Operational area: means the area actively being used for extractive industry at any one time.

Pre-clearing extent: for a regional ecosystem, means the extent of the regional ecosystem before it was cleared, which is shown on the most recently released version of a digital map of the pre-clearing extent of regional ecosystems prepared by the Queensland Herbarium.

Priority recharge areas are areas:

- a) identified as moderate-high or high on the recharge layer of an approved Salinity Hazard Map of the Department of Natural Resources, Mines and Energy; or
- b) identified using an assessment process that is consistent with the document: *Salinity Management Handbook, Queensland Department of Natural Resources, 1997*.

Property: is a lease, a license or permit under the *Land Act 1994*; a single freehold lot or an aggregation of freehold lots that are geographically contiguous and are managed as a single unit.

Protecting: means the area is either: declared as high nature conservation value or vulnerable to land degradation under the *Vegetation Management Act 1999*; a protected tenure under the *Nature Conservation Act 1992*; or lawfully covenanted under the *Land Title Act 1994* and *Integrated Planning Act 1997*.

Rabbit warren complex: is an underground place with 2 or more entry points where rabbits breed.

Recharge areas: are identified by either-

- a) an assessment process that is consistent with the document: *Salinity Management Handbook*, Queensland Department of Natural Resources, 1997; or
- b) an approved salinity hazard map.

Regional groundwater flow system: is a ground water flow system where the distance between a discharge and the closest recharge area is greater than 15km.

Resource/processing area: means the area of an extractive resource and the operational areas associated with extraction and processing of extractive materials. For a Key Resource Area identified by a State Planning Policy on Protection of Extractive Resources, the terms means the resource/processing area defined for that Key Resource Area in that State Planning Policy

Retained vegetation is:

- an area shown as a Category 1 area, Category 2 area, Category 3 area or Category 4 area on a property map of assessable vegetation; or
- where there is no property map of assessable vegetation, is an area of remnant vegetation shown on a certified regional ecosystem map or remnant map; or
- vegetation that is not remnant vegetation on land subject to a lease issued under the *Land Act 1994* for agricultural or grazing purposes, in an area that was cleared prior to 31 December 1989.

Soil erosion: includes landslip, gully erosion, rill erosion, sheet erosion, stream bank erosion, wind erosion or scalding; and associated loss of chemical, physical or biological fertility (including water holding capacity, soil structure, organic matter, soil biology and nutrients).

Springs: are –

- a) where water naturally rises to and flows over the surface of land; and
- b) those listed in: Fensham and Fairfax (2002) ‘Queensland springs distribution-assessment’.

Static high water mark: is the settled ordinary water level that occurs under average meteorological conditions. It is less than extreme levels that can be caused by storm surges.

Stream order: is derived from the Sunmap 1:100 000 topographic map series. Watercourses in the head of the catchment are first in the order. When two watercourses of the same order join, the resulting watercourse becomes one stream order larger. If two streams of

different order join, the resultant stream order is that of the largest stream, as shown in Figure 2.

- Thinning:** means the selective clearing of vegetation at a locality to restore a regional ecosystem to the floristic composition and range of densities typical of the regional ecosystem surrounding that locality. The term does not include using a chain or cable linked between 2 tractors, bulldozers or other traction engines.
- Transport Route:** means the route used to transport¹⁶ extractive materials to markets. For a Key Resource Area identified by a State Planning Policy on Protection of Extractive Resources, the term means the transport route defined for that Key Resource Area in that State Planning Policy
- Viable network:** areas of vegetation that exhibit high levels of connectivity, are representative of all regional ecosystems on the property, are large enough to allow ecosystem functioning, are self generating and able to remain in the landscape in spite of threatening processes.
- Viable populations:** means maintaining a range of size classes of the species at sufficient populations to ensure its ongoing presence at the site.
- Waterlogging:** is the saturation of soil by soil water.
- Wetlands:** are –
- a) lands that are transitional between terrestrial and aquatic systems, where the watertable is usually at or near the surface of the land, or the land is periodically covered by shallow water. This includes deepwater habitats within the terrestrial environment, and areas up to 6 metres depth at the marine interface. To be a wetland the area must have one or more of the following attributes:
 - i. at least periodically the land supports plants and animals that are adapted to and dependent on living in wet conditions for at least part of their life cycle.
 - ii. the substratum is predominantly undrained soils that are saturated, flooded or ponded long enough to develop anaerobic conditions.
 - iii. the substratum is non-soil and is saturated with water, or covered by shallow water at some time during the growing season each year.
 - b) Bioregionally Significant Wetlands:
 - Ramsar wetlands;
 - Natural or other wetlands identified in *A Directory of Important Wetlands in Australia*; and,
 - Within the Great Barrier Reef World Heritage area.

¹⁶Generally road haulage is used to transport extractive materials, but in some circumstances could be:

- Rail transport, for example for transporting rail ballast where the extractive resource deposit is adjacent to rail (some rail ballast is trucked to a distribution centre at a rail siding); or
- Conveyor transport comprising a loading point, conveyor, and a distribution centre where there are significant rates of extraction.

- c) Regionally Significant Wetlands:
 - Wetlands identified in published local government reports and/or planning schemes;
 - Wetlands published in regional Natural Resource Management strategies and plans; and,
 - Wetlands listed as fish habitat reserves.
- d) Locally Significant Wetlands:
 - Those shown as a swamp, lake, marsh, waterhole, wetland, billabong, pool or spring on the latest Sunmap or Commonwealth of Australia 1:100 000 topographic map, with the exception of those identified as Bioregionally or Regionally Significant Wetlands.

Wildlife habitat: is the combination of factors both biotic and abiotic that meet the requirements of a particular species of native plant or animal.




Figure 1: Location of Southern Highlands (Brigalow Belt Bioregion)



Figure 2: Diagrammatic view of stream ordering