

Regional
Vegetation Management Code
for
Ongoing Clearing Purposes

Nebo-Broadsound
(Brigalow Belt Bioregion)

25 June 2004



Table of Contents

1. DESCRIPTION OF REGION	3
2. REGULATORY BACKGROUND.....	3
3. PURPOSE OF THE CODE	4
4. AMENDMENT OF THIS CODE.....	5
5. SCOPE OF APPLICATIONS ASSESSED BY THIS CODE.....	5
6. HOW TO USE THIS CODE.....	6
7. ASSESSMENT CODES	8
<i>Part A: Mandatory Requirements for All Clearing</i>	<i>8</i>
<i>Part S: Requirements for Clearing for Significant Projects.....</i>	<i>12</i>
<i>Part W: Requirements for Clearing Vegetation for Weed or Pest Management.....</i>	<i>17</i>
<i>Part M: Requirements for Clearing for Management Activities</i>	<i>21</i>
<i>Part F: Requirements for Fodder Harvesting</i>	<i>25</i>
<i>Part T: Requirements for Thinning.....</i>	<i>29</i>
<i>Part E: Requirements for Clearing Encroachment</i>	<i>33</i>
<i>Part X: Requirements for Clearing for an Extractive Industry</i>	<i>35</i>
<i>Part R: Requirements for Clearing Regrowth on Leasehold Land.....</i>	<i>39</i>
8. DICTIONARY	43

Table of Figures

FIGURE 1: LOCATION OF NEBO-BROADSOUND (BRIGALOW BELT BIOREGION).....	49
FIGURE 2: DIAGRAMMATIC VIEW OF STREAM ORDERING	50

1. Description of region

This regional vegetation management code applies to the Nebo-Broadsound (Brigalow Belt Bioregion). The boundary of the Nebo-Broadsound (Brigalow Belt Bioregion) is defined in digital form held by the Department of Natural Resources, Mines and Energy, and is illustrated in Figure 1.

The code area covers approximately 2.5 million hectares of the Brigalow Belt Bioregion. It includes the localities of Nebo, Middlemount, Dysart, Glenden, Coppabella, German Creek, Cooroorah, Bombandy, Suttor Creek, and Apis Creek. The eastern boundary of the region primarily consists of the Central Queensland Coast Bioregion. To the north lie the code areas of Northern Queensland and to the west and south lie the Northern Highlands and Capricorn-Dawson code areas respectively. Part or all of the shires of Broadsound, City of Mackay, Duaringa, Livingstone, Mirani, Nebo, and Sarina are enclosed within the code area boundary.

The most significant drainage catchments of the region are, in descending order of size, the Isaac, Mackenzie, Belyando, Bowen, Styx, Fitzroy, Pioneer, and Nogoia systems. The Isaac, Mackenzie, and Fitzroy catchments form part of the Fitzroy Basin, which flows into the Fitzroy River and ultimately discharges into the Pacific Ocean southeast of Rockhampton at the southern end of the Great Barrier Reef. Other watercourses, encompassed within the major catchments include the Connors River, Denison Creek, Nebo Creek, Cooper Creek, Bee Creek, Kemmis Creek, Roper Creek, and Funnel Creek.

The main land use and industry of the region is cattle grazing, however broadscale grain cropping is practiced in the Middlemount and Nebo areas. Sugar cane cropping is presently being trialled in the Nebo area. Coal mining is a significant industry for the towns of Nebo, Glenden, Middlemount, and Dysart.

Approximately 65% of land in the code area is held under freehold tenures, while 29% is held under leasehold tenure. 1% is reserved as State Forests and 2% as National Parks. Around 3% is held in other reserves such as water, road, and rail. Protected areas within the region of greater than 1000ha include June National Park, Homevale Resources Reserve, Homevale National Park, and Dipperu National Park (scientific).

2. Regulatory background

This is a regional vegetation management code to be used for the assessment of development applications for clearing vegetation under the *Integrated Planning Act 1997* (IPA). It is prepared in accordance with provisions set out in the *Vegetation Management Act 1999* (VMA) and is to be applied in the circumstances where the VMA allows that an application for assessable clearing be accepted.

The Chief Executive of the Department that administers the *Vegetation Management Act 1999* is responsible for assessing clearing applications made under that Act.

This code provides the basis, consistent with the purposes of the *Vegetation Management Act 1999*, for making decisions about vegetation.

Purpose of the *Vegetation Management Act 1999*

The *Vegetation Management Act 1999* states:

- (1) The purpose of this Act is to regulate the clearing of vegetation in a way that—
- (a) conserves the following:
 - (i) Remnant endangered regional ecosystems
 - (ii) Remnant of concern regional ecosystems
 - (iii) Remnant not of concern regional ecosystems
 - (b) conserves vegetation in declared areas; and
 - (c) ensures the clearing does not cause land degradation; and
 - (d) prevents the loss of biodiversity; and
 - (e) maintains ecological processes; and
 - (f) manages the environmental effects of the clearing to achieve the matters mentioned in paragraphs (a) to (e); and
 - (g) reduces greenhouse gas emissions.
- (2) The purpose is achieved mainly by providing for—
- (a) codes for the Planning Act relating to the clearing of vegetation that are applicable codes for the assessment of vegetation clearing applications under IDAS; and
 - (b) the enforcement of vegetation clearing provisions; and
 - (c) declared areas; and
 - (d) a framework for decision making that, in achieving this Act's purpose in relation to subsection (1) (a) to (e), applies the precautionary principle that lack of full scientific certainty should not be used as a reason for postponing a measure to prevent degradation of the environment if there are threats of serious or irreversible environmental damage; and
 - (e) the phasing out of broadscale clearing of remnant vegetation by 31 December 2006.
- (3) In this section—
- “environment”** includes—
- (a) ecosystems and their constituent parts including people and communities; and
 - (b) all natural and physical resources; and
 - (c) those qualities and characteristics of locations, places and areas, however large or small, that contribute to their biological diversity and integrity, intrinsic or attributed scientific value or interest, amenity, harmony and sense of community; and
 - (d) the social, economic, aesthetic and cultural conditions affecting the matters in paragraphs (a) to (c) or affected by those matters.’

3. Purpose of the code

The purpose of the Code is to provide performance requirements and, where appropriate, acceptable solutions that achieve the purpose of the *Vegetation Management Act 1999*.

4. Amendment of this code

Section 15 of the *Vegetation Management Act 1999* (VMA) states that the Minister may amend a regional vegetation management code without undertaking the required consultation if:

- ‘(a) the amendment is only to correct a minor error in the code, or make another change that is not a change of substance; or
- (b) the code states that an amendment of a stated type may be made to the code by amendment under this section and the amendment is of the stated type.’

The type of amendment that can be made to this code under Section 15 (b) of the VMA is:

- Protection of vegetation associated with rivers identified under legislation regulating wild rivers.

5. Scope of applications assessed by this code

A vegetation clearing application will be assessed under this code if the applicant has satisfied the chief executive that the development applied for is for a relevant purpose listed in S.22A of the *Vegetation Management Act 1999*. The relevant purposes are:

- a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26;
- necessary to control non-native plants or declared pests;
- to ensure public safety;
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure;
- a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003;
- for fodder harvesting;
- for thinning;
- for clearing of encroachment;
- for an extractive industry;
- for clearing regrowth on leases issued under the *Land Act 1994* for agriculture or grazing purposes.

6. How to use this Code

The code is comprised of nine parts shown in Table 1.

Part A of the code contains performance requirements that must be met by all applications; no acceptable solutions are given.

Parts S, W, M, F, T, E, X and R of the code contain performance requirements that must be met by applications for particular purposes as shown in Table 1. The parts also contain acceptable solutions for meeting those requirements. The stated acceptable solution represents one way in which the relevant performance requirement may be met.

Applicants who do not adopt the acceptable solution must show how they will meet the performance requirement. An applicant must meet each Performance Requirement by either:

- a) complying with the acceptable solution; or
- b) satisfying the assessment manager that the performance requirement is met through another solution proposed by the applicant.

Table 1 shows which parts of the code are used for each application purpose. Where the application is for multiple purposes over the same area, the applicant must meet all performance requirements for all of the purposes of the clearing. However, an application that is for clearing in regrowth on leasehold land for one or more of the purposes S, W, M, F, T, E, or X will be assessed under the code for the relevant purpose, and not under the part of the code for regrowth on leasehold land.

In determining whether an application meets the acceptable solution, or whether another solution provided by the applicant meets a performance requirement, the precautionary principle will be applied.

Properly made Development Applications for clearing vegetation made under the *Integrated Planning Act 1997* (IPA) are assessed using:

- Matters mentioned in Section 3.5.4(2) and (3) of IPA, which include:
 - The appropriate part of the code which relates to the purpose of the application; and
 - The laws that are administered by, and the relevant policies that are applied by, the Assessment Manager;
 - The common material as defined in IPA;
- The Property Vegetation Management Plan provided by the applicant;
- If there is a Property Map of Assessable Vegetation over the area which is the subject of the application, that Property Map of Assessable Vegetation;
- Regional Ecosystem or Remnant maps that apply to the area of land that is the subject of the application;
- Any further relevant information supplied by the applicant.

Table 1: Parts of the code

Purpose of application	Part of Code	Part
All applications	Mandatory Requirements for All Clearing	A
A project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i> , section 26	Requirements for Clearing for Significant Projects	S
Necessary to control non-native plants or declared pests	Requirements for Clearing for Weed or Pest Management	W
For establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure.	Requirements for Clearing for Management Activities	M
Clearing that is a natural and ordinary consequence of other assessable development for which a development approval as defined under the <i>Integrated Planning Act 1997</i> was given, or a development application as defined under the <i>Integrated Planning Act 1997</i> was made, before 16 May 2003.	Requirements for Clearing for Management Activities	M
To ensure public safety.	Requirements for Clearing for Management Activities	M
For fodder harvesting	Requirements for Fodder Harvesting	F
For thinning	Requirements for Thinning	T
For clearing of encroachment	Requirements for Clearing Encroachment	E
For an extractive industry	Requirements for Clearing for an Extractive Industry	X
For clearing regrowth on leases issued under the <i>Land Act 1994</i> for agriculture or grazing purposes, other than clearing for any other purpose listed above.	Requirements for Clearing Regrowth	R

7. Assessment codes

The performance requirements in Part A of this code must be met. No other solutions comply with this part of the code.

Part A: Mandatory Requirements for All Clearing

Performance Requirement
<p>PR A.1</p> <p>To conserve remnant endangered regional ecosystems, clearing does not occur in any “category 1 area” on a Property Map of Assessable Vegetation (PMAV), or where there is no PMAV, in any endangered regional ecosystem except where the Chief Executive is satisfied that the clearing is:</p> <ul style="list-style-type: none">• for a project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i>, section 26; or• necessary to control non-native plants or declared pests; or• to ensure public safety; or• for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or• for thinning; or• to remove encroachment; or• for an extractive industry.

Performance Requirement

PR A.2

To conserve remnant of concern regional ecosystems, clearing does not occur in any area shown as a “category 2 area” on a Property Map of Assessable Vegetation, or where there is no PMAV, in any of concern regional ecosystem except where the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003; or
- for thinning; or
- to remove encroachment; or
- for an extractive industry.

PR A.3

To prevent loss of biodiversity, clearing does not occur to the extent that:

- the remnant extent of a not of concern regional ecosystem falls below 30% of its pre-clearing extent or 10 000 hectares in the bioregion; and
- the remnant extent of an of concern regional ecosystem falls below 10% of its pre-clearing extent; and
- the remnant extent of an of concern regional ecosystem falls below 30% of its pre-clearing extent where its remnant extent is less than 10 000 hectares,

except where the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for an extractive industry.

Performance Requirement

PR A.4

To prevent the loss of biodiversity, clearing does not reduce the total extent of remnant vegetation in the Nebo-Broadsound Brigalow Belt Bioregion to less than 30% of the pre-clearing extent of the bioregion except where the Chief Executive is satisfied that the clearing is

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for an extractive industry.

PR A.5

To prevent loss of biodiversity, clearing does not occur in an area which is identified on a map¹ prepared by the chief executive of the agency which administers the *Nature Conservation Act 1992* and certified for use for the purposes of this code by the chief executive of the Department of Natural Resources, Mines & Energy, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act, except where the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for thinning; or
- to remove encroachment.

¹ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

Performance Requirement

PR A.6

To ensure clearing does not cause land degradation and to maintain ecological processes, clearing does not occur in Drainage Basin Sub Areas that have less than 30% of the area covered with remnant vegetation, unless the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for thinning; or
- for an extractive industry; or.
- For clearing regrowth on leases issued under the *Land Act 1994* for agriculture or grazing purposes.

Part S: Requirements for Clearing for Significant Projects²

Performance Requirement	Acceptable Solution
<p>PR S.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS S.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.1.1, 11.1.2, and 11.3.27; or c) within 100 metres from the static high water mark of natural wetlands, lakes, and springs.
<p>PR S.2</p> <p>To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS S.2</p> <p>S.2.1 Clearing does not isolate endangered and of concern regional ecosystems, or natural wetlands;</p> <p>S.2.2 On properties smaller than 1000 hectares, clearing does not result in a property having less than 30% of the pre-clearing extent of remnant vegetation;</p> <p>S.2.3 On properties greater than 1000 hectares, clearing does not result in a property having less than 30% of the pre-clearing extent of remnant vegetation consisting of:</p> <ul style="list-style-type: none"> a) Clumps with areas of at least 50 hectares; and b) Corridors between core areas and linking vegetation at least 200 metres wide. <p style="text-align: center;">AND</p> <p>S.2.4 At least 50% of the retained vegetation is to be contained within 1 or 2 clumps.</p> <p style="text-align: center;">AND</p> <p>S2.5 Clearing does not occur in an area which is identified on a map³ prepared by the chief executive of the agency which administers the <i>Nature Conservation Act 1992</i> and certified for use for the purposes of this code by the Chief Executive of the Department of Natural Resources, Mines & Energy, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act</p>

² Significant projects are those declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26.

³ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

Performance Requirement	Acceptable Solution
<p>PR S.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS S.3</p> <p>S.3.1 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream order 1 and 2 watercourses; b) 100 metres from the high bank of each stream order 3 and 4 watercourses; and c) 200 metres from the high bank of each stream order 5 and 6 watercourses d) regional ecosystems: 11.3.25 and 11.3.37.
<p>PR S.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS S.4</p> <p>S.4.1 Clearing must not be undertaken in a manner that allows negative environmental effects from soil erosion to occur outside the permit area;</p> <p>S.4.2 Clearing does not occur in regional ecosystems: 11.3.35, 11.7.1, 11.7.3, 11.7.4, 11.8.4, 11.10.1, 11.10.3, 11.10.4, 11.10.7, 11.11.1, 11.11.15, and 11.12.4;</p> <p>S.4.3 Selective clearing does not exceed a maximum of 70% of the pre-clearing extent of the property in regional ecosystems: 11.5.8, 11.7.2, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>S.4.4 Clearing does not exceed a maximum of 70% of the pre-clearing extent of the property in regional ecosystems: 11.3.9, 11.3.10, 11.3.26, 11.5.2, 11.5.3, 11.5.8, 11.5.9, 11.5.12, 11.7.2, 11.8.5, 11.9.2, 11.10.12, 11.11.9, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>S.4.5 Clearing does not occur where basal area is less than 4 metres² in regional ecosystems: 11.3.9, 11.3.10, 11.5.2, 11.5.3, 11.5.9, 11.5.12, 11.8.5, 11.9.2, 11.10.12, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>S.4.6 Clearing does not occur on slope limits in excess of those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) 3% for mechanical clearing and 3% for chemical

Performance Requirement	Acceptable Solution
	<p>clearing in regional ecosystems: 11.3.9, 11.3.10, and 11.5.8;</p> <p>b) 3% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.11.9</p> <p>c) 3% for mechanical clearing and 5% for chemical clearing in regional ecosystem: 11.3.26;</p> <p>d) 4% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.9.2;</p> <p>e) 7% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.5.2, 11.5.9, and 11.5.12;</p> <p>f) 5% for mechanical clearing and 5% for chemical clearing in regional ecosystem: 11.8.5;</p> <p>g) 5% for mechanical clearing and 20% for chemical clearing in regional ecosystem: 11.5.3^a;</p> <p>h) 7% for mechanical clearing and 25% for chemical clearing in regional ecosystems: 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>i) 8% for mechanical clearing and 12% for chemical clearing in regional ecosystem: 11.7.2; and</p> <p>j) 10% for mechanical clearing and 12% for chemical clearing in regional ecosystem: 11.10.12;</p> <p>AND</p> <p>S.4.7 Clearing does not occur:</p> <p>a) On soils with a depth less than 45cm; and</p> <p>b) On dispersible soils where the soil A horizon is less than 30cm.</p>
<p>PR S.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes and to manage environmental effects of clearing, the landscape is protected against increased salinity and waterlogging and the salinisation of ground and surface water is prevented.</p>	<p>AS S.5</p> <p>Clearing does not occur:</p> <p>a) in regional ecosystem: 11.7.1;</p> <p>b) where scarps occur in regional ecosystems: 11.5.2, 11.5.9, and 11.5.12;</p> <p>c) in existing or identified potential recharge areas;</p> <p>d) within 500 metres of existing or potential areas where basal area density is greater than 4 metres² per hectare; and within 1000 metres in areas where basal area density is less than 4</p>

Performance Requirement	Acceptable Solution
	<p>metres² per hectare; and</p> <ul style="list-style-type: none"> e) in at least 30% of the pre-clearing extent of remnant vegetation at a catchment level. f) In areas subject to waterlogging or areas at risk of waterlogging as a result of clearing; g) Clearing does not reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation in either contributing catchments or groundwater flow systems at a higher elevation in the catchment than existing or potential discharge areas (saline or non-saline).
<p>PR S.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p>	<p>AS S.6 S.6.1 Clearing does not occur in remnant endangered regional ecosystems or remnant of concern regional ecosystems or in category 1 and category 2 areas shown on a Property Map of Assessable Vegetation;</p> <p>OR</p> <p>S.6.2 Where clearing occurs in areas listed in S.6.1, the clearing is offset by protecting another area of non-remnant vegetation⁴ (other than a category 1, category 2, category 3 or category 4 area on a PMAV) that achieves the following:</p> <ul style="list-style-type: none"> a) the regional ecosystem to be restored is the same regional ecosystem as the regional ecosystem to be cleared; and b) the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and c) there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation.
<p>PR S.7 To prevent the loss of biodiversity, adequate representation of regional ecosystems is maintained across the are to which the code applies.</p>	<p>AS S 7 S.2.2 Clearing does not occur in regional ecosystems: 11.3.7, 11.3.12, 11.3.29, 11.3.37, 11.7.5, 11.8.3, 11.9.9, 11.9.13, 11.10.9, 11.10.11, 11.11.2, 11.11.5, and 11.11.19;</p> <p>S.2.3 Clearing does not reduce the extent of the following regional ecosystems to less than 30% of the pre-clearing extent on a property: 11.3.9, 11.3.10, 11.3.26, 11.5.2, 11.5.3, 11.5.8, 11.5.9, 11.5.12,</p>

⁴ Other than vegetation that would be required to be retained under the conditions of a development approval.

Performance Requirement	Acceptable Solution
	<p>11.7.2, 11.8.5, 11.9.2, 11.10.12, 11.11.9, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>OR</p> <p>S.7.2 Where clearing occurs in areas listed in S.7.1, the clearing is offset by protecting another area of non-remnant vegetation⁵ (other than a category 1, category 2, category 3 or category 4 area on a PMAV) that achieves the following:</p> <ul style="list-style-type: none"> a) the regional ecosystem to be restored is the same regional ecosystem as the regional ecosystem to be cleared; and b) the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and c) there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation.
<p>PR S.8 Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and to manage the environmental effects of clearing.</p>	<p>AS S.8</p> <p>S.8.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit on the property.</p> <p>S.7.2 Clearing is limited to the extent that is reasonably necessary for the construction and operation of the significant project.</p>

⁵ Other than vegetation that would be required to be retained under the conditions of a development approval.

Part W: Requirements for Clearing Vegetation for Weed or Pest Management⁶

Performance Requirement	Acceptable Solution
<p>PR W.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS W.1</p> <p>Mechanical clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.1.1, 11.1.2, and 11.3.27; or c) within 100 metres from the static high water mark of natural wetlands, lakes, and springs.
<p>PR W.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS W.2</p> <p>Mechanical clearing does not occur:</p> <ul style="list-style-type: none"> a) in retained clumps with areas of at least 50 hectares; b) in retained corridors between core areas and linking vegetation at least 200 metres wide; and c) in regional ecosystems: 11.3.7, 11.3.12, 11.3.29, 11.3.37, 11.7.5, 11.8.3, 11.9.9, 11.9.13, 11.10.9, 11.10.11, 11.11.2, 11.11.5, and 11.11.19.
<p>PR W.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS W.3</p> <p>Mechanical clearing does not occur within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream order 1 and 2 watercourses; b) 100 metres from the high bank of each stream order 3 and 4 watercourses; and c) 200 metres from the high bank of each stream order 5 and 6 watercourses; and d) regional ecosystems: 11.3.25 and 11.3.37.

⁶ Weed or pest management means clearing to control non-native plants or pests declared under the *Land Protection (Pest and Stock Route Management) Act 2002*.

Performance Requirement	Acceptable Solution
<p>PR W.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS W.4</p> <p>W.4.1 Clearing does not occur on slope limits in excess of those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) 3% for mechanical clearing and 3% for chemical clearing in regional ecosystems: 11.3.9, 11.3.10, and 11.5.8; b) 3% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.11.9 c) 3% for mechanical clearing and 5% for chemical clearing in regional ecosystem: 11.3.26; d) 4% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.9.2; e) 7% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.5.2, 11.5.9, and 11.5.12; f) 5% for mechanical clearing and 5% for chemical clearing in regional ecosystem: 11.8.5; g) 5% for mechanical clearing and 20% for chemical clearing in regional ecosystem: 11.5.3^a; h) 7% for mechanical clearing and 25% for chemical clearing in regional ecosystems: 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13; i) 8% for mechanical clearing and 12% for chemical clearing in regional ecosystem: 11.7.2; and j) 10% for mechanical clearing and 12% for chemical clearing in regional ecosystem: 11.10.12; <p>AND</p> <p>W.4.3 Mechanical clearing does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45cm; and b) On dispersible soils where the soil A horizon is

Performance Requirement	Acceptable Solution
<p>PR W.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes and to manage environmental effects of clearing, the landscape is protected against increased salinity and waterlogging and the salinisation of ground and surface water is prevented.</p>	<p>AS W.5</p> <p>Mechanical clearing does not occur:</p> <ul style="list-style-type: none"> a) in regional ecosystem: 11.7.1; b) where the relative vegetation is greater than 20 metres above the surrounding regional ecosystem or where scarps occur in regional ecosystems: 11.5.2, 11.5.9, and 11.5.12; c) in existing or identified potential recharge areas; d) within 500 metres of a potential or existing discharge area where basal density is greater than 4 metres² per hectare and e) within 1000 metres of a potential or existing discharge area where basal density is less than 4 metres² per hectare; and f) in areas subject to waterlogging or at risk of waterlogging as a result of clearing g) in at least 30% of the pre-clearing extent of remnant vegetation at a catchment level. The Nebo-Broadsound area contains all or parts of the Isaac, Mackenzie, Belyando, Bowen, Styx, Fitzroy, Pioneer, and Nogoia catchments.
<p>PR W.6</p> <p>To prevent the loss of biodiversity, the natural floristic composition and range of densities of the regional ecosystem at that locality are maintained.</p>	<p>AS W.6</p> <p>Clearing in all remnant regional ecosystems:</p> <ul style="list-style-type: none"> a) is limited to the extent reasonably necessary for the removal of non-native plants or declared pests; and b) maintains viable populations of each native species present and listed in the regional ecosystem description⁷.
<p>PR W.7</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, the environmental effects of clearing for control of non-native plants and declared pests are minimised.</p>	<p>AS W.7</p> <p>W.7.1 Mechanical clearing only occurs where:</p> <ul style="list-style-type: none"> a) the infested area to be cleared is greater than 250m² and b) clearing is required to provide immediate access to the area of non-native plants or declared pests if no alternative route exists and c) greater than 60% of the total foliage cover (including shrub and canopy layers) is composed of a non-native plant or declared pest, or d) the area contains a rabbit warren complex.

⁷ The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

Performance Requirement	Acceptable Solution
	<p>AND</p> <p>W.7.2 Clearing using aerial application of herbicide only occurs where:</p> <ul style="list-style-type: none"> a) greater than 60% of the total foliage cover (including shrub and canopy layers) is composed of a non-native plant or declared pest, and b) the area to be cleared is greater than 1 hectare. <p>AND</p> <p>W.7.3 Clearing by other means is limited to:</p> <ul style="list-style-type: none"> a) the area infested by the pest plus a 1 metre buffer around the extent of the pest infestation; and b) the extent necessary to provide access to the area of non-native plants or declared pests, if no alternative route exists. <p>AND</p> <p>W.7.4 For a declared animal pest, clearing occurs only where there is no suitable alternative method of control.</p>

Part M: Requirements for Clearing for Management Activities⁸

Performance Requirement	Acceptable Solution
<p>PR M.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS M.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.1.1, 11.1.2, and 11.3.27; or c) within 100 metres from the static high water mark of natural wetlands, lakes, and springs.
<p>PR M.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable wildlife habitat is maintained.</p>	<p>AS M.2</p> <p>M.2.1 Clearing does not isolate endangered or of concern regional ecosystems, or natural wetlands. These areas must be linked to clumps with corridors that are at least 200 metres wide.</p> <p>AND</p> <p>M.2.2 Clearing does not result in a property having less than 30% of the pre-clearing extent of remnant vegetation consisting of:</p> <ul style="list-style-type: none"> c) Clumps with areas of at least 50 hectares with a perimeter (m) to area (ha) ratio of less than 200:1; and d) Corridors of retained vegetation greater than 200 metres wide, connecting those clumps. <p>AND</p> <p>M.2.3 At least 50% of the retained vegetation is to be contained within 1 or 2 clumps.</p> <p>AND</p> <p>M.2.4 Clearing does not occur in an area which is identified on a map⁹ prepared by the chief executive of the agency which administers the <i>Nature Conservation Act 1992</i> and certified for use for the purposes of this code by the Chief Executive of the Department of Natural Resources, Mines & Energy,</p>

⁸ Management Activities include clearing that is:

- a) For establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- b) a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* (IPA) was given, or a development application as defined under IPA was made, before 16 May 2003; or
- c) to ensure public safety.

⁹ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

Performance Requirement	Acceptable Solution
	as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act
<p>PR M.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS M.3</p> <p>M.3.1 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream order 1 and 2 watercourses; b) 100 metres from the high bank of each stream order 3 and 4 watercourses; and c) 200 metres from the high bank of each stream order 5 or greater watercourses d) regional ecosystems: 11.3.25 and 11.3.37.
<p>PR M.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS M.4</p> <p>M.4.1 Clearing does not occur in regional ecosystems: 11.3.35, 11.7.1, 11.7.3, 11.7.4, 11.8.4, 11.10.1, 11.10.3, 11.10.4, 11.10.7, 11.11.1, 11.11.15, 11.5.8, 11.7.2, 11.12.1, 11.12.2, 11.12.3, 11.12.6, 11.12.13 and 11.12.4;</p> <p>AND</p> <p>M.4.2 Clearing does not reduce the extent of any of the following Regional Ecosystems to less than 30% of the pre-clearing extent of that Regional Ecosystem on the property: 11.3.9, 11.3.10, 11.3.26, 11.5.2, 11.5.3, 11.5.8, 11.5.9, 11.5.12, 11.7.2, 11.8.5, 11.9.2, 11.10.12, 11.11.9, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>AND</p> <p>M.4.3 Clearing does not reduce basal area density to less than 4 metres² in regional ecosystems: 11.3.9, 11.3.10, 11.5.2, 11.5.3, 11.5.9, 11.5.12, 11.8.5, 11.9.2, 11.10.12, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>AND</p> <p>M.4.4 Clearing does not occur on slopes greater than 5%, except for the regional ecosystems with associated</p>

Performance Requirement	Acceptable Solution
	<p>slope limits specified below:</p> <ul style="list-style-type: none"> a) 3% for clearing in regional ecosystems: 11.3.9, 11.3.10, and 11.5.8; b) 3% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.11.9 c) 3% for mechanical clearing and 5% for chemical clearing in regional ecosystem: 11.3.26; d) 4% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.9.2; e) 7% for clearing in regional ecosystem: 11.5.2, 11.5.9, and 11.5.12; f) 5% for mechanical clearing and 20% for chemical clearing in regional ecosystem: 11.5.3^a; g) 7% for mechanical clearing and 25% for chemical clearing in regional ecosystems: 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13; h) 8% for mechanical clearing and 12% for chemical clearing in regional ecosystem: 11.7.2; and i) 10% for mechanical clearing and 12% for chemical clearing in regional ecosystem: 11.10.12; <p>AND</p> <p>M.4.5 Clearing does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45 centimetres; and b) On dispersible soils where the soil A horizon is less than 30 centimetres.
<p>PR M.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS M.5</p> <p>M.5.1 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in regional ecosystem: 11.7.1; b) where scarps occur in regional ecosystems: 11.5.2, 11.5.9, and 11.5.12; c) in existing or potential recharge areas; d) within 500 metres of existing or potential discharge

Performance Requirement	Acceptable Solution
	<p>areas where basal area density is greater than 4 metres² per hectare;</p> <p>e) within 1000 metres of existing or potential discharge areas where basal area density is less than 4 metres² per hectare;</p> <p>f) in at least 30% of the pre-clearing extent of remnant vegetation at a catchment level.</p> <p>AND</p> <p>M.5.2 Clearing does not reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation in the contributing catchment.</p> <p>AND</p> <p>M.5.3 Clearing does not occur in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.</p>
<p>PR M.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p>	<p>AS M.6 Clearing does not occur in remnant endangered regional ecosystems or remnant of concern regional ecosystems or areas shown as 'category 1' or 'category 2' areas on a Property Map of Assessable Vegetation.</p>

Part F: Requirements for Fodder Harvesting¹⁰

Performance Requirement PR F.1
To ensure clearing does not cause land degradation, to maintain ecological processes and to prevent the loss of biodiversity, clearing for fodder harvesting does not occur unless the property or area in which the property is located is drought declared on or after 25 June 2004.

Performance Requirement	Acceptable Solution
<p>PR F.2</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS F.2</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; and b) in regional ecosystems: 11.1.1, 11.1.2, and 11.3.27; and c) within 100 metres from the static high water mark of natural wetlands, lakes, and springs.
<p>PR F.3</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable wildlife habitat is maintained.</p>	<p>AS F.3</p> <p>F.3.1 Clearing does not does not remove mature trees that contain holes or habitat features.</p> <p>F.3.2 Clearing does not isolate endangered and of concern regional ecosystems, or natural wetlands;</p> <p>F.3.3 On properties smaller than 1000 hectares, clearing does not result in a property having less than 30% of the pre-clearing extent of remnant vegetation;</p> <p>F.3.4 On properties greater than 1000 hectares, clearing does not does not result in a property having less than 30% of the pre-clearing extent of remnant vegetation consisting of:</p> <ul style="list-style-type: none"> a) Clumps with areas of at least 50 hectares; and b) Corridors between clumps, which are at least 200 metres wide. <p>AND</p> <p>F.3.5 At least 50% of the retained vegetation is to be contained within 1 or 2 clumps.</p>

¹⁰ Fodder harvesting is the clearing of woody native plants suitable for browse fodder. Lopping for fodder harvesting does not require approval. Lopping means cutting or pruning branches, but not removing a trunk, or cutting or pruning so severely that the tree is likely to die.

Performance Requirement	Acceptable Solution
<p>PR F.4</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS F.4</p> <p>Clearing does not occur within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream order 1 and 2 watercourses; and b) 100 metres from the high bank of each stream order 3 and 4 watercourses; and c) 200 metres from the high bank of each stream order 5 and 6 watercourses; and d) regional ecosystems: 11.3.25 and 11.3.37.
<p>PR F.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS F.5</p> <p>F.5.1 Clearing does not occur in regional ecosystems: 11.3.35, 11.7.1, 11.7.3, 11.7.4, 11.8.4, 11.10.1, 11.10.3, 11.10.4, 11.10.7, 11.11.1, 11.11.15, and 11.12.4;</p> <p>F.5.2 Clearing does not exceed a maximum of 70% of the pre-clearing extent of the property in regional ecosystems: 11.3.9, 11.3.10, 11.3.26, 11.5.2, 11.5.3, 11.5.8, 11.5.9, 11.5.12, 11.7.2, 11.8.5, 11.9.2, 11.10.12, 11.11.9, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13.</p> <p>F.5.3 Clearing does not occur where basal area is less than 4 metres² in regional ecosystems: 11.3.9, 11.3.10, 11.5.2, 11.5.3, 11.5.9, 11.5.12, 11.8.5, 11.9.2, 11.10.12, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>F.5.4 Clearing does not occur on slope limits in excess of those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) 3% for in regional ecosystems: 11.3.9, 11.3.10, 11.3.26; 11.5.8 and 11.11.9 b) 4% for clearing in regional ecosystem: 11.9.2; c) 5% for clearing in regional ecosystem: 11.5.3; 11.8.5; d) 7% for clearing in regional ecosystem: 11.5.2, 11.5.9, 11.5.12; 11.12.1, 11.12.2, 11.12.3, 11.12.6 and 11.12.13; e) 8% for clearing in regional ecosystem: 11.7.2;

Performance Requirement	Acceptable Solution
	<p>f) 10% for clearing in regional ecosystem: 11.10.12;</p> <p>AND</p> <p>F.5.5 Clearing does not occur:</p> <p>a) On soils with a depth less than 45cm; and</p> <p>b) On dispersible soils where the soil A horizon is less than 30cm.</p>
<p>PR F.6</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS F.6</p> <p>Clearing does not occur:</p> <p>a) in regional ecosystem: 11.7.1;</p> <p>b) in areas with an elevation greater than 20 metres above the surrounding regional ecosystem or where scarps occur in regional ecosystems: 11.5.2, 11.5.9, and 11.5.12;</p> <p>c) in existing or identified potential recharge areas;</p> <p>d) within 500 metres of existing or potential discharge areas where basal area density is greater than 4 metres² per hectare;</p> <p>e) within 1000 metres of existing or potential discharge areas where basal area density is less than 4 metres² per hectare;; and</p> <p>f) in at least 30% of the pre-clearing extent of remnant vegetation in a Drainage Basin Sub Area.</p>
<p>PR F.7</p> <p>To conserve remnant not of concern regional ecosystems and to prevent the loss of biodiversity, the natural floristic composition and the structural integrity of the regional ecosystem are maintained.</p>	<p>AS F.7</p> <p>Clearing:</p> <p>a) maintains the species composition, size classes and structural integrity of the regional ecosystem typical at that locality; and</p> <p>b) maintains viable populations of each species listed in the regional ecosystem description.</p> <p>c) does not does not remove mature trees that contain holes or habitat features.</p>
<p>PR F.8</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, the environmental effects of fodder harvesting are minimised.</p>	<p>AS F.8</p> <p>Clearing:</p> <p>a) occurs by selective felling, cutting or breaking¹¹; and</p> <p>b) is limited to suitable fodder species; and</p> <p>c) does not remove plants that are not suitable fodder species.</p>

¹¹ Selective felling, cutting or breaking involves the harvesting of individual trees only.

Performance Requirement	Acceptable Solution
<p>PR F.9</p> <p>To prevent the loss of biodiversity, adequate representation of regional ecosystems is maintained across the area to which this code applies.</p>	<p>AS F.9</p> <p>F.9.1 Clearing does not occur in regional ecosystems: 11.3.7, 11.3.12, 11.3.29, 11.3.37, 11.7.5, 11.8.3, 11.9.9, 11.9.13, 11.10.9, 11.10.11, 11.11.2, 11.11.5, and 11.11.19;</p> <p>F.9.2 Clearing does not exceed a maximum of 70% of the pre-clearing extent of a property in regional ecosystems: 11.3.9, 11.3.10, 11.3.26, 11.5.2, 11.5.3, 11.5.8, 11.5.9, 11.5.12, 11.7.2, 11.8.5, 11.9.2, 11.10.12, 11.11.9, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13.</p>

Part T: Requirements for Thinning¹²

Performance Requirement	Acceptable Solution
<p>PR T.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS T.1</p> <p>Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) in wetlands, lakes, and springs; or b) in regional ecosystems: 11.1.1, 11.1.2, and 11.3.27.
<p>PR T.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable wildlife habitat is maintained.</p>	<p>AS T.2</p> <p>T.2.1 Clearing:</p> <ul style="list-style-type: none"> a) does not clear mature trees; and b) does not alter species composition or densities typical of the regional ecosystem surrounding that locality; and c) does not occur in pre-existing thick patches of remnant vegetation; and d) maintains viable populations of each species present and listed in the regional ecosystem description¹³. <p>AND</p> <p>T.2.2 Clearing achieves a mosaic pattern that includes the protection of patches and strips of remnant vegetation representative of a range of densities of the regional ecosystem</p>
<p>PR T.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and 	<p>AS T.3</p> <p>Mechanical clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream order 1 and 2 watercourses; b) 100 metres from the high bank of each stream order 3 and 4 watercourses; and c) 200 metres from the high bank of each stream order 5 or greater watercourses d) regional ecosystems: 11.3.25 and 11.3.37.

¹² Thinning means the selective clearing of vegetation at a locality to restore a regional ecosystem to the floristic composition and range of densities typical of the regional ecosystem surrounding that locality. The term does not include using a chain or cable linked between 2 tractors, bulldozers or other traction engines.

¹³ The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

Performance Requirement	Acceptable Solution
<p>d) provide food for aquatic ecosystems; and e) maintain wildlife habitat.</p>	
<p>PR T.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS T.4 T.4.1 Clearing (mechanical or chemical methods) does not occur on slope limits in excess 5% except for those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) Chemical only: <ul style="list-style-type: none"> i) 3% in regional ecosystem: 11.3.29; and ii) 20% in regional ecosystem: 11.10.1; b) 1% for clearing in regional ecosystems: 11.3.3, 11.3.4, and 11.3.36; c) 3% for clearing in regional ecosystems: 11.3.1, 11.3.2, 11.3.9, 11.3.10, 11.3.35, 11.4.1, 11.4.3, 11.4.5, 11.4.6, 11.5.8, 11.5.16, 11.5.18, and 11.8.12; d) 3% for mechanical clearing and 5% for chemical clearing in regional ecosystem: 11.3.26; e) 3% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.11.9; f) 4% for mechanical clearing and 6% for chemical clearing in regional ecosystem: 11.9.3; g) 4% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.9.2; h) 5% for mechanical clearing and 5% for chemical clearing in regional ecosystems: 11.3.7, 11.3.11, 11.4.8, 11.4.9, 11.4.13, 11.5.15, 11.8.5, 11.9.5, and 11.9.10; i) 5% for clearing in regional ecosystems: 11.7.5, 11.10.9, and 11.12.21; j) 5% for mechanical clearing and 15% for chemical clearing in regional ecosystems: 11.9.13 and 11.11.10; k) 5% for mechanical clearing and 20% for chemical clearing in regional ecosystems: 11.4.2 and 11.5.3^a; l) 7% for clearing in regional ecosystem: 11.5.2, 11.5.9, 11.5.12, 11.9.1, and 11.9.7; m) 7% for mechanical clearing and 20% for chemical clearing in regional ecosystem: 11.9.9; n) 7% for mechanical clearing and 25% for chemical clearing in regional ecosystem:

Performance Requirement	Acceptable Solution
	<p>11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>o) 8% for mechanical clearing and 10% for chemical clearing in regional ecosystem: 11.7.1;</p> <p>p) 8% for mechanical clearing and 12% for chemical clearing in regional ecosystems: 11.7.2, 1.7.3, 11.7.4, 11.8.14, and 11.8.15;</p> <p>q) 10% for clearing in regional ecosystems: 11.11.13, 11.11.14, 11.11.15, 11.11.16, and 11.11.19;</p> <p>r) 10% for mechanical clearing and 12% for chemical clearing in regional ecosystems: 11.10.3 and 11.10.12;</p> <p>s) 10% for mechanical clearing and 20% for chemical clearing in regional ecosystem: 11.10.4;</p> <p>t) 10% for mechanical clearing and 25% for chemical clearing in regional ecosystem: 11.8.4;</p> <p>u) 12% for mechanical clearing and 15% for chemical clearing in regional ecosystems: 11.10.11, 11.11.1, and 11.11.2;</p> <p>v) 15% for mechanical clearing and 20% for chemical clearing in regional ecosystems: 11.10.7;</p> <p>w) 20% for mechanical clearing and 20% for chemical clearing in regional ecosystems: 11.8.3, 11.8.13, 11.9.4, 11.10.8, 11.11.5, 11.11.18, and 11.12.4.</p> <p>T.4.4 Clearing does not occur:</p> <p>a) On soils with a depth less than 45cm; and</p> <p>b) On dispersible soils where the soil A horizon is less than 30cm.</p>
<p>PR T.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS T.5</p> <p>Clearing does not occur:</p> <p>a) in existing or identified potential recharge areas; or</p> <p>b) within 500 metres of existing or potential discharge areas where basal area is greater than 4 metres² per hectare; or</p> <p>c) within 1000 metres of existing or potential discharge areas where basal area is less than 4 metres² per hectare.</p>

Performance Requirement	Acceptable Solution
<p>PR T.6</p> <p>To prevent the loss of biodiversity, thinning only occurs in areas where demonstrated thickening has occurred.</p>	<p>AS T.6</p> <p>T.6.1 Clearing only occurs in areas where it is demonstrated that the density of the vegetation has thickened.</p> <p>AND</p> <p>T.6.2 Clearing only occurs in areas of thickening which is demonstrated by:</p> <ul style="list-style-type: none"> a) comparing the density of remnant vegetation in the earliest available aerial photography that includes the subject area with the most recent available aerial photography that shows the same area; and b) finding that there is an increase in the density or extent of vegetation that is inconsistent with of the range of densities of the regional ecosystem surrounding that locality or c) finding that the species is not listed in the description of the regional ecosystem¹⁴.
<p>PR T.7</p> <p>To prevent the loss of biodiversity, the floristic composition and range of densities of the regional ecosystem at that locality are restored or maintained.</p>	<p>AS T.7</p> <p>Clearing:</p> <ul style="list-style-type: none"> a) does not remove mature trees; and b) attains the floristic composition, size classes and densities typical of the regional ecosystem surrounding that locality; and c) maintains viable populations of each species present and listed in the regional ecosystem description¹²; and d) does not remove pre-existing thick patches of remnant vegetation; and e) achieves a mosaic pattern of the range of densities of the regional ecosystem surrounding that locality.

¹⁴ The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

Part E: Requirements for Clearing Encroachment

Performance Requirement	Acceptable Solution
<p>PR E.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS E.1</p> <p>Mechanical clearing does not occur in, or within 100 metres of the static high water mark of, natural wetlands, lakes and springs.</p>
<p>PR E.2</p> <p>To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS E.2</p> <p>Clearing:</p> <ul style="list-style-type: none"> a) does not alter species composition or densities typical of the regional ecosystem; and b) maintains viable populations of each species present and listed in the regional ecosystem description.
<p>PR E.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS E.3</p> <p>Mechanical clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 200 metres from each high bank of each stream order 5 or greater; and b) 100 metres width from each bank of each stream order 3 to 4; and c) 50 metres from each bank of each stream order 1 to 2
<p>PR E.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS E.4</p> <p>E.4.1 Clearing of encroaching species will not cause negative environmental effects from soil erosion outside the permit area.</p> <p style="text-align: center;">AND</p> <p>E.4.2 Clearing of encroaching species does not occur:</p> <ul style="list-style-type: none"> a) On soils with a depth less than 45cm; and b) On dispersible soils where the soil A horizon is less than 30cm.

Performance Requirement	Acceptable Solution
<p>PR E.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS E.5 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in existing or identified potential recharge areas; b) within 500 metres in densely timbered areas (greater than 4m² basal area) and 1000 metres in sparsely timbered areas (less than 4m² basal area) of an existing or potential discharge area.
<p>PR E.6 To prevent the loss of biodiversity, clearing for encroachment only occurs in areas where demonstrated encroachment has occurred.</p>	<p>AS E.6 E.6.1 Clearing for encroachment only occurs in a regional ecosystem for which an application for clearing of encroachment may be accepted under the <i>Vegetation Management Act 1999</i> section 22A(2); AND E.6.2 Clearing only occurs in areas of encroachment which is demonstrated by:</p> <ul style="list-style-type: none"> c) comparing the density of woody remnant vegetation in the earliest available aerial photography that includes the subject area with the most recent available aerial photography that shows the same area; and d) finding that there is an increase in the density or extent of woody vegetation that is inconsistent with the description of the regional ecosystem, or e) finding that the woody species is not listed in the description of the regional ecosystem.
<p>PR E.7 To prevent the loss of biodiversity, the floristic composition and range of densities of the regional ecosystem at that locality are restored or maintained.</p>	<p>AS E.7 Clearing:</p> <ul style="list-style-type: none"> a) attains the floristic composition, size classes and densities typical of the regional ecosystem surrounding that locality; and b) maintains viable populations of each species present and listed in the regional ecosystem description; and c) does not remove pre-existing thick patches of woody vegetation; and d) removes only the encroaching species.

Part X: Requirements for Clearing for an Extractive Industry¹⁵

An application that is for clearing for extractive industry and is also for the purpose of clearing for a significant project declared under the *State Development and Public Works Organisation Act 1971*, section 26 will be assessed under this part of the code, and not under Part S.

An application that is for clearing for extractive industry and is also for the purpose of clearing for establishing a necessary fence, firebreak, road or other built infrastructure, or for clearing that is a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003, will be assessed under this part of the code, and not under Part M.

Performance Requirements	Acceptable Solution
<p>PR X.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS X.1 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.1.1, 11.1.2, and 11.3.27; or c) within 100 metres from the static high water mark of natural wetlands, lakes, and springs.
<p>PR X.2 To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained</p>	<p>AS X.2 X.2.1 Vegetation is retained in corridors with a 5:1 length to width ratio, which provide connectivity between:</p> <ul style="list-style-type: none"> a) clumps of retained vegetation on the property or on adjoining properties; and b) wetlands; and c) endangered or of concern regional ecosystems. <p>OR</p> <p>X.2.2 Viable networks of wildlife habitat are maintained by offsetting areas of vegetation immediately adjacent to the area of vegetation affected by the application, in a manner that meets the requirements of X.2.1.</p>

¹⁵ Extractive industry means one or more of the following:

- (a) dredging material from the bed of any waters;
- (b) extracting rock, sand, clay, gravel, loam or other material, from a pit or quarry;
- (c) screening, washing, grinding, milling, sizing or separating material extracted from a pit or quarry.

Performance Requirements	Acceptable Solution
<p>PR X.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS X.3 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 50 metres from the high bank of each stream order 1 and 2 watercourses; b) 100 metres from the high bank of each stream order 3 and 4 watercourses; and c) 200 metres from the high bank of each stream order 5 or greater watercourses d) regional ecosystems: 11.3.25 and 11.3.37.
<p>PR X.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS X.4 X.4.1 Clearing must not be undertaken in a manner that allows adverse environmental effects from soil erosion resulting from the clearing to occur outside the operational area.</p> <p>AND X 4.2 Clearing is:</p> <ul style="list-style-type: none"> a) staged in line with operational needs to restrict clearing to the operational area; and b) limited to the area from which material will be extracted within the term of the permit.
<p>PR X.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS X.5 X.5.1 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in regional ecosystem: 11.7.1; b) where scarps occur in regional ecosystems: 11.5.2, 11.5.9, and 11.5.12; c) in existing or potential recharge areas; d) within 500 metres of existing or potential discharge areas where basal area density is greater than 4 metres² per hectare; e) within 1000 metres of existing or potential discharge areas where basal area density is less than 4 metres² per hectare; f) in at least 30% of the pre-clearing extent of remnant vegetation at a catchment

Performance Requirements	Acceptable Solution
	<p>level.</p> <p>AND</p> <p>X.5.2 Clearing does not reduce the extent of remnant vegetation to less than 30% of the pre-clearing extent of remnant vegetation in the contributing catchment.</p> <p>AND</p> <p>X.5.3 Clearing does not occur in areas subject to waterlogging or areas at risk.</p>
<p>PR X.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p>	<p>AS X.6 Clearing does not occur in an endangered or of concern regional ecosystem or an area shown as ‘category 1’ or ‘category 2’ on a Property Map of Assessable Vegetation, unless the clearing:</p> <p>a) is in a resource/processing area or transport route of a Key Resource Area identified in a State Planning Policy on Protection of Extractive Resources, or if no State Planning Policy is made, is in a resource/processing area or transport route for an area that in the opinion of the chief executive is an extractive resource of State significance;</p> <p>AND</p> <p>b) the clearing is offset by protecting an area of non-remnant (other than a category 1, category 2, category 3 or category 4 area on a PMAV), or remnant vegetation that may otherwise be approved to be cleared under this code that achieves the following:</p> <ul style="list-style-type: none"> i. the regional ecosystem to be restored is or will be the same regional ecosystem as the regional ecosystem to be cleared; and ii. the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and iii. there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation.

Performance Requirements	Acceptable Solution
<p>PR X.7 Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and manage the environmental effects of clearing.</p>	<p>AS X.7 X.7.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit for clearing on the property;</p> <p>AND X.7.2 Clearing for the construction of infrastructure associated with an extractive industry operation is limited to the extent that is reasonably necessary for the construction and operation of the infrastructure;</p> <p>AND X.7.3 Clearing is: <ul style="list-style-type: none"> a) staged in line with operational needs to restrict clearing to the area required for active extractive activity at any one time; and b) limited to the area from which material will be extracted within the term of the permit. </p>

Part R: Requirements for Clearing Regrowth on Leasehold Land¹⁶

Where this part of the code refers to a regional ecosystem in the acceptable solutions, the pre-clearing extent map will be used to determine the location and extent of the regional ecosystem.

Performance Requirements	Acceptable Solution
<p>PR R.1</p> <p>Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS R.1</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in natural wetlands, lakes, and springs; or, b) in regional ecosystems: 11.1.1, 11.1.2, and 11.3.27; or c) within 100 metres from the static high water mark of natural wetlands, lakes, and springs.
<p>PR R.2</p> <p>To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS R.2</p> <p>R.2.1 Clearing does not isolate endangered or of concern regional ecosystems, or natural wetlands. These areas must be linked to clumps with corridors that are at least 200 metres wide.</p> <p>R.2.2 On properties less than 1000 hectares, clearing does not reduce the extent of vegetation to less than 30% of the area the property</p> <p>AND</p> <p>R.2.3 On properties greater than 1000 hectares, clearing does not does reduce the extent of vegetation to less than 30% of the area of the property, retained in:</p> <ul style="list-style-type: none"> a) Clumps with areas of at least 50 hectares with a perimeter (m) to area (ha) ratio of less than 200:1; and b) Corridors of retained vegetation greater than 200 metres wide, connecting those clumps. <p>AND</p> <p>M.2.3 At least 50% of the retained vegetation is to be contained within 1 or 2 clumps.</p>

¹⁶ For the purposes of this code, regrowth is non-remnant vegetation that has emerged following clearing undertaken on or before 31 December 1989, and is on a lease issued under the *Land Act 1994* for agriculture or grazing purposes.

Performance Requirements	Acceptable Solution
<p>PR R.3</p> <p>To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS R.3</p> <p>Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 25 metres from the high bank of each stream order 1 watercourse; b) 50 metres from the high bank of each stream order 2 watercourse; c) 100 metres from the high bank of each stream order 3 and 4 watercourses; and d) 200 metres from the high bank of each stream order 5 or greater watercourses; e) regional ecosystems: 11.3.25 and 11.3.37.
<p>PR R.4</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS R.4</p> <p>R.4.1 Clearing does not occur on slope limits in excess of those specified for the regional ecosystems listed below:</p> <ul style="list-style-type: none"> a) Chemical only: <ul style="list-style-type: none"> i) 3% in regional ecosystem: 11.3.29; and ii) 20% in regional ecosystem: 11.10.1; b) 1% for clearing in regional ecosystems: 11.3.3, 11.3.4, and 11.3.36; c) 3% for clearing in regional ecosystems: 11.3.1, 11.3.2, 11.3.9, 11.3.10, 11.3.35, 11.4.1, 11.4.3, 11.4.5, 11.4.6, 11.5.8, 11.5.16, 11.5.18, and 11.8.12; d) 3% for mechanical clearing and 5% for chemical clearing in regional ecosystem: 11.3.26; e) 3% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.11.9; f) 4% for mechanical clearing and 6% for chemical clearing in regional ecosystem: 11.9.3; g) 4% for mechanical clearing and 7% for chemical clearing in regional ecosystem: 11.9.2; h) 5% for clearing in regional ecosystems: 11.3.7, 11.3.11, 11.4.8, 11.4.9, 11.4.13, 11.5.15, 11.8.5, 11.9.5, and 11.9.10; i) 5% for mechanical clearing and 8% for

Performance Requirements	Acceptable Solution
	<p>chemical clearing in regional ecosystems: 11.7.5, 11.10.9, and 11.12.21;</p> <p>j) 5% for mechanical clearing and 15% for chemical clearing in regional ecosystems: 11.9.13 and 11.11.10;</p> <p>k) 5% for mechanical clearing and 20% for chemical clearing in regional ecosystems: 11.4.2 and 11.5.3;</p> <p>l) 7% for clearing in regional ecosystem: 11.5.2, 11.5.9, 11.5.12, 11.9.1, and 11.9.7;</p> <p>m) 7% for mechanical clearing and 20% for chemical clearing in regional ecosystem: 11.9.9;</p> <p>n) 8% for mechanical clearing and 10% for chemical clearing in regional ecosystem: 11.7.1;</p> <p>o) 8% for mechanical clearing and 12% for chemical clearing in regional ecosystems: 11.7.2, 1.7.3, 11.7.4, 11.8.14, and 11.8.15;</p> <p>p) 10% for clearing in regional ecosystems: 11.11.13, 11.11.14, 11.11.15, 11.11.16, and 11.11.19;</p> <p>q) 10% for mechanical clearing and 12% for chemical clearing in regional ecosystems: 11.10.3 and 11.10.12;</p> <p>r) 10% for mechanical clearing and 20% for chemical clearing in regional ecosystem: 11.10.4;</p> <p>s) 10% for mechanical clearing and 25% for chemical clearing in regional ecosystem: 11.8.4, 11.12.1, 11.12.2, 11.12.3, 11.12.6, and 11.12.13;</p> <p>t) 12% for mechanical clearing and 15% for chemical clearing in regional ecosystems: 11.10.11, 11.11.1, and 11.11.2;</p> <p>u) 15% for mechanical clearing and 20% for chemical clearing in regional ecosystems: 11.10.7;</p> <p>v) 20% for clearing in regional ecosystems: 11.8.3, 11.8.13, 11.9.4, 11.10.8, 11.11.5, 11.11.18, and 11.12.4.</p> <p>R.4.2 Clearing does not occur:</p> <p>a) On soils with a depth less than 45 centimetres; and</p> <p>b) On dispersible soils where the soil A horizon is less than 30 centimetres.</p>

Performance Requirements	Acceptable Solution
<p>PR R.5</p> <p>To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS R.5</p> <p>Clearing does not occur:</p> <ul style="list-style-type: none"> a) in regrowth shown on a pre-clearing extent maps as regional ecosystem: 11.7.1; b) where scarps occur in regional ecosystems: 11.5.2, 11.5.9, and 11.5.12; c) in existing or potential discharge areas; d) within 500 metres of an existing or potential discharge area where basal area is greater than 4 metres² per hectare; e) within 1000 metres of an existing or potential discharge area where basal area density is less than 4 metres² per hectare; f) in priority recharge areas; and g) in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.

8. Dictionary

A horizon: Horizons either consisting of one or more surface mineral horizons with some organic accumulation and usually darker in colour than the underlying horizons, or consisting of surface and subsurface horizons that are lighter in colour but have a lower content of silicate clay and/or sesquioxides than the underlying horizons.

Basal area: Basal area is a measure of the number of square metres in each hectare covered by trees. The cross-section of each tree is measured at 1.3 metres above ground level.

Aerial Photography: Vertical aerial photographs, identified by film number, run number and frame number, captured as part of a coordinated aerial photography program or project on which the date of photography, flying height, lens focal length and project name are specified.

Acid sulfate soils: are soils, sediments or peat containing highly acidic soil horizons or layers affected by the oxidation of soil material that is rich in iron sulfides, primarily pyrite. This oxidation produces hydrogen ions in excess of the sediments capacity to neutralize the acidity, resulting in soils of pH 4 or less. These soils can sometimes be identified by the presence of secondary sulfate salts such as jarosite.

Area of State Significance: is an area identified on a map¹⁷ prepared by the Chief Executive of the Environmental Protection Agency and certified by the Chief Executive of Department of Natural Resources, Mines and Energy for the purposes of this code as an area of State Significance.

B horizon: Horizons consisting of one or more mineral soil layers characterised by one or more of the following: a concentration of silicate clay, iron, aluminum, organic material or several of these; a structure and/or consistence unlike that of the A horizons above or of any horizons immediately below; stronger colours, usually expressed as higher chroma and /or redder hue, than those of the A horizons above or those of the horizons below.

Chain Pulling Clearing trees by using a chain or cable linked between two tractors or bulldozers.

Contributing Catchment means, for:

- a) a local ground water flow system, the area of the surface catchment measured above a point 5 km downstream from an existing or potential discharge area;
- b) an intermediate groundwater flow system, the area encompassed by a 15km radius from an existing or potential discharge area;
- c) a regional groundwater flow system: the area with the relevant drainage sub area at a higher elevation than an existing or potential discharge area; or

¹⁷ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the area of state significance for a particular area.

Corridors: are continuous strips of vegetation; that link larger tracts of native vegetation; that are used or capable of being used by wildlife for movement; and are capable of being habitat in their own right.

Declared pest: is a pest declared under the *Land Protection (Pest and Stock Route Management) Act 2002*.

Demonstrated encroachment: means the increase in density of woody vegetation in grassland regional ecosystems listed in the *Vegetation Management Regulation 2000* which can be proven by reference to the earliest available aerial photography that includes the subject area when compared with the most recent available aerial photography that shows the same area.

Demonstrated, for a proposed offset, includes demonstrated by reference to published literature, the written opinion of a recognised expert in the field of revegetation; or by comparison to revegetation projects in similar regional ecosystems and similar conditions.

Demonstrated thickening: means the increase in the density of woody remnant vegetation which can be proven by reference to the earliest available aerial photography that includes the subject area when compared with the most recent available aerial photography that shows the same area.

Discharge area (potential or existing): is –

- a) that part of the land surface where groundwater discharge produces a net movement of water out of the groundwater; and
- b) identified by an assessment process as outlined in the document: *Salinity Management Handbook, Queensland Department of Natural Resources, 1997*; or
- c) is identified by an approved salinity hazard map.

Dispersible soils: are soils in which clay material disintegrates into particles less than 2 microns when submerged in distilled water for 12 hours.

Drainage Basin Sub Area: is identified on an electronic map layer held by the Department of Natural Resources, Mines & Energy.

Encroachment: means a woody species that has invaded an area of a grassland regional ecosystem to the extent the area is no longer consistent with the description of the regional ecosystem.

Floristic composition (or species composition): is determined by the description of the regional ecosystem.

Fodder harvesting: is the clearing of fodder species for the purpose of being eaten by stock.

Fodder species: are species where the proponent can establish with published literature, to the satisfaction of the Chief Executive, that:

- a) in the local conditions, the species is suitable for browse fodder (that it is palatable, non-toxic and contributes to stock nutrition); and
- b) the species will regenerate successfully after harvesting.
Such information may be located in current scientific literature, such as Everist, SL (1985) *Use of Fodder Trees and Shrubs*, Qld Department of Primary Industries Information Series QI85015

Fodder species do NOT include Brigalow (*Acacia harpophylla*), Gidgee (*Acacia cambagei*) and all species of the genera Eucalyptus and Corymbia.

Foliage cover: is the percentage of the sample site occupied by the vertical projection of the foliage and woody branches

Grassland regional ecosystem: means a grassland regional ecosystem prescribed under a regulation as a grassland regional ecosystem.

Groundwater flow system: is a zone with hydrogeological characteristics that influence the occurrence of dryland salinity. The hydrogeological characteristics relate to the movement of groundwater from a recharge area, through a transmission zone, to a discharge area or a potential discharge area.

High bank: is the terrace or bank or, if no bank is present, the point on the active floodplain which confines the normal flow, and which is either permanent or intermittent

Key resource area: is an area identified in a State Planning Policy for Extractive Industries as a Key Resource Area.

Lake: is a lagoon, billabong, or other natural area of open water, whether permanent or intermittent.

Local ground water flow system: is a ground water flow system where the distance between a discharge area and the closest recharge area is less than 5km.

Mature trees: are trees that:

- a) are present in the predominant canopy as dominants or co-dominants; and
- b) have a trunk diameter, measured 1.3m above the ground, more than one half of that of the largest trees of the same species in the regional ecosystem typical at that locality, or
- c) have more than one hollow more than 10cm in diameter and more than 2 metres above the ground.

Mechanical clearing: is the use of machinery to clear vegetation, which disturbs the soil surface or uproots woody vegetation.

Operational area: means the area actively being used for extractive industry at any one time.

Pre-clearing extent: for a regional ecosystem, means the extent of the regional ecosystem before it was cleared, which is shown on a digital map prepared by the Queensland Herbarium.

Priority recharge areas are areas

- a) identified as moderate-high or high on the recharge layer of an approved Salinity Hazard Map of the Department of Natural Resources, Mines and Energy; or
- b) identified using an assessment process that is consistent with the document: *Salinity Management Handbook, Queensland Department of Natural Resources, 1997*.

Property: constitutes a lease, a license or permit under the Land Act, a single freehold lot or an aggregation of freehold lots that are worked as a single unit.

Protecting: when offsetting means the area is either: declared as an area of high nature conservation value or vulnerable to land degradation under the *Vegetation Management Act 1999*; a protected tenure under the *Nature Conservation Act 1992*; or lawfully covenanted under the *Land Title Act 1994* and *Integrated Planning Act 1997*.

Rabbit warren complex: is an underground place with 2 or more entry points where rabbits breed.

Recharge areas: are identified by either-

- a) an assessment process that is consistent with the document: *Salinity Management Handbook, Queensland Department of Natural Resources, 1997*; or
- b) an approved salinity hazard map.

Resource/processing area: means the area of an extractive resource and the operational areas associated with extraction and processing of extractive materials. For a Key Resource Area identified by a State Planning Policy on Protection of Extractive Resources, the terms means the resource/processing area defined for that Key Resource Area in that State Planning Policy

Scarp: a very wide steep to precipitous slope eroded by gravity, mass movement or sheet flow

Soil erosion: includes landslip, gully erosion, rill erosion, sheet erosion, stream bank erosion, wind erosion or scalding; and associated loss of chemical, physical or biological fertility. (such as water holding capacity, soils structure, organic matter, soil biology and nutrients)

Springs: are –

- a) where water naturally rises to and flows over the surface of land; and

- b) those listed in: Fensham and Fairfax (2002) ‘Queensland springs distribution-assessment’.

State Wildlife Corridors: are areas identified on a map¹⁸ prepared by the Chief Executive of Environmental Protection Agency and certified by the Chief Executive of the Department of Natural Resources, Mines and Energy for the purposes of this code as State Wildlife Corridors.

Static high water mark: is the settled ordinary water level that occurs under average meteorological conditions. It is less than extreme levels that can be caused by storm surges.

Stream order: is a numerical ordering classification of each watercourse segment according to its position within a catchment. When two streams of the same order join, the resulting watercourse becomes one stream order larger. If two streams of different order join, the resultant stream order is that of the larger stream, as shown in Figure 2.

Thinning: means the selective clearing of vegetation at a locality to restore a regional ecosystem to the floristic composition and range of densities typical of the regional ecosystem surrounding that locality. The term does not include using a chain or cable linked between 2 tractors, bulldozers or other traction engines.

Transport Route: means the route used to transport¹⁹ extractive materials to markets. For a Key Resource Area identified by a State Planning Policy on Protection of Extractive Resources, the term means the transport route defined for that Key Resource Area in that State Planning Policy

Viable network: areas of vegetation that exhibit high levels of connectivity, are representative of all regional ecosystems on the property, are large enough to allow ecosystem functioning, are self generating and able to remain in the landscape in spite of threatening processes.

Viable populations: means maintaining a range of size classes of the species at sufficient populations to ensure its ongoing presence at that site.

Waterlogging: is the saturation of soil by soil water.

Wetlands: are one or more of the following–

- a) areas of permanent or periodic/intermittent inundation, with water that is static or flowing fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6 metres. To be a wetland the area must have one or more of the following attributes:

¹⁸ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the State wildlife corridors for a particular area.

¹⁹ Generally road haulage is used to transport extractive materials, but in some circumstances could be:

- Rail transport, for example for transporting rail ballast where the extractive resource deposit is adjacent to rail (some rail ballast is trucked to a distribution centre at a rail siding); or
- Conveyor transport comprising a loading point, conveyor, and a distribution centre where there are significant rates of extraction.

- i. at least periodically the land supports plants and animals that are adapted to and dependent on living in wet conditions for at least part of their life cycle.
 - ii. the substratum is predominantly undrained soils that are saturated, flooded or ponded long enough to develop anaerobic conditions in the upper levels.
 - iii. the substratum is not soil and is saturated with water, or covered by shallow water at some time;
- b) those areas shown as a swamp, lake, marsh, waterhole, wetland, billabong, pool or spring on the latest Sunmap 1:100,000 or 1:250,000 topographic map.
 - c) those areas listed in: Environment Australia (2001). *A Directory of Important Wetlands in Australia*. Third Edition. Environment Australia, Canberra.

Wildlife habitat: is the combination of factors both biotic and abiotic that meet the requirements of a particular species of native plant or animal.




Figure 1: Location of Nebo-Broadsound (Brigalow Belt Bioregion)




Figure 2: Diagrammatic view of stream ordering