

Regional

Vegetation Management Code

for

Ongoing Clearing Purposes

Einasleigh Uplands Bioregion

(Southern)

25 June 2004



Table of Contents

1. DESCRIPTION OF REGION	3
2. REGULATORY BACKGROUND	3
3. PURPOSE OF THE CODE	4
4. AMENDMENTS OF THIS CODE	4
5. SCOPE OF APPLICATIONS ASSESSED BY THIS CODE	5
6. HOW TO USE THIS CODE	5
7. ASSESSMENT CODES	8
<i>Part A: Mandatory Requirements for All Clearing</i>	<i>8</i>
<i>Part S: Requirements for Clearing for Significant Projects</i>	<i>12</i>
<i>Part W: Requirements for Clearing Vegetation for Weed or Pest Management</i>	<i>16</i>
<i>Part M: Requirements for Clearing for Management Activities</i>	<i>19</i>
<i>Part F: Requirements for Fodder Harvesting</i>	<i>22</i>
<i>Part T: Requirements for Thinning</i>	<i>24</i>
<i>Part E: Requirements for Clearing Encroachment</i>	<i>27</i>
<i>Part X: Requirements for Clearing for an Extractive Industry</i>	<i>29</i>
<i>Part R: Requirements for Clearing Regrowth</i>	<i>32</i>
7. DICTIONARY	34

Table of Figures

FIGURE 1: LOCATION OF EINASLEIGH UPLANDS BIOREGION (SOUTHERN)	39
FIGURE 2: DIAGRAMMATIC VIEW OF STREAM ORDERING	39

1. Description of Region

This regional vegetation management code applies to the Einasleigh Uplands Bioregion (Southern). The boundary of the Einasleigh Uplands Bioregion (Southern) is defined in digital form held by the Department of Natural Resources, Mines and Energy, and is illustrated in Figure 1.

Major centers in the Einasleigh Uplands Bioregion (Southern) include Charters Towers, Greenvale and Ravenswood.

The Einasleigh Uplands Bioregion (Southern) is bordered to the north by the Einasleigh Uplands Bioregion (Northern), to the east by the Wet Tropics Bioregion, to the south by the Desert Uplands (Northern) and Brigalow Belt (Northern) Regions, and to the west by the Gulf Plains (Northern) Region and the North-western Mitchell Grass Downs Region.

Surface water in the Bioregion is drained by both east and west flowing rivers. The major catchments within the Bioregion are the Burdekin and Flinders River catchments.

The dominant land use in the Einasleigh Uplands Bioregion (Southern) is beef cattle enterprises on native pastures, while horticulture occurs along the Burdekin River. Mining and tourism are also significant commercial uses.

2. Regulatory background

This is a regional vegetation management code to be used for the assessment of development applications for clearing vegetation under the *Integrated Planning Act 1997*. It is prepared in accordance with provisions set out in the *Vegetation Management Act 1999* (VMA) and is to be applied in the circumstances where the VMA allows that an application for assessable clearing be accepted.

The Chief Executive of the Department that administers the *Vegetation Management Act 1999* is responsible for assessing clearing applications made under that Act.

This code provides the basis, consistent with the purposes of the *Vegetation Management Act 1999*, for making decisions about vegetation.

Purpose of the *Vegetation Management Act 1999*

The *Vegetation Management Act 1999* states:

‘(1) The purpose of this Act is to regulate the clearing of vegetation in a way that—

- (a) conserves the following:
 - (i) Remnant endangered regional ecosystems
 - (ii) Remnant of concern regional ecosystems
 - (iii) Remnant not of concern regional ecosystems
- (b) conserves vegetation in declared areas; and

- (c) ensures the clearing does not cause land degradation; and
 - (d) prevents the loss of biodiversity; and
 - (e) maintains ecological processes; and
 - (f) manages the environmental effects of the clearing to achieve the matters mentioned in paragraphs (a) to (e); and
 - (g) reduces greenhouse gas emissions.
- (2) The purpose is achieved mainly by providing for—
- (h) codes for the Planning Act relating to the clearing of vegetation that are applicable codes for the assessment of vegetation clearing applications under IDAS; and
 - (i) the enforcement of vegetation clearing provisions; and
 - (j) declared areas; and
 - (k) a framework for decision making that, in achieving this Act’s purpose in relation to subsection (1) (a) to (e), applies the precautionary principle that lack of full scientific certainty should not be used as a reason for postponing a measure to prevent degradation of the environment if there are threats of serious or irreversible environmental damage; and
 - (l) the phasing out of broadscale clearing of remnant vegetation by 31 December 2006.
- (3) In this section—
- “**environment**” includes—
- (a) ecosystems and their constituent parts including people and communities; and
 - (b) all natural and physical resources; and
 - (c) those qualities and characteristics of locations, places and areas, however large or small, that contribute to their biological diversity and integrity, intrinsic or attributed scientific value or interest, amenity, harmony and sense of community; and
 - (d) the social, economic, aesthetic and cultural conditions affecting the matters in paragraphs (a) to (c) or affected by those matters.’

3. Purpose of the code

The purpose of the Code is to provide performance criteria and, where appropriate, acceptable solutions that achieve the purpose of the *Vegetation Management Act 1999*.

4. Amendments of this code

Section 15 of the *Vegetation Management Act 1999* (VMA) states that the Minister may amend a regional vegetation management code without undertaking the required consultation if:

- ‘(a) the amendment is only to correct a minor error in the code, or make another change that is not a change of substance; or
- (b) the code states that an amendment of a stated type may be made to the code by amendment under this section and the amendment is of the stated type.’

The type of amendment that can be made to this code under Section 15 (b) of the VMA is:

- Protection of vegetation associated with rivers identified under legislation regulating wild rivers.

5. Scope of applications assessed by this code

A vegetation clearing application will be assessed under this code if the applicant has satisfied the chief executive that the development applied for is for a relevant purpose listed in S.22A of the *Vegetation Management Act 1999*. The relevant purposes are:

- a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26;
- necessary to control non-native plants or declared pests;
- to ensure public safety;
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure;
- a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003;
- for fodder harvesting;
- for thinning;
- for clearing of encroachment;
- for an extractive industry;
- for clearing regrowth on leases issued under the *Land Act 1994* for agriculture or grazing purposes.

6. How to use this Code

The code is comprised of nine parts.

Parts S, W, M, F, T, E, X and R of the code contain performance requirements that must be met by applications for particular purposes as shown in Table 1. The parts also contain acceptable solutions for meeting those requirements. The stated acceptable solution represents one way in which the relevant performance requirement may be met. Applicants who do not adopt the acceptable solution must show how they will meet the performance requirement. An applicant must meet each Performance Requirement by either:

- a) complying with the acceptable solution; or
- b) satisfying the assessment manager that the performance requirement is met through another solution proposed by the applicant.

Table 1 shows which parts of the code are used for each application purpose. Where the application is for multiple purposes over the same area, the applicant must meet all performance requirements for all of the purposes of the clearing. However, an application that is for clearing in regrowth on leasehold land for one or more of the purposes S, W, M, F, T, E, or X will be assessed under the code for the relevant purpose, and not under the part of the code for regrowth on leasehold land.

In determining whether an application meets the acceptable solution, or whether another solution provided by the applicant meets a performance requirement, the precautionary principle will be applied.

Properly made Development Applications for clearing vegetation made under the *Integrated Planning Act 1997* (IPA) are assessed using:

- Matters mentioned in Section 3.5.4(2) and (3) of IPA, which include:
 - The appropriate part of the code which relates to the purpose of the application; and
 - The laws that are administered by, and the relevant policies that are applied by, the Assessment Manager;
 - The common material as defined in IPA;
- The Property Vegetation Management Plan provided by the applicant;
- If there is a Property Map of Assessable Vegetation over the area which is the subject of the application, that Property Map of Assessable Vegetation;
- Regional Ecosystem or Remnant maps that apply to the area of land that is the subject of the application;
- Any further relevant information supplied by the applicant.

Table 1: Parts of the code

Purpose of application	Part of Code	Part
All applications	Mandatory Requirements for All Clearing	A
A project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i> , section 26	Requirements for Clearing for Significant Projects	S
Necessary to control non-native plants or declared pests	Requirements for Clearing for Weed or Pest Management	W
For establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure.	Requirements for Clearing for Management Activities	M
Clearing that is a natural and ordinary consequence of other assessable development for which a development approval as defined under the <i>Integrated Planning Act 1997</i> was given, or a development application as defined under the <i>Integrated Planning Act 1997</i> was made, before 16 May 2003.	Requirements for Clearing for Management Activities	M
To ensure public safety.	Requirements for Clearing for Management Activities	M
For fodder harvesting	Requirements for Fodder Harvesting	F
For thinning	Requirements for Thinning	T
For clearing of encroachment	Requirements for Clearing Encroachment	E
For an extractive industry	Requirements for Clearing for an Extractive Industry	X
For clearing regrowth on leases issued under the <i>Land Act 1994</i> for agriculture or grazing purposes, other than clearing for any other purpose listed above.	Requirements for Clearing Regrowth	R

7. Assessment codes

The performance requirements in Part A of this code must be met. No other solutions comply with this part of the code.

Part A: Mandatory Requirements for All Clearing

Performance Requirement
<p>PR A.1</p> <p>To conserve remnant endangered regional ecosystems, clearing does not occur in any “category 1 area” on a Property Map of Assessable Vegetation (PMAV), or where there is no PMAV, in any endangered regional ecosystem except where the Chief Executive is satisfied that the clearing is:</p> <ul style="list-style-type: none">• for a project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i>, section 26; or• necessary to control non-native plants or declared pests; or• to ensure public safety; or• for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or• for thinning; or• to remove encroachment; or• for an extractive industry.

Performance Requirement
<p>PR A.2</p> <p>To conserve remnant of concern regional ecosystems, clearing does not occur in any area shown as a “category 2 area” on a Property Map of Assessable Vegetation, or where there is no PMAV, in any of concern regional ecosystem except where the Chief Executive is satisfied that the clearing is:</p> <ul style="list-style-type: none">• for a project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i>, section 26; or• necessary to control non-native plants or declared pests; or• to ensure public safety; or• for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or• a natural and ordinary consequence of other assessable development for which a development approval as defined under the <i>Integrated Planning Act 1997</i> was given, or a development application as defined under the <i>Integrated Planning Act 1997</i> was made, before 16 May 2003; or• for thinning; or• to remove encroachment; or• for an extractive industry.
<p>PR A.3</p> <p>To prevent loss of biodiversity, clearing does not occur to the extent that:</p> <ul style="list-style-type: none">• the remnant extent of a not of concern regional ecosystem falls below 30% of its pre-clearing extent or 10 000 hectares in the bioregion; and• the remnant extent of an of concern regional ecosystem falls below 10% of its pre-clearing extent; and• the remnant extent of an of concern regional ecosystem falls below 30% of its pre-clearing extent where its remnant extent is less than 10 000 hectares, <p>except where the Chief Executive is satisfied that the clearing is:</p> <ul style="list-style-type: none">• for a project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i>, section 26; or• necessary to control non-native plants or declared pests; or• to ensure public safety; or• for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or• for an extractive industry.

Performance Requirement
<p>PR A.4</p> <p>To prevent the loss of biodiversity, clearing does not reduce the total extent of remnant vegetation in the Einasleigh Uplands (Southern) to less than 70% of the pre-clearing extent of remnant vegetation except where the Chief Executive is satisfied that the clearing is:</p> <ul style="list-style-type: none">• for a project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i>, section 26; or• necessary to control non-native plants or declared pests; or• to ensure public safety; or• for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or• for an extractive industry.
<p>PR A.5</p> <p>To prevent loss of biodiversity, clearing does not occur in an area which is identified on a map¹ prepared by the chief executive of the agency which administers the <i>Nature Conservation Act 1992</i> and certified for use for the purposes of this code by the chief executive of the Department of Natural Resources, Mines & Energy, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act, except where the Chief Executive is satisfied that the clearing is:</p> <ul style="list-style-type: none">• for a project declared to be a significant project under the <i>State Development and Public Works Organisation Act 1971</i>, section 26; or• necessary to control non-native plants or declared pests; or• to ensure public safety; or• for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or• for thinning; or• to remove encroachment.

¹ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

Performance Requirement

PR A.6

To ensure clearing does not cause land degradation and to maintain ecological processes, clearing does not occur in Drainage Basin Sub Areas that have less than 30% of the area covered with remnant vegetation, unless the Chief Executive is satisfied that the clearing is:

- for a project declared to be a significant project under the *State Development and Public Works Organisation Act 1971*, section 26; or
- necessary to control non-native plants or declared pests; or
- to ensure public safety; or
- for establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- for thinning; or
- for an extractive industry; or
- for clearing regrowth on leases issued under the *Land Act 1994* for agriculture or grazing purposes.

Part S: Requirements for Clearing for Significant Projects²

Performance Requirement	Acceptable Solution
<p>PR S.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS S.1 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in or within 200 metres of the static high water mark of natural wetlands, lakes and springs; and b) in the following regional ecosystems: 9.3.1; 9.3.6; 9.3.11; and 9.3.12.
<p>PR S.2 To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS S.2 Clearing:</p> <ul style="list-style-type: none"> a) retains clumps of at least 100 hectares with a perimeter (m) to area (ha) ratio of no more than 200:1; and connected by corridors of retained vegetation greater than 200 meters wide with no more than 5:1 length to width ratio; b) does not occur in an area which is identified on a map³ prepared by the chief executive of the agency which administers the <i>Nature Conservation Act 1992</i> and certified for use for the purposes of this code by the chief executive of NRM&E, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act. c) does not occur in the following regional ecosystems: 9.8.7; 9.11.8; 9.12.8 and 9.12.34.

² Significant projects are those declared to be a significant project under the *State Development and Public Works Organisation Act 1971*.

³ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

Performance Requirement	Acceptable Solution
<p>PR S.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS S.3 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 200 metres of each high bank of each stream order 5 or above, except for regional ecosystems: 9.3.3, 9.3.16, 9.3.19, 9.3.20 and 9.3.22 where clearing can occur to within 50m of the high bank of each stream order 5 or above; and b) 100 metres of each high bank of each stream order 3 or 4; and c) 50 metres of each high bank of each stream order 1 or 2; and d) the following regional ecosystems: 9.3.6; 9.3.12; 9.3.13; 9.3.15 and 9.3.17.
<p>PR S.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effect on the environment from soil erosion is to occur.</p>	<p>AS S.4 AS S.4.1 Clearing must not be undertaken in a manner that allows negative environmental effects from soil erosion outside the permit area.</p> <p>AND AS S.4.2</p> <ul style="list-style-type: none"> a) Mechanical clearing does not occur on dispersible soils; and b) Mechanical clearing does not occur on slopes with a gradient greater than 5%; and c) Clearing does not occur in the following regional ecosystems: 9.3.5; 9.3.8; 9.5.3; 9.5.4; 9.5.5; 9.5.6; 9.5.11; 9.7.1; 9.7.2; 9.7.3; 9.7.5; 9.10.3; 9.11.2; 9.11.5; 9.11.10; 9.11.14; 9.11.15; 9.11.17; 9.12.4; 9.12.5; 9.12.6 and 9.12.38.

Performance Requirement	Acceptable Solution
<p>PR S.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS S.5 Clearing does not:</p> <ul style="list-style-type: none"> a) occur in or within 200 metres of existing or potential discharge areas; and b) occur within existing or potential groundwater recharge areas; and c) reduce the extent of remnant vegetation to less than 50% of the pre-clearing extent of remnant vegetation in either contributing catchments or groundwater flow systems at a higher elevation in the catchment than existing or potential discharge areas (saline or non-saline); and d) occur in areas subject to increased waterlogging or areas at risk of waterlogging as a result of clearing; and e) reduce the extent of the following regional ecosystems to less than 50% of the pre-clearing extent of the regional ecosystem on the property: 9.5.1, 9.5.3 and 9.8.1; and f) occur in the following regional ecosystems: 9.5.3; 9.5.4; 9.5.5; 9.5.11 and 9.7.2.

Performance Requirement	Acceptable Solution
<p>PR S.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p>	<p>AS S.6 S.6.1 Clearing does not occur in endangered regional ecosystems or of concern regional ecosystems or in category 1 and category 2 areas shown on a Property Map of Assessable Vegetation;</p> <p>OR</p> <p>S.6.2 Where clearing occurs in areas listed in S.6.1, the clearing is offset by protecting another area of non-remnant vegetation⁴ (other than a category 1, category 2, category 3 or category 4 area on a PMAV) that achieves the following:</p> <ul style="list-style-type: none"> a) the regional ecosystem to be restored is the same regional ecosystem as the regional ecosystem to be cleared; and b) the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and c) there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation.
<p>PR S7 Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and to manage the environmental effects of clearing.</p>	<p>AS S.7 S.7.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit on the property.</p> <p>S.7.2 Clearing is limited to the extent that is reasonably necessary for the construction and operation of the significant project.</p>

⁴ Other than vegetation that would be required to be retained under the conditions of a development approval.

Part W: Requirements for Clearing Vegetation for Weed or Pest Management⁵

Performance Requirement	Acceptable Solution
<p>PR W.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS W.1 Mechanical clearing does not occur in or within 200 metres of the static high water mark of natural wetlands, lakes and springs.</p>
<p>PR W.2 To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS W.2 Clearing does not remove mature trees.</p>
<p>PR W.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS W.3 Mechanical clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 200 metres of each high bank of each stream order 5 or above; and b) 100 metres of each high bank of each stream order 3 or 4; and c) 50 metres of each high bank of each stream order 1 or 2; and d) the following regional ecosystems: 9.3.6; 9.3.12; 9.3.13; 9.3.15 and 9.3.17.
<p>PR W.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effect on the environment from soil erosion is to occur.</p>	<p>AS W.4 Mechanical clearing does not occur:</p> <ul style="list-style-type: none"> a) on dispersible soils; and b) on slopes with a gradient greater than 5%.

⁵ Weed or pest management means clearing to control non-native plants or pests declared under the *Land Protection (Pest and Stock Route Management) Act 2002*.

Performance Requirement	Acceptable Solution
<p>PR W.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS W.5 Mechanical clearing does not occur:</p> <ul style="list-style-type: none"> a) in existing or potential discharge areas; and b) within 200 metres of existing or potential discharge areas; and c) areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.
<p>PR W.6 To prevent the loss of biodiversity, the natural floristic composition and range of densities of the regional ecosystem at that locality are maintained.</p>	<p>AS W.6 Clearing in all remnant regional ecosystems:</p> <ul style="list-style-type: none"> a) is limited to the extent reasonably necessary for the removal of non-native plants or declared pests; and b) maintains viable populations of each native species present and listed in the regional ecosystem description⁶.

⁶ The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

Performance Requirement	Acceptable Solution
<p>PR W.7 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, the environmental effects of clearing for control of non-native plants and declared pests are minimised.</p>	<p>AS W.7 W.7.1 Mechanical clearing only occurs where:</p> <ul style="list-style-type: none"> a) the infested area to be cleared is greater than 250m² and b) clearing is required to provide immediate access to the area of non-native plants or declared pests if no alternative route exists and c) greater than 60% of the total projective foliage cover (including shrub and canopy layers) is composed of a non-native plant or declared pest, or d) the area contains a rabbit warren complex and the clearing is limited to a perimeter of 3 metres around each hole. <p>AND W.7.2 Clearing using aerial application of herbicide only occurs where:</p> <ul style="list-style-type: none"> a) greater than 60% of the total projective foliage cover (including shrub and canopy layers) is composed of a non-native plant or declared pest, and b) the area to be cleared is greater than 1 hectare. <p>AND W.7.3 Clearing by other means is limited to:</p> <ul style="list-style-type: none"> a) the area infested by the pest plus a 1 metre buffer around the extent of the pest infestation; and b) the extent necessary to provide access to the area of non-native plants or declared pests, if no alternative route exists. <p>AND W.7.4 For a declared animal pest, clearing occurs only where there is no suitable alternative method of control.</p>

Part M: Requirements for Clearing for Management Activities⁷

Performance Requirement	Acceptable Solution
<p>PR M.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS M.1 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in or within 200 metres of the static high water mark of natural wetlands, lakes and springs; and b) in the following regional ecosystems: 9.3.1; 9.3.6; 9.3.11 and 9.3.12.
<p>PR M.2 To prevent the loss of biodiversity and to maintain ecological processes, viable wildlife habitat is maintained.</p>	<p>AS M.2 M.2.1 Clearing:</p> <ul style="list-style-type: none"> a) does not fragment remnant vegetation into clumps less than 100 hectares connected by corridors of retained vegetation greater than 200 meters wide with no more than 5:1 length to width ratio; and b) for built infrastructure, where the clearing exceeds 2 hectares, does not occur in an area which is identified on a map⁸ prepared by the chief executive of the agency which administers the <i>Nature Conservation Act 1992</i> and certified for use for the purposes of this code by the Chief Executive of the Department of Natural Resources, Mines & Energy, as an area of essential habitat for a species of wildlife listed as vulnerable, rare, near threatened or endangered under that Act.

⁷ Management Activities include clearing that is:

- a) For establishing a necessary fence, firebreak, road or other built infrastructure, if there is no suitable alternative site for the fence, firebreak, road or infrastructure; or
- b) a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* (IPA) was given, or a development application as defined under IPA was made, before 16 May 2003; or
- c) to ensure public safety.

⁸ The map is held in digital form by the Department of Natural Resources, Mines & Energy and may be reduced or enlarged to show the essential habitat for a particular area.

Performance Requirement	Acceptable Solution
<p>PR M.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS M.3 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 200 metres of each high bank of each stream order 5 or above, except for regional ecosystems: 9.3.3, 9.3.16, 9.3.19, 9.3.20 and 9.3.22 where clearing can occur to within 50m of the high bank of each stream order 5 or above; and b) 100 metres of each high bank of each stream order 3 or 4; and c) 50 metres of each high bank of each stream order 1 or 2; and d) the following regional ecosystems: 9.3.6; 9.3.12; 9.3.13; 9.3.15 and 9.3.17.
<p>PR M.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effect on the environment from soil erosion is to occur.</p>	<p>AS M.4 Clearing does not occur on:</p> <ul style="list-style-type: none"> a) dispersible soils; and b) on slopes with a gradient greater than 5%.
<p>PR M.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS M.5 M.5.1 Clearing for built infrastructure where the clearing exceeds 2 hectares does not occur:</p> <ul style="list-style-type: none"> a) in or within at least 200 metres of existing or potential discharge areas; and b) within existing or potential recharge areas; and c) in contributing catchments and Groundwater Flow Systems with less than 50% of the pre-clearing extent of remnant vegetation at a higher elevation in the catchment than existing or potential groundwater areas (saline or non saline); <p>AND</p> <p>M.5.2 Clearing does not occur in areas subject to increased waterlogging or areas at risk of waterlogging as a result of clearing.</p>

Performance Requirement	Acceptable Solution
<p>PR M.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p>	<p>AS M.6 M.6.1 Clearing does not occur in remnant endangered regional ecosystems or remnant of concern regional ecosystems or areas shown as ‘category 1’ or ‘category 2’ areas on a Property Map of Assessable Vegetation.</p>
<p>PR M.7 To prevent the loss of biodiversity, adequate representation of regional ecosystems is maintained across the bioregion</p>	<p>AS M.7 M.7.1 Clearing does not occur in the following regional ecosystems: 9.8.7; 9.11.8; 9.12.8 and 9.12.34.</p>
<p>PR M.8 Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and manage the environmental effects of clearing.</p>	<p>AS M.8 M.8.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit on the property.</p> <p>AND M.8.2 Clearing is limited to the extent that is reasonably necessary for the construction of the fence, road, firebreak or built infrastructure, or for public safety.</p>

Part F: Requirements for Fodder Harvesting⁹

Performance Requirement PR F.1	
To ensure clearing does not cause land degradation, to maintain ecological processes and to prevent the loss of biodiversity, clearing for fodder harvesting does not occur unless the property or area in which the property is located is drought declared on or after 25 June 2004.	

Performance Requirement	Acceptable Solution
PR F.2 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.	AS F.2 Fodder harvesting does not occur in or within 200 metres of the static high water mark of wetlands, lakes and springs.
PR F.3 To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained	AS F.3 Fodder harvesting does not remove any mature trees.
PR F.4 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to: a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat.	AS F.4 Clearing does not occur in or within: a) 200 metres of each high bank of each stream order 5 or above, except for regional ecosystems: 9.3.3, 9.3.16, 9.3.19, 9.3.20 and 9.3.22 where clearing can occur to within 50 metres of the high bank of each stream order 5 or above; and b) 100 metres of each high bank of each stream order 3 or 4; and c) 50 metres of each high bank of each stream order 1 or 2; and d) the following regional ecosystems: 9.3.6; 9.3.12; 9.3.13; 9.3.15 and 9.3.17.
PR F.5 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effect on the environment from soil erosion is to occur.	AS F.5 Fodder harvesting does not occur on: a) dispersible soils; and b) on slopes greater than 5%.

⁹ Fodder harvesting is the clearing of woody native plants suitable for browse fodder. Lopping for fodder harvesting does not require approval. Lopping means cutting or pruning branches, but not removing a trunk, or cutting or pruning so severely that the tree is likely to die.

Performance Requirement	Acceptable Solution
<p>PR F.6 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS F.6 Fodder harvesting does not occur:</p> <ul style="list-style-type: none"> a) in existing or potential discharge areas; and b) within a buffer of 200 metres of an existing or potential discharge area; and c) in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.
<p>PR F.7 To conserve remnant not of concern regional ecosystems and to prevent the loss of biodiversity, the natural floristic composition and the structural integrity of the regional ecosystem are maintained.</p>	<p>AS F.7 Fodder harvesting:</p> <ul style="list-style-type: none"> a) maintains the species composition and size classes of the regional ecosystem typical at that locality; and b) maintains viable populations of each species listed in the regional ecosystem description.
<p>PR F.8 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, the environmental effects of fodder harvesting are minimised</p>	<p>AS F.8 Fodder harvesting:</p> <ul style="list-style-type: none"> a) occurs by selective felling, cutting or breaking¹⁰; and b) is limited to suitable fodder species only; and c) does not destroy plants that are not suitable fodder species; and d) does not reduce the total canopy cover to less than 50% of the undisturbed predominant canopy of the regional ecosystem or a minimum of 50 living mature fodder trees per hectare, (which ever is the greater) within the harvested area.

¹⁰ Selective felling, cutting or breaking involves the harvesting of individual trees only.

Part T: Requirements for Thinning¹¹

Performance Requirement	Acceptable Solution
<p>PR T.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS T.1 Clearing does not occur in or within 200 metres of the static high water mark of natural wetlands, lakes and springs.</p>
<p>PR T.2 To prevent the loss of biodiversity and to maintain ecological processes, viable wildlife habitat is maintained.</p>	<p>AS T.2 T.2.1 Clearing:</p> <ul style="list-style-type: none"> a) does not clear mature trees; and b) does not alter floristic composition or densities typical of the regional ecosystem surrounding that locality; and c) does not occur in pre-existing thick patches of remnant vegetation; and d) maintains viable populations of each species present and listed in the regional ecosystem description¹². <p>AND</p> <p>T.2.2 Clearing achieves a mosaic pattern that includes the protection of patches and strips of remnant vegetation representative of a range of densities of the regional ecosystem.</p>
<p>PR T.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS T.3 Clearing does not</p> <ul style="list-style-type: none"> a) occur in or within 2 metres of the high bank of a watercourse; and b) remove mature trees; and c) does not occur in the following regional ecosystems: 9.3.12; 9.3.13; 9.3.15 and 9.3.17.

¹¹ Thinning means the selective clearing of vegetation at a locality to restore a regional ecosystem to the floristic composition and range of densities typical of the regional ecosystem surrounding that locality. The term does not include using a chain or cable linked between 2 tractors, bulldozers or other traction engines.

¹² The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

Performance Requirement	Acceptable Solution
<p>PR T.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effect on the environment from soil erosion is to occur.</p>	<p>AS T.4 Mechanical clearing does not occur: a) on dispersible soils; and b) on slopes with a gradient greater than 5%.</p>
<p>PR T.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS T.5 Mechanical clearing does occur in, or within a) 200 metres of existing or potential discharge areas; and b) areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.</p>
<p>PR T.6 To prevent the loss of biodiversity, thinning only occurs in areas where demonstrated thickening has occurred.</p>	<p>AS T.6 T.6.1 Clearing only occurs in areas where it is demonstrated that the density of the vegetation has thickened. AND T.6.2 Clearing only occurs in areas of thickening which is demonstrated by: a) comparing the density of remnant vegetation in the earliest available aerial photography that includes the subject area with the most recent available aerial photography that shows the same area; and b) finding that there is an increase in the density or extent of vegetation that is inconsistent with of the range of densities of the regional ecosystem surrounding that locality or c) finding that the species is not listed in the description of the regional ecosystem.</p>

Performance Requirement	Acceptable Solution
<p>PR T.7 To prevent the loss of biodiversity, the natural floristic composition and range of densities of the regional ecosystem at that locality are restored or maintained.</p>	<p>AS T.7 Clearing:</p> <ul style="list-style-type: none"> a) does not remove mature trees; and b) attains the floristic composition, size classes and densities typical of the regional ecosystem surrounding that locality; and c) maintains viable populations of each species present and listed in the regional ecosystem description¹³; and d) does not remove pre-existing thick patches of remnant vegetation; and e) achieves a mosaic pattern of the range of densities of the regional ecosystem surrounding that locality.

¹³ The Regional Ecosystem description is the full description of the regional ecosystem that appears in the Regional Ecosystem Description Database published by the Environmental Protection Agency.

Part E: Requirements for Clearing Encroachment¹⁴

Performance Requirement	Acceptable Solution
<p>PR E.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS E.1 Clearing does not occur in or within 200 metres of the static high water mark of natural wetlands, lakes and springs.</p>
<p>PR E.2 To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS E.2 Clearing:</p> <ul style="list-style-type: none"> a) does not alter floristic composition or densities typical of the regional ecosystem; and b) maintains viable populations of each species present and listed in the regional ecosystem description.
<p>PR E.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS E.3 Mechanical clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 200 metres of each high bank of each stream order 5 or greater; and b) 100 metres of each high bank of each stream order 3 to 5; and c) 50 metres of each bank of each stream order 1 to 2.
<p>PR E.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effect on the environment from soil erosion is to occur.</p>	<p>AS E.4 Clearing of encroaching species in grassland regional ecosystems does not occur:</p> <ul style="list-style-type: none"> a) on dispersible soils; and b) on slopes with a gradient greater than 5%.

¹⁴ Encroachment means a woody species that has invaded an area of a grassland regional ecosystem to the extent the area is no longer consistent with the description of the regional ecosystem.

Performance Requirement	Acceptable Solution
<p>PR E5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS E.5 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in or within 200 metres of existing or potential discharge areas; and b) in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing.
<p>PR E.6 To prevent the loss of biodiversity, clearing for encroachment only occurs in areas where demonstrated encroachment has occurred.</p>	<p>AS E.6 E.6.1 Clearing for encroachment only occurs in a regional ecosystem for which an application for clearing of encroachment may be accepted under the <i>Vegetation Management Act 1999</i> section 22A(2);</p> <p>AND</p> <p>E.6.2 Clearing only occurs in areas of encroachment which is demonstrated by:</p> <ul style="list-style-type: none"> a) comparing the density of woody remnant vegetation in the earliest available aerial photography that includes the subject area with the most recent available aerial photography that shows the same area; and b) finding that there is an increase in the density or extent of woody vegetation that is inconsistent with the description of the regional ecosystem, or c) finding that the woody species is not listed in the description of the regional ecosystem.
<p>PR E.7 To prevent the loss of biodiversity, the floristic composition and range of densities of the regional ecosystem at that locality are restored or maintained.</p>	<p>AS E.7 Clearing:</p> <ul style="list-style-type: none"> a) attains the floristic composition, size classes and densities typical of the regional ecosystem surrounding that locality; and b) maintains viable populations of each species present and listed in the regional ecosystem description; and c) does not remove pre-existing thick patches of woody vegetation; and d) removes only the encroaching species.

Part X: Requirements for Clearing for an Extractive Industry¹⁵

An application that is for clearing for extractive industry and is also for the purpose of clearing for a significant project declared under the *State Development and Public Works Organisation Act 1971*, section 26 will be assessed under this part of the code, and not under Part S.

An application that is for clearing for extractive industry and is also for the purpose of clearing for establishing a necessary fence, firebreak, road or other built infrastructure, or for clearing that is a natural and ordinary consequence of other assessable development for which a development approval as defined under the *Integrated Planning Act 1997* was given, or a development application as defined under the *Integrated Planning Act 1997* was made, before 16 May 2003, will be assessed under this part of the code, and not under Part M.

Performance Requirements	Acceptable Solution
<p>PR X.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS X.1 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in or within 200 metres of the static high water mark of natural wetlands, lakes and springs; and b) in the following regional ecosystems: 9.3.1; 9.3.6; 9.3.11 and 9.3.12.
<p>PR X.2 To prevent loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained</p>	<p>AS X.2 X.2.1 Vegetation is retained in corridors with a 5:1 length to width ratio, which provide connectivity between:</p> <ul style="list-style-type: none"> a) clumps of retained vegetation on the property or on adjoining properties; and b) wetlands; and c) endangered or of concern regional ecosystems. <p>OR X.2.2 Viable networks of wildlife habitat are maintained by offsetting areas of vegetation immediately adjacent to the area of vegetation affected by the application, in a manner that meets the requirements of X.2.1.</p>
<p>PR X.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain</p>	<p>AS X.3 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 200 metres of each high bank of each stream order 5 or above, except for regional

¹⁵ Extractive industry means one or more of the following:

- (a) dredging material from the bed of any waters;
- (b) extracting rock, sand, clay, gravel, loam or other material, from a pit or quarry;
- (c) screening, washing, grinding, milling, sizing or separating material extracted from a pit or quarry.

Performance Requirements	Acceptable Solution
<p>ecological processes, watercourses and adjacent habitat are protected to:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>ecosystems: 9.3.3, 9.3.16, 9.3.19, 9.3.20 and 9.3.22 where clearing can occur to within 50m of the high bank of each stream order 5 or above; and</p> <ul style="list-style-type: none"> b) 100 metres of each high bank of each stream order 3 or 4; and c) 50 metres of each high bank of each stream order 1 or 2; and d) the following regional ecosystems: 9.3.6; 9.3.12; 9.3.13; 9.3.15 and 9.3.17.
<p>PR X.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effects on the environment from soil erosion is to occur.</p>	<p>AS X.4 X.4.1 Clearing must not be undertaken in a manner that allows adverse environmental effects from soil erosion resulting from the clearing to occur outside the operational area.</p> <p>AND X 4.2 Clearing is:</p> <ul style="list-style-type: none"> a) staged in line with operational needs to restrict clearing to the operational area; and b) limited to the area from which material will be extracted within the term of the permit.
<p>PR X.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS X.5 X.5.1 Clearing does not occur:</p> <ul style="list-style-type: none"> a) in or within at least 200 metres of existing or potential discharge areas; and b) within existing or potential recharge areas; and c) in contributing catchments and Groundwater Flow Systems with less than 50% of the pre-clearing extent of remnant vegetation at a higher elevation in the catchment than existing or potential groundwater areas (saline or non saline); <p>AND X.5.2 Clearing does not occur in areas subject to increased waterlogging or areas at risk of waterlogging as a result of clearing.</p>

Performance Requirements	Acceptable Solution
<p>PR X.6 To conserve remnant endangered regional ecosystems and remnant of concern regional ecosystems, the current extent of endangered and of concern regional ecosystems and category 1 and category 2 areas shown on a Property Map of Assessable Vegetation are maintained.</p>	<p>AS X.6 Clearing does not occur in an endangered or of concern regional ecosystem or an area shown as ‘category 1’ or ‘category 2’ on a Property Map of Assessable Vegetation, unless the clearing:</p> <ul style="list-style-type: none"> a) is in a resource/processing area or transport route of a Key Resource Area identified in a State Planning Policy on Protection of Extractive Resources, or if no State Planning Policy is made, is in a resource/processing area or transport route for an area that in the opinion of the chief executive is an extractive resource of State significance; <p>AND</p> <ul style="list-style-type: none"> b) the clearing is offset by protecting an area of non-remnant (other than a category 1, category 2, category 3 or category 4 area on a PMAV), or remnant vegetation that may otherwise be approved to be cleared under this code that achieves the following: <ul style="list-style-type: none"> i. the regional ecosystem to be restored is or will be the same regional ecosystem as the regional ecosystem to be cleared; and ii. the area of the regional ecosystem to be restored is at least equal to the area to be cleared; and iii. there is a demonstrated high probability that within 20 years the area being restored will be capable of being mapped as remnant vegetation.
<p>PR X.7 Conserve remnant vegetation, prevent loss of biodiversity, maintain ecological processes, ensure clearing does not cause land degradation and manage the environmental effects of clearing.</p>	<p>AS X.7</p> <p>X.7.1 Clearing does not occur in an area of vegetation retained as a condition of a previous development permit for clearing on the property;</p> <p>AND</p> <p>X.7.2 Clearing for the construction of infrastructure associated with an extractive industry operation is limited to the extent that is reasonably necessary for the construction and operation of the infrastructure;</p> <p>AND</p> <p>X.7.3 Clearing is:</p> <ul style="list-style-type: none"> a) staged in line with operational needs to restrict clearing to the area required for active extractive activity at any one time; and b) limited to the area from which material will be extracted within the term of the permit.

Part R: Requirements for Clearing Regrowth¹⁶

Where this part of the code refers to a regional ecosystem in the acceptable solutions, the pre-clearing extent map will be used to determine the location and extent of the regional ecosystem.

Performance Requirements	Acceptable Solution
<p>PR R.1 Prevent loss of biodiversity and maintain ecological processes associated with natural wetlands, lakes and springs.</p>	<p>AS R.1 Clearing of regrowth does not occur in or within 200 metres of the static high water mark of natural wetlands, lakes and springs.</p>
<p>PR R.2 To prevent the loss of biodiversity and to maintain ecological processes, viable networks of wildlife habitat are maintained.</p>	<p>AS R.2 Vegetation is retained:</p> <ul style="list-style-type: none"> a) in clumps greater than 100 hectares, with a perimeter (metres) to area (hectares) ratio of no more than 100:1; and b) in corridors greater than 200 metres wide with a 5:1 length to width ratio, that provide connectivity between: <ul style="list-style-type: none"> i) clumps of retained vegetation on the property or on adjoining properties; and ii) wetlands; and iii) endangered or of concern regional ecosystems.
<p>PR R.3 To ensure clearing does not cause land degradation, to prevent the loss of biodiversity and to maintain ecological processes, watercourses and adjacent habitat are protected:</p> <ul style="list-style-type: none"> a) maintain bank stability by protecting against erosion and slumping; and b) maintain water quality by filtering sediments, nutrients and other pollutants; and c) maintain aquatic habitat; and d) provide food for aquatic ecosystems; and e) maintain wildlife habitat. 	<p>AS R.3 Clearing does not occur in or within:</p> <ul style="list-style-type: none"> a) 200 metres of each high bank of a stream order 5 or above; and b) 100 metres of each high bank of a stream order 3 or 4; and c) 50 metres of each high bank of a stream order 1 or 2.

¹⁶ For the purposes of this code, regrowth is non-remnant vegetation that has emerged following clearing undertaken on or before 31 December 1989, and is on a lease issued under the *Land Act 1994* for agriculture or grazing purposes.

Performance Requirements	Acceptable Solution
<p>PR R.4 To ensure clearing does not cause land degradation and to maintain ecological processes, no adverse effect on the environment from soil erosion is to occur.</p>	<p>AS R.4 Mechanical clearing does not occur: a) on dispersible soils; and b) on slopes with a gradient greater than 5%.</p>
<p>PR R.5 To ensure clearing does not cause land degradation and to maintain ecological processes, increased salinity and waterlogging and the salinisation of ground and surface water are prevented.</p>	<p>AS R.5 Clearing does not occur: a) within existing or potential discharge areas; and b) within 200 metres of an existing or potential discharge area; and c) in areas subject to waterlogging or areas at risk of waterlogging as a result of clearing; and d) in priority recharge areas.</p>

7. Dictionary

Aerial photography: Vertical aerial photographs, identified by film number, run number and frame number, captured as part of a coordinated aerial photography program or project on which the date of photography, flying height, lens focal length and project name are specified.

Contributing Catchment means for:

- a) a local ground water flow system, is the area of the surface catchment measured above a point 5 km downstream from an existing or potential discharge area;
- b) an intermediate groundwater flow system, is the area encompassed by a 15km radius from an existing or potential discharge area;
- c) a regional groundwater flow system is, the area with the relevant drainage basin sub area at a higher elevation than an existing or potential discharge area.

Corridors: are continuous strips of vegetation; that link larger tracts of native vegetation; that are used or capable of being used by wildlife for movement; and are capable of being habitat in their own right.

Demonstrated encroachment: means the increase in density of woody vegetation in grassland regional ecosystems listed in the *Vegetation Management Regulation 2000* which can be proven by reference to the earliest available aerial photography that includes the subject area when compared with the most recent available aerial photography that shows the same area.

Demonstrated, for a proposed offset, includes demonstrated by reference to published literature, the written opinion of a recognised expert in the field of revegetation; or by comparison to revegetation projects in similar regional ecosystems and similar conditions.

Demonstrated thickening: means the increase in the density of woody vegetation which can be proven by reference to the earliest available aerial photograph that includes the subject property when compared with the most recent available aerial photograph that includes the subject property.

Discharge areas: are -

- a) that part of the land surface where groundwater discharge produces a net movement of water out of the groundwater; and
- b) identified by an assessment process that is consistent with the document: *Salinity Management Handbook, Queensland Department of Natural Resources, 1997*; or
- c) identified by an approved salinity hazard map.

Dispersible soils: are soils in which clay material disintegrates into particles less than 2 microns when submerged in distilled water for 12 hours.

- Encroachment:** means a woody species that has invaded an area of a grassland regional ecosystem to the extent the area is no longer consistent with the description of the regional ecosystem.
- Floristic composition:** is determined by the Queensland Herbarium's complete description of the regional ecosystem.
- Fodder harvesting:** is the clearing of fodder species for the purpose of being eaten by stock.
- Fodder species:** are species where the proponent can establish with published literature, to the satisfaction of the Chief Executive, that:
- a) in the local conditions, the species is suitable for browse fodder (that it is palatable, non-toxic and contributes to stock nutrition); and
 - b) the species will regenerate successfully after harvesting.
- Such information may be located in current scientific literature, such as Everist, SL (1985) *Use of Fodder Trees and Shrubs*, Qld Department of Primary Industries Information Series Q185015. Fodder species do not include Brigalow (*Acacia harpophylla*), Gidgee (*Acacia cambagei*) and all species of the genera Eucalyptus and Corymbia.
- Foliage cover** is the percentage of the sample site occupied by the vertical projection of the foliage and woody branches.
- Grassland regional ecosystem:** means a grassland regional ecosystem prescribed under a regulation as a grassland regional ecosystem.
- Groundwater flow system:** is a zone with hydrogeological characteristics that influence the occurrence of dryland salinity. The hydrogeological characteristics relate to the movement of groundwater from a recharge area, through a transmission zone, to a discharge area or a potential discharge area.
- High bank:** is the terrace or bank or, if no bank is present, the point on the active floodplain which confines the normal flow, and which is either permanent or intermittent.
- Intermediate groundwater flow system:** is a ground water flow system where the distance between a discharge area and the closest recharge area is between 5km and 15 km.
- Key resource area:** is an area identified in a State Planning Policy for Extractive Industries as a Key Resource Area.
- Lake:** is a lagoon, billabong, or other natural area of open water, whether permanent or intermittent.
- Mature trees:** are trees that:

- a) are present in the predominant canopy as dominants or co-dominants; and
- b) have a trunk diameter, measured 1.3m above the ground, more than half of that of the largest trees of the same species in the regional ecosystem typical at that locality, **or**
- c) have more than one hollow more than 10cm in diameter and more than 2 metres above the ground.

Mechanical clearing: is the use of machinery to clear vegetation, which disturbs the soil surface or uproots woody vegetation.

Operational area: means the area actively being used for extractive industry at any one time.

Pre-clearing extent: for a regional ecosystem, means the extent of the regional ecosystem before it was cleared, which is shown on a digital map prepared by the Queensland Herbarium.

Priority recharge areas are areas

- a) identified as moderate-high or high on the recharge layer of an approved Salinity Hazard Map of the Department of Natural Resources, Mines and Energy; or
- b) identified using an assessment process that is consistent with the document: *Salinity Management Handbook, Queensland* Department of Natural Resources, 1997.

Property: is a lease, a license or permit under the Land Act; a single freehold lot or an aggregation of freehold lots that are geographically contiguous and are managed as a single unit.

Protecting: when offsetting means - the area is either: declared as an area of high nature conservation value or vulnerable to land degradation under the *Vegetation Management Act 1999*; a protected tenure under the *Nature Conservation Act 1992*; or lawfully covenanted under the *Land Title Act 1994*.

Rabbit warren complex: is an underground place with 2 or more entry points where rabbits breed.

Recharge areas: are identified by either-

- a) an assessment process that is consistent with the document: *Salinity Management Handbook, Queensland* Department of Natural Resources, 1997; or
- b) identified by the unnamed map that accompanies the following report by Bui, E. (1997). *Assessing the regional risk of salinization over Dalrymple Shire*. CSIRO Land and Water. Technical Report 26/97; or
- c) a salinity hazard map approved by the Chief Executive of the Department of Natural Resources, Mines and Energy.

Regional groundwater flow system: is a ground water flow system where the distance between a discharge and the closest recharge area is greater than 15km.

Resource/processing area: means the area of an extractive resource and the operational areas associated with extraction and processing of extractive materials. For a Key Resource Area identified by a State Planning Policy on Protection of Extractive Resources, the terms means the resource/processing area defined for that Key Resource Area in that State Planning Policy

Retained vegetation is:

- a) an area shown as category 1 area, category 2 area, category 3 area or category 4 area on a property map of assessable vegetation; or
- b) where there is no property map of assessable vegetation, is an area of remnant vegetation shown on a certified regional ecosystem or remnant map; or
- c) vegetation that is not remnant vegetation on land subject to a lease issued under the *Land Act 1994* for agricultural or grazing purposes, in an area that was cleared prior to 31 December 1989.

Soil erosion: includes landslip, gully erosion, rill erosion, sheet erosion, stream bank erosion, wind erosion or scalding; and associated loss of chemical, physical or biological fertility (such as water holding capacity, soil structure, organic matter, soil biology and nutrients).

Springs:

- are –
- a) where water naturally rises to and flows over the surface of land; and
 - b) those areas listed in: Fensham and Fairfax (2002) ‘Queensland springs distribution-assessment’.

Static high water mark: is the settled ordinary water level that occurs under average meteorological conditions. It is less than extreme levels that can be caused by storm surges.

Stream order: is the numerical ordering classification of each watercourse segment according to its position within a catchment. Stream order is determined using the most recent version of a Sunmap or Commonwealth of Australia 1:250 000 topographic map. When two streams of the same order join, the resulting watercourse becomes one stream order larger. If two streams of different order join, the resultant stream order is that of the larger stream, as shown in Figure 2.

Thinning: means the selective clearing of remnant vegetation at a locality to restore a regional ecosystem to the floristic composition and range

of densities typical of the regional ecosystem surrounding that locality. The term does not include using a chain or cable linked between 2 tractors, bulldozers or other traction engines.

Transport Route: means the route used to transport¹⁷ extractive materials to markets. For a Key Resource Area identified by a State Planning Policy on Protection of Extractive Resources, the term means the transport route defined for that Key Resource Area in that State Planning Policy

Viable network: areas of vegetation that exhibit high levels of connectivity, are representative of all regional ecosystems on the property, are large enough to allow ecosystem functioning, are self generating and able to remain in the landscape in spite of threatening processes.

Viable populations: means maintaining a range of size classes of the species at sufficient populations to ensure its ongoing presence at that site.

Waterlogging: is the saturation of soil by soil water.

Wetlands: are one or more of the following -

- a) Areas of permanent or periodic/intermittent inundation, with water that is static or flowing fresh, brackish or salt, including areas of marine water the depth of which at low tide does not exceed 6 metres. To be a wetland the area must have one or more of the following attributes:
 - i. at least periodically the land supports plants or animals that are adapted to and dependent on living in wet conditions for at least part of their life cycle.
 - ii. the substratum is predominantly undrained soils that are saturated, flooded or ponded long enough to develop anaerobic conditions in the upper levels.
 - iii. the substratum is not soil and is saturated with water, or covered by water at some time.
- a) those areas shown as a swamp, lake, marsh, waterhole, wetland, billabong, pool or spring on the latest Sunmap 1:100000 or 1:250000 topographic map; and
- b) those areas listed in: Environment Australia (2001). *A Directory of Important Wetlands in Australia*. Third Edition. Environment Australia, Canberra.

Wildlife habitat: is the combination of factors both biotic and abiotic that meet the requirements of a particular species of native plant or animal.

¹⁷Generally road haulage is used to transport extractive materials, but in some circumstances could be:

- Rail transport, for example for transporting rail ballast where the extractive resource deposit is adjacent to rail (some rail ballast is trucked to a distribution centre at a rail siding); or
- Conveyor transport comprising a loading point, conveyor, and a distribution centre where there are significant rates of extraction.

